PHARMACOPŒIAS
OF THE
LONDON HOSPITALS

SQUIRE

SIXTH EDITION
1891

Hb. X. 2. 34

R39704

Digitized by the Internet Archive
in 2015

https://archive.org/details/b21960768

THE

PHARMACOPŒIAS

OF THE

LONDON HOSPITALS.

THE PHARMACOPŒIAS

OF TWENTY-NINE OF THE

LONDON HOSPITALS.

ARRANGED IN GROUPS FOR COMPARISON
EXCEPT THE CHILDREN'S AND GERMAN, WHICH ARE
PLACED IN THE ADDENDA.

BY

PETER SQUIRE.

SIXTH EDITION.

REVISED
BY

PETER WYATT SQUIRE
AND
ALFRED HERBERT SQUIRE,

JOINTLY CHEMISTS IN ORDINARY ON THE ESTABLISHMENT OF THE QUEEN;
CHEMISTS IN ORDINARY TO H.R.H. THE PRINCE OF WALES.

LONDON:
J. & A. CHURCHILL,
11, NEW BURLINGTON STREET.
1891.

LONDON

PRINTED BY J. S. VIRTUE & CO., LIMITED.

CITY ROAD.

CONTENTS.

	Page
Acida	1
Æther Chloricus	2
Æther Ozonicus	2
Aldehydum Dilutum	2
Aquæ	2
Argenti Nitras Mitior	3
Balnea	3
Buginaria	7
Capsulæ	9
Cataplasmata	9
Caustica	11
Charta	13
Collodia	13
Collunaria	14
Collyria	16
Confectiones vel Electuaria	17
Decocta	20
Electuaria. *See* Confectiones.	
Emplastra	22
Emulsio	22
Enemata	22
Essentia	27
Extracta	27
Fomentum. *See* Fotus.	
Fotus	28
Fumi	29
Fumigatio	30
Gargarismata	31
Glycerina	39

Page
Gossypia Medicata 40
Guttæ 13
Haustus 19
Hydrargyri Oleas 83
Hydrargyri Oleas c. Morphiâ 83
Infusa 83
Inhalationes 84
Injectiones 84
Injectiones Hypodermicæ 89
Instillationes 93
Insufflationes 94
Lapis Divinus 96
Lincti 97
Linimenta 101
Lintea Medicata 107
Liquores 107
Lohoch. *See* Lincti.
Lotiones 109
Misturæ 127
Nasal Bougies 7
Nasal Douches 14
Nebulæ 185
Nitre-Paper. *See* Charta and Fumi.
Olea 189
Oleata 189
Pasta 190
Pastilli 191
Peptonised Foods 193
Pessi 194
Phenol Iodatum 197
Picmen a 197
Pilulæ 203
Potas a cum Calce 233
Potus 234
Pulveres 234
Sanguis Bovinus Exsiccatus 246
Sapones 246
Solutiones 247
Spiritus 248
Spray Solutions 185

Page
Suppositoria 249
Syrupi 251
Tabella 254
Tablet Triturates 254
Tincturæ 255
Trochisci 257
Unguenta 259
Vapores—Inhalationes 279
Vaselina 288
Vina 288
Pharmacopœias of the Hospitals for Sick Children 290
Pharmacopœia of the German Hospital . . 322

PREFACE

TO THE SIXTH EDITION.

SINCE the last edition (published in 1885), fifteen of the Hospitals have issued new Editions. We have added the Pharmacopœias of four other London Hospitals, namely, Central Throat, Lock, Victoria for Children, and East London for Children.

In order to keep the present volume nearly the same size as before, and at the same time make room for the formulæ which now occupy sixty-one pages more than in the previous Edition, the Diet Tables have been omitted.

P. W. SQUIRE.
A. H. SQUIRE.

413, OXFORD STREET,
July, 1891.

PREFACE

TO THE FIRST EDITION.

Having had occasion, whilst engaged in the preparation of the British Pharmacopœia, to make frequent reference to the formulæ used in the different London Hospitals which I had classified for convenience; it occurred to me, as also to some of my friends, that such a classified collection of these formulæ, many of them very valuable and not generally known, would be acceptable to the Profession in general, and particularly useful as a ready work of reference to Pharmaceutists who may be called upon to make up prescriptions according to the Hospital formulæ.

I also thought that their publication in this form might suggest to the different Hospital authorities, when preparing new editions of their respective Pharmacopœias, whether it would not be advisable to modify many of their

formulæ so as to assimilate them to those of a like nature in the British Pharmacopœia, and thus simplify and reduce the number of compound drugs.

P. SQUIRE.

277, Oxford Street,
March 25th, 1863.

The following is the list of the Hospitals, with the dates of publication:—

		Published in
Charing Cross	West Strand	1884
Chest, Diseases of (Royal)	City Road	1887
Chest, Diseases of (City of London)	Victoria Park	1888
Consumption	Brompton	1885
Fever	Liverpool Road	1864
Great Northern	Caledonian Road	1888
Guy's	Borough	1879
King's College	Portugal Street	1891
Lock	Paddington and Soho	1887
London	Mile End	1882
London Ophthalmic (Royal)	Liverpool Street	1887
Middlesex	Berners Street	1888
Royal Free	Gray's Inn Road	1882
Samaritan	Marylebone Road	1890
St. Bartholomew's	Smithfield	1888
St. George's	Hyde Park	1887
St. Mary's	Paddington	1889
St. Thomas's	Westminster Bridge	1890
Skin, British	Marlborough Street	1884
Throat	Golden Square	1881
Throat, Central	Gray's Inn Road	1890
University College	Gower Street	1879
Westminster	Broad Sanctuary	1886
Westminster Ophthalmic (Royal)	King William Street	1888
Women's	Soho Square	1883

ADDENDA.

Children	Great Ormond Street	1883
Children, East London	Shadwell	1883
Children, Victoria	Chelsea	1884
German Hospital	Dalston	1891

THE

PHARMACOPŒIAS

OF THE

LONDON HOSPITALS.

ACIDA.

Acetum Ipecacuanhæ.

Ipecacuanha 1 oz.; Acetic Acid 2 oz.; water to make 20 oz.; macerate the first two for 24 hours, then percolate with water. *St. Thomas's.*

Ipecacuanha 1 oz.; Diluted Acetic Acid sufficient to make 20 oz. *Throat.*

Acidum Carbolicum Liquefactum.

Carbolic Acid liquefied by heat 8 drms.; Glycerine 1 drm; mix. *Women.*

Acidum Chromicum Liquefactum.

Chromic Acid liquefied by the addition of water (about 1 in 1). *Central Throat.*

Acidum Hydrobromicum.

Bromide of Potassium 120 grs.; Tartaric Acid 153 grs.; water 1 oz. Dissolve the Bromide and then the Acid in the water, and set the mixture aside until precipitation ceases, then decant the clear solution. Dose 20 to 60 mins. *London.*

Acidum Hydrobromicum Dilutum.

Bromide of Potassium 65 grs; Cold Water 1 oz.; Tartaric Acid 80 grs. Dissolve the Bromide in the water, then add the Acid, stir well together, put in a cool place for six hours then decant or filter. *Throat.*

Acidum Sulphuricum Alcoholisatum.

Sulphuric Acid 1 fl. drm.; Rectified Spirit 7 fl. drms.; Oil of Sage 1 mins. Pour drop by drop the acid into the spirit, and when cold add the Oil of Sage. *Throat.*

ÆTHER CHLORICUS.

Chloroform 1 drm.; Rectified Spirit to 10 drms. Dose 5 to 20 mins. *Consumption.*

ÆTHER OZONICUS.

Ether containing in solution peroxide of hydrogen of 30 volume strength, with some alcohol. *Central Throat.*

ALDEHYDUM DILUTUM.

A mixture of Spirit and Aldehyde (Acetaldehyde) containing 15 per cent. of the latter. *Central Throat.*

AQUÆ.

Aqua Carui.

Spirit of Caraway 2 drms. Distilled Water to 1 pint. *St. Bartholomew's.*

Aqua Caryophylli.

Spirit of Cloves 2 drms. Distilled Water to 1 pint. *St. Bartholomew's.*

Aqua Cassiæ Ligneæ.

Spirit of Cassia Lignea 2 drms. Distilled Water to 1 pint. *St. Bartholomew's.*

Aqua Chloroformi.

Spirit of Chloroform 10 mins. Distilled Water 1 oz. *St. Bartholomew's.*

Aqua Chloroformi Diluta.

Caramel 1 gr.; Chloroform Water ½ oz.; water ½ oz. *Westminster.*

Aqua Glycyrrhizæ.

Extract of Liquorice 20 grs.; water to 1 oz. *London.*

Extract of Liquorice ½ oz.; water 20 oz. *Guy's.*

Aqua Medicatæ Omnes.

Essential Oil 3 mins.; Rectified Spirit 57 mins.; water 12 oz. *London.*

Essential Oil 6 mins.; Distilled Water 1 oz. Shake well at short intervals for one day, and filter. *British Skin.*

Aqua Medicatæ Pulverisatæ. *See* Nebulæ.

Aqua Menthæ Piperitæ.

Spirit of Peppermint 2 drms. Distilled Water to 1 pint. *St. Bartholomew's.*

Aqua Menthæ Viridis.

Spirit of Spearmint 2 drms. Distilled Water to 1 pint. *St. Bartholomew's.*

ARGENTI NITRAS MITIOR.

Nitrate of Silver 1; Nitrate of Potash 3. Fuse together and cast in moulds. *Guy's.*

BALNEA.

Balneum Acidi Nitro-Hydrochlorici.

Nitric Acid 1 lb.; Hydrochloric Acid 1½ lbs.; warm water 30 gals. *Guy's.*

Nitric Acid 15 fl. oz.; Hydrochloric Acid 30 fl. oz.; water at 98° F., 30 gals. *London.*

Balneum Acidum.

Diluted Nitro-hydrochloric Acid 12 oz.; water, 95° to 105° F., 30 gals. *University.*

Diluted Nitro-hydrochloric Acid 10 oz.; water 30 gals. *British Skin.*

Nitric Acid 15 oz.; Hydrochloric Acid 30 oz.; water, at 98° F., to 30 gals. *Westminster.*

Nitric Acid 1½ fl. oz.; Hydrochloric Acid 1 fl. oz.; water 30 gals. *Royal Free.*

Balneum Algense.

Carragheen Moss 16 oz.; water 30 gals. Wash the moss in cold water to remove impurities: boil it for ¼ hour in 3 gals. of water; strain while hot; wash the mass with boiling water to make up 3 gals., and mix the product with the water of the bath. *British Skin.*

Balneum Alkalinum.

Carbonate of Potash 2 oz.; warm water 25 gals. *Charing Cross.*

Carbonate of Potassium 3 oz.; Carbonate of Sodium 3 oz.; warm water 30 gals. *Middlesex.*

Carbonate of Sodium, or Carbonate of Potassium 3 oz.; dissolved in the water of the bath. *St. Mary's.*

Bicarbonate of Soda 4 oz.; water, 95° to 105° F., 30 gals. *University.*

Crystal. Carbonate Sodium 4 oz.; hot water 30 gals. *British Skin. Guy's.*

Crystal. Carbonate Soda 4, 6, or 8 oz.; water at 90° F., 30 gals. *London.*

Carbonate of Sodium 8 oz.; hot water 30 gals. *Lock.*

Carbonate of Sodium 4 oz.; water at 98° F., 30 gals. *Westminster.*

Carbonate of Sodium 8 oz.; water 30 gals. *Royal Free. St. Bartholom w's.*

Balneum Alkalinum Compositum.

Carbonate of Soda 6 oz.; Borax 1½ oz.; water at 98° F., 30 gals.; dissolve and add Prepared Starch 4 oz. *London.*

Balneum Avenæ Farinæ.

Oatmeal 4 lbs.; water at 98° F., 30 gals. *London.*

Balneum Bituminis Comp.

Compound Liquor of Bitumen 8 oz.; water at 98° F., 30 gals. *London.*

Bran Bath. *See* Balneum Furfuris.

Balneum Calidæ Aquæ.

London, 96° to 115° F., *Guy's* 98° to 110° F.

Balneum Calidi Aëris.

Guy's, 120° to 150° F.

The Continuous Hot Bath.

A constant flow of water at 98° to 108° F., maintained by a geyser apparatus. *Lock.*

Balneum Calidum.

Water at 96° F., 30 gals. *St. Bartholomew's.*

Balneum Creasoti.

Creasote ¼ oz.; Glycerine 2 oz.; water, 93° F., 30 gals. *London.*

Creasote 2 oz; water 30 gals. *British Skin.*

Balneum Diuturnum.

Water at 92° F., 30 gals. *British Skin.*

Balneum Frigidæ Aquæ.

London 60° F., or reduced by means of ice to nearly 32° F. *Guy's* 60° F.

Balneum Furfuris.

Put 3 lbs. of bran into a flannel bag, and place the bag in a quart of boiling water. Allow it to boil for 5 minutes; then put the bag and the water into a bath of the temperature required. *St. Mary's.*

Wheaten Bran 4 lbs.; water 30 gals. Tie the bran in a muslin bag; macerate it with frequent agitation for 10 minutes in 10 gals of water at 185° F.; then add more water to produce the requisite quantity at 95° to 105° F. *University. London*, 98° F. *Westminster.*

Wheaten Bran 2 lbs.; water 30 gals. Boil the bran for ¼ hour in 2 gals. of water, strain and mix the solution with the water of the bath. *British Skin.*

Balneum Glutinis.

Bran 5 lbs.; boiling water 2 gals.; water to 30 gals. *St. Bartholomew's.*

Clarified Size 2 lbs.; water, 95° to 105° F., 30 gals. Dissolve. *University.*

Size 6 lbs.; boiling water 1 gal.; water at 98° F. to 30 gals. *London.*

Size 8 lbs.; boiling water 1 gal.; water to 30 gals. *Royal Free.*
Patent Size 8 lbs.; water to 30 gals. *British Skin.*

Balneum Hydrargyri.

Perchloride of Mercury 60 to 180 grs.; Chloride of Ammonium 1 to 3 drms.; water at 98° F., 30 gals. *London.*

Mercury Vapour Bath.

Calomel ½ drm. Volatilise together with half-a-pint of water for twenty minutes on Lee's Lamp. *Lock.*

Balneum Iodi Comp.

Iodine ¼ oz.; Iodide of Potassium ½ oz.; water at 98° F., 30 gals. *London.*

Balneum Marinum, vel Sodii Chloridi.

Sea Salt 10 lbs.; water 30 gals. *British Skin.*
Bay Salt 8 lbs.; water, 98° F., 30 gals. *London.*

Balneum Potassæ Sulphuratæ v. Sulphuratum.

Sulphurated Potash 10 oz., dissolved in the water of the bath. *St. Mary's.*
Sulphurated Potash 4 oz.; water 95° to 105° F., 30 gals. Dissolve. *British Skin. London* 98° F. *Westminster. University.*
Sulphurated Potash 5 oz.; water 30 gals. *Royal Free.*
Sulphurated Potash 6 oz.; warm water 30 gals. *Charing Cross.*
Sulphurated Potash 8 oz.; warm water 30 gals. *Middlesex.*
Sulphurated Potash 8 oz.; water 30 gals. *St. Bartholomew's.*

Balneum Saponatum.

White Castile Soap 1lb.; water 30 gals. Dissolve the Soap in half a gallon of boiling water and mix the solution with the water of the bath. *British Skin.*

Balneum Sinapis.

Mustard 2 lbs.; water at 98° F., 30 gals. Add the Mustard gradually to a gallon of the water and allow to stand for 15 minutes; then pour the

mixture into a coarse linen bag, and press out the liquid, which is to be stirred up with the bath. *London.*

Balneum Sodii Chloridi.

Bay Salt 8 lbs.; water at 98° F., 30 gals. *London.*

Balneum Sulphureum. *See* Balneum Potassæ Sulphuratæ.

Balneum Sulphuris Comp.

Precipitated Sulphur 4 oz.; Hyposulphite of Soda 1 oz.; Dil. Sulphuric Acid 1½ drm.: water at 98° F., 30 gals. *London.*

Balneum Tepidæ Aquæ.

St. Bartholomew's, 90° F. *Guy's, London*, 85° to 92° F.

Balneum Turcicum (Turkish Bath).

A hot dry air bath 100° to 200° F., with kneading or shampooing, and warm ablutions or frictions, ending with tepid or cold affusion. *London.*

Balneum Vaporis.

The vapour of hot water applied to the body or any part of it, by a suitable apparatus. *London.*

BUGINARIA.

(NASAL BOUGIES.)

Gelato-Glycerine.

Refined Gelatine (by weight) 5 oz.; Glycerine (by weight) 6 oz.; water (by weight) 6 oz. Soak the Gelatine in the water for 12 hours with occasional stirring, add the glycerine, dissolve in a water-bath, and evaporate to produce 15 oz. by weight of the Gelato-glycerine. In making Bougies the Gelato-glycerine must be melted, the medicament added in the manner hereinafter described, and the substance poured into moulds of such a shape that each Bougie has a length of eight centimètres, and is of a tapering form, the diameter of the larger end being eight millimètres and that of the smaller extremity three millimètres. *Throat.*

Buginarium Acidi Carbolici.

Carbolic Acid ½ gr.; Gelato-glycerine 40 grs. To the Gelato-glycerine, melted in a water-bath, add the Carbolic Acid. Dissolve and pour into the mould. When solidified, remove for use. *Throat.*

Buginarium Bismuthi.

Subnitrate of Bismuth 5 grs.; Glycerine 3 mins. Rub together, and add the mixture to Gelato-glycerine, melted in a water-bath, 40 grs. Mix and pour into the mould; when solidified, remove for use. *Throat.*

Buginarium Cupri Sulphatis.

Sulphate of Copper, in powder, $\frac{1}{10}$ gr.; Gelato-glycerine 40 grs. To the Gelato-glycerine, melted in a water-bath, add the Sulphate of Copper. Dissolve and pour into the mould. When solidified, remove for use. *Throat.*

Buginarium Iodoformi.

Iodoform, in fine powder, ½ gr.; Glycerine 1 min. Rub together, and add the mixture to Gelato-glycerine, melted in a water-bath, 40 grs. Mix and pour into the mould. When solidified, remove for use. *Throat.*

Buginarium Morphiæ.

Acetate of Morphia $\frac{1}{10}$ gr.; Gelato-glycerine 40 grs. To the Gelato glycerine, melted in a water-bath, add the Acetate of Morphia. Dissolve and pour into the mould. When solidified, remove for use. *Throat.*

Buginarium Pini Sylvestris.

Oil of Scotch Pine Leaves, ½ min.; Gelato-glycerine 40 grs. To the Gelato-glycerine, melted in a water-bath, add the Oil. Mix thoroughly and pour into the mould. When solidified, remove for use. *Throat.*

Buginarium Plumbi Acetatis.

Acetate of lead ½ gr.; Glycerine 2 mins. Dissolve, and add to Gelato-glycerine, melted in

a water-bath, 40 grs. Mix and pour into the mould. When solidified, remove for use. *Throat.*

Buginarium Thymol.

Thymol $\frac{1}{10}$ gr.; Rectified Spirit $\frac{1}{2}$ min. Dissolve and add to Gelato-glycerine, melted in a water-bath, 40 grs. Mix thoroughly and pour into the mould. When solidified, remove for use. *Throat.*

Buginarium Zinci Sulphatis.

Sulphate of Zinc, in powder, $\frac{1}{10}$ gr.; Gelato-glycerine 40 grs. To the Gelato-glycerine, melted in a water-bath, add the Sulphate of Zinc. Dissolve and pour into the mould. When solidified, remove for use. *Throat.*

CAPSULÆ.

Capsulæ Olei Phosphorati.

Each containing $\frac{1}{30}$ gr. of Phosphorus dissolved in Olive Oil. *British Skin.*

Each containing $\frac{1}{60}$ or $\frac{1}{30}$ gr of Phosphorus. *London.*

Capsulæ Olei Santali Flavi.

Each contains 10 mins. of the oil. *London.*

CATAPLASMATA.

Cataplasma Acidi Carbolici.

Make a Linseed poultice, but substitute the Carbolic Acid lotion for one half of the water. *Fever.*

Cataplasma Carbonis.

Wood Charcoal $\frac{1}{2}$ oz.; Linseed Meal 4 oz.; boiling water 10 oz. *Fever.*

Wood Charcoal 1 oz.; Linseed Meal 3 oz.; boiling water 10 oz. *London.*

Cataplasma Carotæ.

Carrots boiled until they are soft, and pulp them. *Guy's.*

Cataplasma Digitalis.

Digitalis Leaves dried 2 oz.; Linseed Meal 2 oz.; water one pint. Boil the leaves with the water for 10 minutes and add the linseed gradually. *London.*

Cataplasma Fermenti.

Beer Yeast 6 fl. oz.; Flour 14 oz.: water at 100° F., 6 fl. oz. *Fever.*

Cataplasma Iodi.

Linseed poultice sprinkled with 2 drs. or more of Tincture of Iodine. *Fever. Women.*

Cataplasma Lini.

Linseed Meal 4 oz.; boiling water 10 oz. *London.*

Cataplasma Micæ Panis.

Grated bread, boiling water, of each sufficient. *London.*

Soft crumb of bread, boiling water, of each *q. s.* *British Skin.*

Cataplasma Plumbi et Opii.

Linseed poultice, substituting Lead and Opium lotion for half of the water. *Fever. Women.*

Cataplasma Sinapis.

Mustard 2 oz.; Linseed Meal 2 oz.; tepid water 8 oz. *Fever.*

Made with Mustard and water only, or add a sufficiency of Mustard to a Linseed Meal poultice. *London.*

Cataplasma Sodæ Chlorinatæ.

Make a Linseed poultice, substituting Solution of Chlorinated Soda for one-half of the water. *Fever.* (For one-third of the water. *London.*)

Cataplasma Thymolis.

Linseed Meal 2 oz.; Thymol 10 grs.; Olive Oil 2 drms.; Boiling water 5 oz. Dissolve the Thymol in the oil. *British Skin.*

Cataplasma Zingiberis.

Powdered Ginger 1 oz.; Powdered Capsicum ½ oz.; 30 to 60 grs. to be sprinkled on a Linseed Meal poultice. *Middlesex.*

CAUSTICA.

Causticum Acidi Arseniosi.

Arsenious Acid 20 grs.; Vermilion 60 grs.; Benzoated Lard 1 oz. *British Skin.*

Causticum Acidi Carbolici.

Carbolic Acid 1 oz.; water 1 drm. *British Skin.*

Causticum Acidum Carbolicum Liquefactum.

Carbolic Acid 9 oz.; water 1 oz. *Lock.*

Causticum Acidi Chromici.

Chromic Acid 1 oz.; water 1 oz. *British Skin.*

Causticum Argenti Nitratis.

Nitrate of Silver 30 grs.; Rectified Spirit 1 oz. *British Skin.*

Causticum Argenti et Potassii-Nitras.

Nitrate of Silver 1 part; Nitrate of Potassium 2 parts. Fuse together, and run into moulds to form short pointed sticks. *London Ophthalmic.*

Causticum Depilatorium.

Sulphide of Barium 90 grs.; Oxide of Zinc 360 grs.; Carmine 1 gr. Used as a paste with water. *British Skin.*

Causticum Hydrargyri Bicyanidi (Solut.).

Bicyanide of Mercury 20 grs.; water 1 oz. *Lock.*

Causticum Iodi.

Iodine 180 grs.; Iodide of Potassium 60 grs.; Rectified Spirit 1 oz. *British Skin.*

Causticum Pasta Londinensis.

Caustic Soda, Unslaked Lime, equal parts reduced to a fine powder in a warm mortar and bottle it, to be made into a paste with water before use. *Throat.*

Causticum Pasta Ricordi.

Strong Sulphuric Acid, Wood Charcoal, sufficient of each to make a paste. *Lock.*

Causticum Pasta Zinci Chloridi.

Solution of Chloride of Zinc with Opium 1 fl. oz.; Wheaten Flour 20 grs. Heat over a water-bath until of a proper consistence. *London Ophthalmic.*

Causticum Potassæ c. Calce.

Fused Potassa ½ oz.; Quicklime ½ oz.; made into a paste with Rectified Spirit. *British Skin.*

Causticum Potassii Permanganatis (Solut.)

Permanganate of Potassium 8—40 grs.; water 1 oz. *Lock.*

Causticum Sabinæ.

Savin in powder 380 grs.; Oxide of Zinc 60 grs. *British Skin.*

Caustica Zinci Chloridi (Tela).

No. 1. Chloride of Zinc in fine powder. Wheaten Flour, equal parts rubbed together to form a mass; place it in a drying closet till stiff enough to form cylinders. *Throat.*

No. 2. consists of Chloride of Zinc 2 parts; Wheaten Flour 3 parts. *Throat.*

No. 3 Chloride of Zinc 1 part.; Wheaten Flour 2 parts. *Throat.*

Causticum Zinci Chloridi.

Chloride of Zinc 3 drms.; Starch 1 drm.; water 3 drms. To make into a paste. *Westminster Ophthalmic.*

Chloride of Zinc, Oxide of Zinc, equal parts. (Made into paste with water.) *British Skin.*

Causticum Zinci Iodati.

Iodide of Potassium 240 grs.; Iodine 480 grs.; Distilled Water 3 drachms. Dissolve by trituration in a glass mortar. Add the above drop by drop to the following solution: Sulphate of Zinc 200 grs.; Distilled Water 140 minims; dissolve.

Allow the mixture to stand for six hours, then decant the liquid from the sediment, and preserve in a well-stoppered bottle. *Throat.*

CHARTA.

(*See also* FUMI.)

Charta Nitratis Potassii.

Nitrate of Potassium 45 grs.; water 1 oz. Saturate white blotting paper in the solution, and dry. When dry sprinkle a few drops of Compound Tincture of Benzoin over the paper. *Westminster.*

Nitrate of Potassium 1 oz.; Distilled Water 4 oz.; dissolve; imbue pieces of thin bibulous paper 8 inches square in this solution, and dry. One to be burnt for each inhalation. *Middlesex.*

Nitrate of Potassium 1 oz.; Distilled Water 4 oz.; dissolve; imbue pieces of thin bibulous paper 8 inches square in the solution, and dry. *Royal Chest.*

COLLODIA.

Collodium Stypticum.

Rectified Spirit 3 drms; Ether 5 drms. Mix and dissolve Tannic Acid 80 grs.; then add Pyroxylin 60 grs. Shake occasionally during 48 hours, and then decant the clear solution. *London.*

COLLUNARIA.

(NASAL DOUCHES.)

Directions.—"One (or two) measured teaspoonfu to be mixed (or dissolved) in a tumbler (or half a tumbler) of tepid water. Half the solution to be injected with a syringe along the floor of each nostril night and morning. After use blow the nose freely." *Central Throat.*

Collunarium Acidi Carbolici.

Glycerine of Carbolic Acid 1 drm.; water 5 to 10 ozs. *Central Throat.*

Carbolic Acid ½ gr.; Glycerine 20 grs.; water to 1 oz. *Throat.*

Collunarium Acidi Carbolici c. Soda et Borace.

Carbolic Acid 4 grs.; Bicarbonate of Soda 12 grs.; Borax 12 grs.; water 1 oz. *Throat.*

Collunarium Acidi Tannici.

Tannic Acid 3 grs.; water 1 oz. *London. Throat.*

Collunarium Alkalinum.

Bicarbonate of Sodium 1 drm.; Borax 1 drm.; Chloride of Sodium 1 drm.; Sugar 2 drms.; water ½ pint. *St. Mary's.*

Collunarium Aluminis.

Alum 4 grs.; water 1 oz. *London. Throat. St. Mary's.*

Collunarium Bituminis Comp.

Compound Liquor of Bitumen 10 mins.; water to 1 oz. *London.*

Collunarium Boracis.

Glycerine of Borax 1 drm.; water to 10 oz. *Central Throat.*

Collunarium Potassii Chloratis Compositum.

Compound Powder of Chlorate of Potassium 1 drm. water 5 to 10 oz. *Central Throat.*

Collunarium Potassii Chloratis Comp. cum Acido Tannico.

Tannic Acid 5 grs.; Comp. Powder of Chlorate of Potassium 1 drm.; water 5 to 10 oz. *Central Throat.*

Collunarium Potassii Permanganatis.

Solution of Permanganate of Potassium 1 drm.; water 5 to 10 ozs. *Central Throat.*

Solution of Permanganate of Potassium 6 mins.; water to 1 oz. *Throat. Lock.*

Solution of Permanganate of Potash 10 mins.; water to 1 oz. *London.*

Solution of Permanganate of Potassium 12 mins.; Distilled Water 1 fl. oz. *St. Mary's.*

Collunarium Quiniæ.

Sulphate of Quinine ½ gr.; water 1 oz. *Throat.*

Collunarium "Sanitas."

Sanitas 2 drms.; water 5 to 10 oz. *Central Throat.*

Collunarium Sodii.

Bicarbonate of Sodium 7 grs.; Borax 7 grs.; Chloride of Sodium 7 grs.; Sugar 15 grs. To be dissolved in half a tumblerful of warm water. *Westminster.*

Bicarbonate of Soda 30 grs.; water 1 oz. *Throat.*

Collunarium Sodæ Chlorinatæ.

Solution of Chlorinated Soda 5 mins.; water 1 oz. *Lock.*

Collunarium Sodii Sulphatis vel Glauberi.

Sulphate of Sodium 2 drms.; water 5 to 10 oz. *Central Throat.*

Collunarium Zinci Sulphatis.

Sulphate of Zinc ½ gr.; water 1 oz. *Throat.*

Collunarium Zinci Sulpho-carbolatis.

Sulpho-carbolate of Zinc 2 grs.; water 1 oz. *Throat. Lock.*

COLLYRIA.

Collyrium Acidi Borici.

Boracic Acid 4 grs.; Distilled Water 1 oz. *St. George's.*

Boracic Acid 10 grs.; Distilled Water 1 oz. *Middlesex. King's.*

Collyrium Acidi Borici c. Belladonna.

Boracic Acid, 5 grs.; Extract of Belladonna 5 grs.; water 1 oz. *King's.*

Collyrium Aluminis.

Alum 4 grs.; Distilled Water 1 oz. *London. Middlesex. King's.*

Alum 3 grs.; water to 1 oz. *Guy's. Royal Free.*

Collyrium Aluminis c. Atropinâ.

Sulphate of Atropine 1 gr.; Alum 24 grs.; Distilled Water 8 oz. *Middlesex.*

Collyrium Aluminis c. Belladonna.

Extract of Belladonna 5 grs.; Alum 3 grs.; water 1 oz. *London.*

Collyrium Argenti Nitratis.

Nitrate of Silver 1 gr.; Distilled Water 1 oz. *Middlesex.*

Collyrium Atropiæ Sulphatis.

Sulphate of Atropia $\frac{1}{8}$ gr.; water 1 oz. *British Skin.*

Collyrium Belladonnæ.

Belladonna Extract 8 grs.; water 1 oz. *Guy's.*

Collyrium Boracis.

Borax 10 grs.; Distilled Water 1 oz. *Middlesex.*

Borax 5 grs.; Diluted Hydrocyanic Acid 3 mins.; Distilled Water to 1 oz. *Royal Free.*

Collyrium Cupri Compositum.

Aluminated Copper 5 grs.; Camphor Water 1 drm.; Distilled Water to 1 oz. *Royal Free.*

Collyrium Cupri Sulphatis.

Sulphate of Copper 2 grs.; water 1 oz. *British Skin. London.*

Collyrium Hydrargyri Perchloridi.

Corrosive Sublimate $\frac{1}{8}$ gr.; water 1 oz. *British Skin.*

Collyrium Plumbi Acetatis.

Acetate of Lead 2 grs.; Diluted Acetic Acid $\frac{1}{2}$ min.; Distilled Water 1 oz. *Royal Free.*

Acetate of Lead 2 grs.; Diluted Acetic Acid 1 min.; Distilled Water 1 oz. *Middlesex.*

Collyrium Zinci Chloridi.

Chloride of Zinc 1 gr.; water 1 oz. *London.*

Chloride of Zinc 2 grs.; water 1 oz. *Guy's.*

Collyrium Zinci Sulphatis.

Sulphate of Zinc 1 gr.; Distilled Water 1 oz. *London. Middlesex.*

Sulphate of Zinc 2 grs.; water 1 oz. *British Skin. Guy's. Royal Free. St. George's.*

CONFECTIONES vel ELECTUARIA.

Confectio Cubebæ Co.

Cubebs 30 grs.; Copaiva 20 mins.; Bicarbonate of Soda 10 grs.; Nitrate of Potash 5 grs. *London.*

Confectio Cubebæ et Copaibæ.

Cubebs 15 grs.; Copaiba 15 mins.; mix. *University.*

Confectio Ferri Tartarati.

Tartarated Iron 30 grs.; Acid Tartrate of Potassium 180 grs.; Ginger 5 grs.; Treacle by weight to 1 oz. Dose 2 teaspoonfuls. *St. Bartholomew's.*

Confectio Guaiaci Co.

Guaiacum Resin 10 grs.; Carbonate of Magnesium 10 grs.; Sublimed Sulphur 15 grs.; Treacle 1 drm. *St. Mary's.*

Guaiacum Resin 10 grs.; Carbonate of Magnesia 10 grs.; Sublimed Sulphur 15 grs.; Ginger 5 grs.; Treacle by weight 1 drm. Dose 1 to 2 drms. *London.*

Confectio Jalapæ.

Comp. Powder of Jalap 120 grs.; Powdered Carui Fruit 30 grs.; Treacle to 1 fl. oz. Dose ʒi—ʒii. *City Chest.*

Powdered Jalap 1 part; Powdered Senna 2 parts; Ginger 16 parts; Treacle to 90 parts. Dose 60 to 120 grs. *St. George's.*

Comp. Powder of Jalap 120 grs.; Treacle by weight to 1 oz. Dose 2 to 4 teaspoonfuls. *St. Bartholomew's.*

Confectio Oloi Santali Flavi Comp.

Oil of Yellow Sandal Wood 20 mins.; Cubebs 30 grs.; Bicarbonate of Potash 5 grs.; Nitrate of Potash 5 grs.; Dose 1 to 2 drms. *London.*

Confectio Potassii Tartratis Acidæ.

Acid Tartrate of Potassium 30 grs.; Powdered Ginger 1 gr.; Treacle to 1 drm. *Royal Chest.*

Acid Tartrate of Potassium 240 grs.; Powdered Ginger 5 grs.; Treacle (by weight) to 1 oz. Dose 1 to 2 teaspoonfuls. *St. Bartholomew's.*

Acid Tartrate of Potassium 240 grs.; Powdered Carui Fruit 30 grs.; Powdered Ginger 5 grs.; Treacle to 1 fl. oz. Dose ʒi—ʒ ii. *City Chest.*

Acid Tartrate of Potash 20 grs.; Honey 60 grs. *Charing Cross.*

Confectio Rutæ.

Rue 1½, Caraway 1½, Bay Berries 1½, Black Pepper ¼, all in powder; Prepared Sagapenum ½; Honey, 16; water *q. s.*; liquefy the last three ingredients by heat, and add the powders. *St. George's.*

Used in Enema Rutæ.

Confectio Sennæ.

Powdered Senna 80 grs.; Jalap 30 grs.; Ginger 10 grs.; Oil of Coriander ½ min.; Treacle to 1 oz. Dose 1 or 2 drms. *Samaritan.*

Powdered Senna, 15 grs.; Jalap 10 grs.; Ginger 2 grs.; Treacle 1 drm. Dose 1 to 2 drms. *St. Mary's.*

Powdered Senna 80 grs.; Jalap 20 grs.; Ginger 20

grs.; Acid Tartrate of Potash 20 grs.; Powdered Liquorice 20 grs.; Coriander 20 grs.; Treacle 1 oz. Dose 1 to 2 drms. *Middlesex. Royal Chest.*

Confectio Sennæ Fortior. *See* Confectio Sennæ. *Royal Chest.*

Confectio Sennæ et Jalapæ.

Powdered Senna 20 grs.; Powdered Jalap 10 grs. Acid Tartrate of Potash 20 grs.; Syrup of Ginger 1 drm. Dose ½ to 1 drm. *London.*

Confectio Sennæ et Sulphuris.

Confection of Senna to 1 drm.; Sublimed Sulphur 15 grs. *St. Mary's.*

Confection of Senna 6 drms.; Sublimed Sulphur 2 drms. Dose 1 or 2 drms. *Samaritan.*

Confection of Senna 75 grs.; Sublimed Sulphur 15 grs.; Acid Tartrate of Potash 15 grs. *University.*

Confection of Senna P.B., and Confection of Sulphur. Hosp. Pharm. Equal parts. Dose 1 to 2 drms. *London.*

Confection of Senna and Confection of Sulphur equal parts. *Guy's. St. Thomas's.*

Confectio Sulphuris.

Sulphur ½ oz.; Acid Tartrate of Potash ½ oz.; Confection of Senna 2 oz.; Treacle *q. s.* Dose 1 to 2 drms. *Middlesex.*

Sulphur 2 drms.; Acid Tartrate of Potash 1 drm.; Treacle 6 drms. Dose 1 to 2 drms. *London.*

Sulphur 200 grs; Acid Tartrate of Potassium 50 grs.; Treacle by weight to 1 oz. Dose 1 to 2 teaspoonfuls. *St. Bartholomew's.*

Confectio Sulphuris Co.

Sulphur 100 grs.; Acid Tartrate of Potassium 25 grs.; Guaiacum Resin 80 grs.; Rhubarb 40 grs.; Nutmeg 40 grs.; Treacle to 1 oz. Dose 2 to 4 teaspoonfuls. *St. Bartholomew's.*

Precipitated Sulphur 120 grs.; Acid Tartrate of Potash 30 grs.; Treacle 6 oz. *British Skin.*

Confectio Sulphuris Fortior.

Sublimed Sulphur 30 grs.; Jalap 4 grs.; Tincture of Senna 8 mins.; Oil of Peppermint *q. s.*; Treacle to 1 drm. *Royal Chest.*

Cremor Zinci. *See* Ung. Zinci. Oxid. *Samaritan.*

DECOCTA.

Decoctum Aloes.

Extract of Socotrine Aloes 3 oz.; Myrrh $2\frac{1}{4}$ oz.; Carbonate of Potassium $1\frac{1}{2}$ oz.; water $1\frac{1}{2}$ gallon. Boil for 5 minutes and add Cardamom Seeds 2 oz.; Caraway Fruit 2 oz.; Cinnamon 4 oz. All the above in powder. Macerate 3 days, strain, and make up with water to 2 gallons. Dose 1 fl oz. *Royal Free.*

Decoctum Aloes Co.

Extract of Barbadoes Aloes 3 grs.; Carbonate of Potassium 2 grs.; Chloroform 1 min.; Rectified Spirit 2 mins; water to 1 oz. *Samaritan.*

Socotrine Aloes 120 grs.; Myrrh 90 grs.; Carbonate of Potash 60 grs.; Extract of Liquorice 2 oz.; Tincture of Ginger 6 drms.; Rectified Spirit 3 oz.; Distilled Water *q. s.*; boil the solids in 20 oz. of the water 5 minutes; when cool, add the Spirit and Tincture; then strain and make up with water to 30 oz. Dose $\frac{1}{2}$ to 2 oz. *London.*

Decoctum Cinchonæ.

Pale Cinchona Bark $1\frac{1}{4}$ oz.; water 20 oz. Boil for 20 minutes and strain. Dose 1 to 2 oz. *London.*

Decoctum Gallæ.

Galls bruised $2\frac{1}{2}$ oz.; water 40 oz.; boil to 20 oz. and strain. *St. George's.*

Decoctum Hemidesmi Co.

Hemidesmus Root $2\frac{1}{2}$ oz.; Sassafras Chips $\frac{1}{4}$ oz.; Guaiacum Turnings $\frac{1}{4}$ oz.; Commercial Extract of Liquorice $\frac{1}{4}$ oz.; Mezereon Bark $\frac{1}{8}$ oz.; boiling Distilled Water 30 oz.; digest 1 hour and boil 10 minutes; when cool make up to 20 oz. Dose 1 oz. *St. Bartholomew's.*

Decoctum Hordei Tartarizatum.

"*Imperial Drink.*"—Acid Tartrate of Potassium 80 grs.; the fresh peel of half a lemon; sugar 4 oz. Decoction of Barley 40 oz.; boil and strain. *St. George's.*

Decoctum Jaborandi.

Jaborandi leaves bruised 200 grs.; water 20 oz. Boil 20 minutes in a covered vessel and strain. Dose 1 oz. *London.*

Decoctum Papaveris. *See* Fotus Papaveris.

Decoctum Quercus.

Oak Bark bruised $1\frac{1}{4}$ oz.; water 20 oz.; boil 10 minutes in a covered vessel and strain. *London Ophthalmic.*

Decoctum Tritici Repentis.

Creeping Couch Grass 1 oz.; water 20 oz. Boil 10 minutes in a covered vessel and strain. Dose 1 to 2 oz. *London.*

Decoctum Zitmann.

No. 1.—*The Strong Decoction.*—Sarsaparilla Root bruised 4 oz.; water 24 lbs. Digest for 24 hours and add, tied up in linen, Sugar 2 drms.; Alum 2 drms; Calomel 80 grs.; Cinnabar 20 grs. Then simmer this down to 8 pints, and at the close add: Powdered Anise 80 grs.; Powdered Fennel 80 grs.; Senna Leaves 1 oz.; Liquorice Root $\frac{1}{2}$ oz. Let it stand one hour, press and strain. Dose 1 quart warm every morning. *Lock.*

No. 2.—*The Weak Decoction.*—To the dregs from No. 1 add: Sarsaparilla Root bruised 2 oz.; water 24 lbs. Simmer down to 8 pints, and at the close add: Lemon Peel 1 drm.; Cardamom Seeds 1 drm.; Cassia Bark 1 drm.; Liquorice Root 1 drm. Let it stand for 1 hour, strain. Dose 1 quart cold in the afternoon. *Lock.*

ELECTUARIA. *See* CONFECTIONES.

EMPLASTRA.

Emplastrum Belladonnæ.

Alcoholic Extract of Belladonna Root 1 drm.; Lead Plaster 19 drms. *University.*

Emplastrum Depilatorium.

Resin 1 oz.; Tar 110 grs.; Oil of Turpentine ½ drm.; Lard 14 grs. *British Skin.*

Emplastrum Hydrargyri Compositum.

Mercury 120 grs.; Oil of Turpentine 20 mins.; Yellow Wax 20 grs.; Resin 40 grs.; Prepared Styrax 60 grs.; Lead Plaster 1 oz. *British Skin. Westminster.*

Emplastrum Iodi Co. (vel cum Opio).

Iodine 2 drms.; Iodide of Potassium 3 drms.; Lead Plaster 16 oz.; Opium Plaster 6 oz. *St. George's. Women.*

Emplastrum Rubrum.

Red Oxide of Lead 45 grs.; Vermilion 25 grs.; Lead Plaster 1 oz. *British Skin.*

EMULSIO.

Emulsio Olei Morrhuæ.

Cod Liver Oil 2 drms.; Gum Acacia 20 grs.; Syrup, Glycerine, of each 20 mins.; Essence of Vanilla, Brandy, of each 5 mins.; Oil of Cinnamon ⅓ min; Distilled Water to ½ oz. *St. George's.*

ENEMATA.

Enema Amyli.

Starch 1 drm.; water 5 oz.; boil. Two ounces to be used for an enema. *St. George's.*

Enema Assafœtidæ.

Tincture of Assafœtida 4 drms.; Decoction of Barley 20 oz. *Fever.*

Tincture of Assafœtida 4 drms.; Mucilage of Starch 4 oz. *London.*

Enema Calcis c. Ferro.

Tincture of Perchloride of Iron 20 mins.; Lime Water 1 oz. *British Skin.*

Enema Catharticum.

Sulphate of Magnesia 1 oz.; Olive Oil 2 oz.; Decoction of Barley 18 oz. *Fever.*

Enema Chloral.

Hydrate of Chloral 40 grs.; Mucilage of Starch 20 oz. *London.*

Enema Cibi.

Warm Beef-tea 2 fl. oz.; one egg. Mix thoroughly. Brandy or Opium to be added as required. *Guy's.*

Enema Colocynthidis Co.

Colocynth Pulp 60 grs.; water 12 oz.; boil 10 minutes, strain, and add Salt ½ oz. *Guy's.*

Enema Commune.

Soft Soap a tablespoonful; warm water 16 oz. *St. George's.*

Common Salt 1 oz.; Oatmeal Gruel 12 oz. *Guy's.*

Enema Nutriens.

Jelly Beef-tea 3 oz.; Yolk of one Egg. Beat up the egg and mix with the beef-tea. Port Wine, Brandy or Opium to be added as ordered. *Middlesex.*

One Egg; Strong Beef-tea 2 oz.; Milk 2 oz. Well beat the egg and mix it with the beef tea and milk. To be given warm. Brandy (up to ½ oz.) and Liquor Pancreaticus (1 drm.) may be added if desired. *St. Thomas's.*

Cooked Beef, Mutton or Chicken 3 oz. 7 drms.; Sweetbread 1 oz. 7 drms.; Fat 6 drms; Brandy 2 drms.; water 3 oz. These ingredients, mixed together, will measure 9 oz. The meat, sweetbread and fat must be first passed through a fine mincing-machine, and then rubbed up, with the water gradually added, to make a thick paste. It is well to warm the mass to a temperature of 100° Fahr. shortly before using it. The enema should be given at a temperature of

90° to 95°, and *ought not to be administered more than twice in the twenty-four hours.* The rectum should be washed out twice or thrice a week with tepid water, three or four hours before giving the nutritive injection. Half a drachm of pancreatine (Savory and Moore) or 4 oz. of pancreatic emulsion may be used if the fresh pancreas cannot be obtained. In the latter case the fat, brandy, and water should be omitted. *Throat.*

Warm special Beef-tea 2 oz. : one Egg. Beat up the egg and mix with the beef-tea. Port Wine, Brandy, or Opium to be added as ordered. *London.*

Port Wine ½ oz. ; Glycerine 1 drm ; Strong Beef-tea (Brand's) to 2 or 3 oz. *Women.*

Enema Nutriens (No. 1).

Strong Beef-tea 5 oz. ; Pepsin (Pigs) 10 grs. ; Diluted Hydrochloric Acid 20 mins. Digest the Beef-tea, Pepsin, and Acid for 4 hours at a temperature of 100° F., and then neutralize with Carbonate of Soda. *University.*

Enema Nutriens (No. 2).

Strong Beef-tea 3 oz. ; One Egg. Brandy ½ oz. ; Pepsin (Pigs) 12 grs. ; Diluted Hydrochloric Acid 24 mins. ; Carbonate of Soda a sufficiency. Let the egg be well beaten and mixed with the Beef-tea, Pepsin, and Acid, then digest for 6 hours at a temperature of 100° F., finally neutralise with Carbonate of Soda, and add the Brandy. *University.*

Enema Nutriens cum Peptone.

Lean Beef finely minced 1 lb. ; water 20 oz. ; Liquor Pancreaticus 6 drms. Mix beef and water, simmer gently 1½ hour, strain into a covered jug. Beat the residue into a paste and add it to the jug. When it has cooled to 140° F. add the Pancreatic solution and stir well together. Put it in a warm place for 2 hours, then boil for 3 minutes and strain. Not more than 4 oz. to be injected at a time. *London.*

Enema Olei Olivæ. *See* Enema Oleosum.

Enema Olei Ricini.

Castor Oil 2 oz.; Water Gruel (thin) to 20 oz. *St. Thomas's.*

Castor Oil 2 oz.; Yolk of 1 Egg; Decoction of Barley (tepid) to 10 oz.; mix. *Charing Cross.*

Castor Oil 2 oz.; Soft Soap 1 oz.; warm water 20 oz. *Westminster. London Ophthalmic.*

Castor Oil 4 oz.; Decoction of Oats 12 oz. *St. George's.*

Castor Oil 1 oz.; warm Mucilage of Starch 11 oz. *Guy's.*

Castor Oil 2 oz.; Mucilage of Starch 18 oz. *St. Bartholomew's.*

Castor Oil 1 oz.; Simple Enema to 20 oz. *Middlesex.*

Castor Oil. 1 oz.; Mucilage of Starch 8 oz. *London.*

Enema Olei Ricini c. Assafœtidâ.

Castor Oil 4 drms.; Tincture of Assafœtida 4 drms; Mucilage of Starch to 12 oz. *Fever.*

Enema Oleosum.

Olive Oil 4 oz.; Decoct. of Oats 12 oz. *St. George's.*

Olive Oil 4 oz.; Simple Enema to 20 oz. *Middlesex.*

Olive Oil 4 oz.; Mucilage of Starch 16 oz. *London. Westminster.*

Olive Oil 4 oz.; warm Mucilage of Starch 8 oz. *Guy's.*

Enema Opii.

Tincture of Opium 15 mins.; Mucilage of Starch 2 oz. *Fever.*

Enema Plumbi c. Opio.

Tincture of Opium 20 mins.; Acetate of Lead 9 grs.; Diluted Acetic Acid 15 mins.; Distilled Water 3 oz. *Fever.*

Enema Rutæ.

Confection of Rue 180 grs.; Infusion of Chamomile to 16 oz. *St. George's.*

Oil of Rue 20 mins.; Mucilage of Acacia 2 drms.; Simple Enema to 6 oz. *Middlesex. Royal Chest.*

Oil of Rue 20 mins.; Mucilage 2 drms.; Mucilage of Starch 6 oz. *Women.*

Oil of Rue 20 mins.; Mucilage of Starch 6 oz. *Westminster.*

Enema Salinum.

Chloride of Sodium 2 tablespoonfuls; warm water 16 oz. *St. George's.*

Enema Sanguinis Bovini Exsiccati.

Bullock's Blood desiccated ½ oz.; Salicylic Acid 4 grs.; warm water (105° F.), ℥ iv. *Westminister.*

No. 1. Defibrinated Bullock's Blood desiccated 180 grs.; Milk warmed to 100° F., 3 oz. Shake until dissolved. *London.*

No 2. Defibrinated Bullock's Blood desiccated 2 oz.; Milk warmed to 100° F., 8 oz. Shake until dissolved. *London.*

Brandy, Port Wine or Opium to be added to either as ordered.

Enema Saponis.

Soft Soap ½ oz.; warm water to 20 oz. *St. Thomas's.*

Soft Soap 6 drms.; boiling water to 16 oz. *St. George's.*

Soft Soap ¾ oz.; warm water to 20 oz. *St. Bartholomew's.*

Soft Soap 1 oz.; tepid water 30 oz. *Charing Cross.*

Soft Soap 1 oz.; boiling water 16 oz.; to be used warm. *Guy's.*

Soft Soap *q. s.*; tepid water 40 oz. *Fever.*

Soft Soap 1 oz.; warm water 20 oz. *Westminster. London Ophthalmic.*

Soft Soap 1 oz.; warm water 19 oz. *London.*

Enema Simplex.

Linseed Oil 2 oz.; Decoction of Barley to 20 oz. *Westminster.*

Linseed Oil 2 oz.; Decoction of Barley 10 oz. *London.*

Soft Soap 1 oz.; boiling water 20 oz. *Middlesex.*

Soft Soap 1 oz.; warm water 19 oz. *Royal Chest.*

Enema Sodii Chloridi.

Chloride of Sodium 1 oz.; warm water 20 oz. *London.*

Chloride of Sodium 8 drms. Decoction of Barley 20 oz. *Westminster.*

Enema Spiritus Vini Gallici.

Brandy 1 oz.; Strong Beef-tea 3 oz. *Fever.*

Enema Terebinthinæ.

Oil of Turpentine 1 oz.; Mucilage of Starch 20 oz. *Fever.*

Oil of Turpentine ½ oz.; Castor Oil 1 oz.; Yolk of 1 Egg; Infusion of Linseed to 20 oz; mix. *Charing Cross.*

Oil of Turpentine ½ oz.; Castor Oil 1 oz.; Decoction of Barley or Mucilage of Starch 20 oz. *Middlesex.*

Enema Vulgare. *See* Enema Commune.

ESSENTIA.

Essentia Cassiæ.

Oil of Cassia 1 oz.; Rectified Spirit 4 oz. Dose 10 to 20 mins. *London.*

EXTRACTA.

Extractum Ergotæ Ammoniatum Liquidum.

Ergot powdered 1 lb., Aromatic Spirit of Ammonia 10 oz.; Glycerine 2 oz.; water *q. s.* Macerate the first three together in a percolator for 12 hours, then continue the percolation with water until 13 oz. have been collected. Digest the marc in 40 oz. water at 160° F. for 2 hours, then press, strain, and evaporate the liquor to 3½ oz. Mix it with the percolate, set aside 12 hours, and filter. Dose 10 to 30 mins. *London.*

Extractum Malti c. Oleo Morrhuæ.

Cod Liver Oil 1 oz.; Gum Acacia in powder 120 grs.; Cassia Water 1 oz. Make an emulsion and add Extract of Malt 2 fl. oz. Mix. Dose 2 to 4 drms. *London.*

Extractum Quebracho Liquidum.

Quebracho Bark in powder 16 oz.; Glycerine 4 oz.; water 4 oz.; Rectified Spirit 8 oz.; Proof

Spirit a sufficiency ; boiling Distilled Water ½ gal. Add to the Quebracho the Glycerine, water, and Rectified Spirit mixed together, and set aside for 4 days, then allow it to drain, and continue the percolation with Proof Spirit until 12 fl. oz. have been collected : then add to the marc the boiling Distilled Water, and macerate for 24 hours, press, filter, and evaporate the liquor to 4 fl. oz. ; mix this with the percolate, and filter. Dose 20 to 60 mins. *London.*

FOMENTUM. *See* FOTUS.

FOTUS.

Fotus Acidi Borici.

Boric Acid 6 drms. ; boiling water 1 pint. To be used hot. *London Ophthalmic.*

Fotus Belladonnæ.

Extract of Belladonna 2 drms. ; hot water to 20 oz. *Westminster Ophthalmic.*

Extract of Belladonna 1 drm. ; Glycerine 1 drm. ; water 20 oz. *Westminster.*

Extract of Belladonna 60 grs. ; hot Distilled Water 20 oz. *London Ophthalmic. St. Bartholomew's.*

Extract of Belladonna 60 grs. ; Distilled Water 20 oz. *Middlesex. Great Northern.*

Extract of Belladonna 3 grs. ; water to 1 oz. ; to be used warm. *London.*

Extract of Belladonna 40 grs. ; water to 1 oz. ; ½ oz. in a teacupful of boiling water. *Royal Free.*

Fotus Papaveris.

Bruised Poppy Capsules 2 oz. ; water 1½ pint. Boil for fifteen minutes and strain. *London Ophthalmic.*

Capsules 1 oz. ; boiling water 20 oz. ; boil fifteen minutes and strain. *Middlesex. Westminster. Westminster Ophthalmic.*

Capsules sliced, 3 or more ; water 2 pints ; boil for a quarter of an hour and strain. *Fever. Women.*

Poppy capsules freed from seeds and bruised 1 oz.; water 40 oz.; boil for 15 minutes and strain. *London.*

Fotus Terebinthinæ.

Hot damp flannel sprinkled with 2 fl. drms. of Oil of Turpentine, covered with gutta percha tissue. *Fever. London. Women. Westminster.*

FUMI.

(Fuming Inhalations.)

Fumus Potassæ Nitratis (Nitrated Papers).

No 1.

Nitrate of Potash 30 grs.; water 1 oz.; dissolve.

No. 2.

Nitrate of Potash 45 grs.; water 1 oz.; dissolve.

No. 3

Nitrate of Potash 60 grs.; water 1 oz.; dissolve. *Throat.*

Saturate white blotting-paper in either of these solutions, and dry it.

Cut the paper into pieces 3 inches long, ½ inch broad, which enables the medical attendant to order a definite quantity. Light a paper, drop it into the fuming inhaler, or any cylindrical vessel, and inhale the smoke. From 1 to 6 papers may be used in succession for each inhalation.

Antispasmodic.

Note.—A particular character may be given to these papers by the addition of various volatile principles. Thus Camphor and Cassia increase their powers, whilst Benzoin, Santal, and Sumbul reduce their action and make them less irritating. The medium strength (No. 2) is generally employed in these cases, and the method of preparing them is to moisten the papers with the Tincture, or in the case of essential oils with a solution of the oil (1 drachm in 9 drachms of Rectified Spirit), and then to expose the papers for a few minutes to allow the spirit to pass off.

These papers should be kept in tinfoil.

NITRATED PAPERS.

With Comp. Tinct. Benzoin.
,, Oil Cassia.
,, ,, Cinnamon.
,, ,, Santal.
,, Sp. Camphor.
,, Tinct. of Sumbul.

Pulvis Anti-Asthmaticus. *See* Pulvis.

FUMIGATIO.

(See also VAPORES.)

Fumigatio Arsenici.

Arseniate of Sodium 5 grs.; Nitrate of Potassium 5 grs.; Distilled Water *q. s.* Saturate sufficient white blotting-paper with this solution to divide into twenty 3 × 1 inch strips. Each to contain $\frac{1}{4}$ grain of Arseniate of Sodium. Dry it. 1 or 2 strips may be burned at each fumigation. *City Chest.*

Fumigatio Potassii Nitratis.

(Inhalation of smoke from ignited Nitrated Papers.)

Nitrate of Potassium 40 grs.; Distilled Water, 1 fl. oz. Saturate blotting paper with this solution exactly the same as in "London." *City Chest.*

Nitrate of Potash $\frac{1}{4}$ oz.; water 1 fl. oz.; mix. Saturate white blotting-paper in the solution, and dry it. Cut the paper into pieces 3 inches long and 1 inch broad. Light a paper, drop it into a suitable vessel, and let the smoke be inhaled. From one to six pieces may be used in succession at each inhalation. *London.*

Fumigatio Chlori.

Chloride of Sodium 1 oz.; Black Oxide of Manganese $\frac{3}{4}$ oz. Chlorine is evolved on the addition of Sulphuric Acid. To be used only for disinfecting purposes. *Middlesex.*

Fumigatio Nitrosa Composita.

Powdered Belladonna Leaves; Powdered Henbane Leaves; Powdered Stramonium Leaves; Nitrate of Potassium; of each equal parts. Half a teaspoonful for each fumigation. *City Chest.*

Fumigatio Stramonii et Potassii Chloratis.

Extract of Stramonium 30 grs.; Chlorate of Potassium 20 grs; warm water 1 fl. oz. Saturate white blotting-paper in this solution and dry it. Cut the paper into 3 × 1 inch slips. 1 to 3 papers may be burnt at each fumigation. *City Chest.*

GARGARISMATA.

Gargarisma Aceticum.

Acetic Acid 15 mins.; Oxymel 30 mins.; Distilled Water to 1 fl. oz. *St. Bartholomew's. City Chest.*

Gargarisma Acidi Acetici. (*See also* Gargarisma Aceticum).

Acetic acid 15 mins.; Glycerine ½ drm.; water to 1 oz. *Central Throat.*

Acetic Acid 15 mins.; Glycerine 18 mins.; water to 1 oz. *Throat.*

Stimulant and Antiseptic.

Gargarisma Acidi Borici.

Boric Acid 8 grs.; Glycerine ½ drm.; water to 1 oz. *Samaritan.*

Gargarisma Acidi Carbolici.

Glycerine of Carbolic Acid 10 mins.; water to 1 oz. *Central Throat.*

Saturated cold aqueous solution of Carbolic Acid (= 48 grs. Crystals) 1½ oz.; water 8½ oz. *Fever.*

Carbolic Acid (No. 2 Calvert) 2 grs.; hot water 2 drms.; dissolve and add water to 1 oz. *London.*

Carbolic Acid liquefied 3 mins.; Glycerine 1 drm.; water to 1 oz. *Westminster.*

Carbolic Acid (No. 2 Calvert) 3 grs.: water 1 oz. *Guy's.*

Carbolic Acid 2 grs.; Glycerine 30 mins.; water to 1 oz. *St. Mary's.*

Carbolic Acid 20 grs.; Glycerine ½ oz.; water to 10 oz. *Throat.*

Glycerine of Carbolic Acid 10 mins.; Glycerine 10 mins.; water to 1 oz. *Westminster Ophthalmic.*

Glycerine of Carbolic Acid 1 oz.; water to 20 oz *St. Thomas's.*

Stimulant and antiseptic.

Gargarisma Acidi Hydrochlorici.

Dil. Hydrochloric Acid 60 mins; Syrup 4 drms.; Decoction of Bark to 4 oz. *Westminster.*

Dil. Hydrochloric Acid 60 mins.; Decoction of Yellow Bark to 4 oz. *City Chest. London. Royal Chest.*

Dil. Hydrochloric Acid 60 mins.; Decoction of Palo Bark 6 oz. *St. Bartholomew's.*

Dil. Hydrochloric Acid 60 mins.; Distilled Water to 3 oz. *Royal Free.*

Dil. Hydrochloric Acid 60 mins.; water to 6 oz. *Guy's.*

Dil. Hydrochloric Acid 10 mins.; Liquefied Carbolic Acid 5 mins.; Decoction of Cinchona to 1 oz. *Samaritan.*

Dil. Hydrochloric Acid 1 drm.; Glycerine 2 drms; water 5 oz. *Throat.*

Hydrochloric Acid 1 drm.; water 15 oz. *Women.*

Hydrochloric Acid 1 drm.; water to 20 oz. *St. Thomas's.*

Stimulant.

Gargarisma Acidi Nitrici.

Dil. Nitric Acid 5 mins.; Tincture of Cinchona 20 mins.; water to 1 oz. *Central Throat.*

Dil. Nitric Acid 20 mins.; Distilled Water to 1 oz. *Royal Free.*

Gargarisma Acidi Salicylici.

Salicylic Acid 10 grs.; Borax 5 grs.; Chlorate of Potassium 10 grs.; water 1 oz. *Central Throat.*

Gargarisma Acidi Sulphurici.

Dil. Sulphuric Acid 8 mins.; Treacle 20 grs. Distilled Water to 1 oz. *Royal Free.*

Gargarisma Acidi Tannici.

Tannic Acid 50 grs.; Glycerine 2 drms.; water to 5 oz. *Consumption.*

Tannic Acid 10 grs.; water 1 oz. *Guy's. Lock. Central Throat.*

Tannic Acid 1 drm.; Rectified Spirit ½ drm.; Camphor Water to 5 oz. *Throat. Westminster.*

Tannic Acid 60 grs.; Rectified Spirit 30 mins.; water to 6 oz. *London.*

Tannic Acid 1 drm.; Glycerine 3½ drms.; Compound Infusion of Roses to 3 oz. *Fever.*

Glycerine of Tannic Acid ½ drm.; water to 1 oz. *Gt. Northern. University.*

Glycerine of Tannic Acid 24 mins.; Distilled Water to 1 oz. *Middlesex.*

Glycerine of Tannic Acid 1 drm.; water to 1 oz. *St. Thomas's. City Chest. Royal Chest.*

Glycerine of Tannic Acid 2 drms.; water to 1 oz. *British Skin.*

Glycerine of Tannic Acid 10 mins.; Dil. Hydrochloric Acid 5 mins.; water to 1 oz. *Westminster Ophthalmic.*

Glycerine of Tannic Acid 3 drms.; Dil. Hydrochloric Acid 2 drms.; water to 20 oz. *London Ophthalmic.*

Astringent.

Gargarisma Acidi Tannici et Gallici.

Tannic Acid 360 grs.; Gallic Acid 120 grs.; water 1 oz.; mix. *Throat. Central Throat.*

This preparation is most useful for arresting hæmorrhage from the uvula or tonsils after excision; the patient should be directed to slowly sip the mixture, or hold it passively in the mouth till the hæmorrhage is stopped.

Gargarisma Æruginis.

Liniment of Verdigris 1 oz.; Mucilage of Acacia 2 oz.; Distilled Water to 12 oz. *Middlesex.*

Acetate of Copper 10 grs.; Vinegar 1 drm.; Glycerine 2 oz.; Honey 2 drms.; Lime Water to 10 oz. *St. George's.*

Gargarisma Aluminii Chloridi.

Solution of Chloride of Aluminium, sp. g. 1250, 2 drms.: water 10 oz. *Throat.*

Astringent and Antiseptic.

Gargarisma Aluminis.

Alum 10 grs.; Oxymel 1 drm.; Distilled Water to 1 oz. *Royal Chest.*

Alum 1 drm.; water to 4 oz. *Lock.*

Alum 1½ drm.; Glycerine ½ oz.; Distilled Water to 10 oz. *London Ophthalmic.*

Alum 1 drm.; water 6 oz. *Gt. Northern. London. St. Mary's.*

Alum 1 drm.; Acid Infusion of Roses 6 oz. *City Chest.*

Alum 1 drm.; Glycerine 6 drms.; water to 12 oz. *Westminster Ophthalmic.*

Alum 1 drm.; Glycerine ½ oz.; water 12 oz. *Women.*

Alum 160 grs.; water to 10 oz. *St. Bartholomew's.*

Alum 2½ drms; Glycerine 1½ oz.; Distilled Water to 10 oz. *St. George's.*

Alum 50 grs.; Oxymel 2 drms.; water to 5 oz. *Consumption.*

Alum 1 drm.; Honey 4 drms.; water to 4 oz. *University.*

Alum 1 drm.; Tincture of Myrrh 1 drm.; Treacle 2 drms.; water to 6 oz. *Royal Free.*

Alum ½ oz.; Glycerine ½ oz.; water to 20 oz. *Charing Cross.*

Alum 1 drm.; Glycerine 2 drms.; Distilled Water to 6 oz. *Middlesex.*

Alum 1 drm.; water 7½ oz. *Throat.*

Alum 100 grs.; Diluted Sulphuric Acid 2 drms.; Treacle 6 drms.; water to 10 oz. *Fever.*

Alum 100 grs.; water to 10 oz. *St. Thomas's.*

Alum 24 grs.; Glycerine 2 drms.; water to 2 oz. *Westminster.*

Alum 1 drm.; water 12 oz. *Guy's. Central Throat.*

Alum 1 drm.; Diluted Sulphuric Acid 3 drms.; water to 20 oz. *King's.*

Mildly astringent.

Gargarisma Aluminis Co.

Alum 160 grs.; Tincture of Myrrh 150 mins.; Distilled Water to 10 fl. oz. *St. Bartholomew's.*

Alum 60 grs.; Syrup of Red Roses 1½ oz.; Decoction of Yellow Cinchona Bark to 12 oz. *Guy's.*

Alum 60 grs.; Dil. Sulphuric Acid 2 drms.; Tincture of Myrrh 4 drms.; water to 12 oz. *London.*

Gargarisma Aluminis c. Acido Tannico. *See also* Pulvis Aluminis et Acidi Tannici pro Gargarisma.

Alum 5 grs.; Tannic Acid 5 grs.; water 1 oz. *Central Throat.*

Alum 60 grs.; Tannic Acid 80 grs.; water 10 oz. *Throat.*

Alum 100 grs.; Tannic Acid 100 grs.; water to 10 ozs. *London.*

Astringent.

Gargarisma Boracis. *See also* Lotio Boracis.

Borax 5 grs.; water 1 oz. *Gt. Northern.*

Glycerine of Borax 1 drm.; Tincture of Myrrh 20 mins.; Distilled Water to 1 oz. *Royal Chest.*

Borax 5 drms.; Oxymel 1½ oz.; boiling water to 10 oz. *St. George's.*

Borax ½ oz.; Oxymel 1 oz.; Distilled Water to 12 oz. *Middlesex.*

Borax 50 grs.; Honey 2 drms.; water to 5 oz. *Consumption.*

Borax 1 drm.; Treacle 2 drms.; water to 6 oz. *Royal Free.*

Borax 1 drm.; Syrup of Roses 1½ oz.; Barley Water to 12 oz. *Guy's.*

Borax 1 drm.; Glycerine 5 drms.; water to 5 oz. *Westminster.*

Borax 20 grs.; Glycerine 20 mins.; water to 1 oz. *St. Mary's.*

Borax 3 drms.; Tincture of Myrrh 3 drms.; Distilled Water to 6 oz. *Westminster Ophthalmic.*

Borax 2 drms.; Tincture of Myrrh ½ oz.; water to 5 oz. *London.*

Glycerine of Borax 45 mins.; water 1 oz. *Central Throat.*

Borax 50 grs.; Treacle ½ oz.; water to 5 oz. *Fever.*

Borax 1 drm.; water 4 oz. *City Chest.*

Borax 1 drm.; Glycerine 1 drm.; Tinct. of Myrrh 1 drm.; water to 2½ oz. *Throat.*

Mildly alkaline astringent.

Gargarisma Boracis c. Myrrhâ.

Glycerine of Borax 5 drms.; Tincture of Myrrh 100 mins.; water to 5 oz. *Consumption.*

Gargarisma Capsici.

Tincture of Capsicum 100 mins.; Dil. Sulphuric Acid 60 mins.; Decoction of Pale Bark to 10 oz. *St. Bartholomew's.*

Gargarisma Capsici Acidum.

Tincture of Capsicum 3 drms.; Diluted Nitric Acid 3 drms.; Infusion of Red Gum to 12 oz. *London.*

Gargarisma Chlori. (*See also* Vapor Chlori.)

Solution of Chlorine ½ oz.; Distilled Water to 6 oz. *Middlesex.*

Solution of Chlorine 1 drm.: water to 6 oz. *London.*

Gargarisma Ferri Aluminis.

Iron Alum 8 grs.; water 1 oz. *Throat.*

Gargarisma Ferri Perchloridi.

Solution of Perchloride of Iron 20 mins.; Glycerine 1 drm.; water to 1 oz. *St. Mary's.*

Solution of Perchloride of Iron 100 mins.; Glycerine 2 drms.; water to 5 oz. *Consumption.*

Gargarisma Hydrargyri.

Corros. Sublimate 5 grs.; Glycerine 200 mins.; Decoction of Cinchona to 10 oz. *Women.*

Gargarisma Hydrargyri Perchloridi

Corrosive Sublimate ⅙ gr.; Dil. Hydrochloric Acid 10 mins.; Glycerine 20 mins.; Distilled Water to 1 oz. *Royal Chest.*

Corros. Sublim. 2½ grs.; Glycerine ½ oz.; water to 10 ozs. *Throat.*

Corros. Sublim. 4 grs.; water 8 oz. *British Skin.*

Corros. Sublim. ¼ gr.; Glycerine ½ drm.; Hydrochloric Acid 1 min.; Distilled Water to 1 oz. *St. Mary's.*

Corros. Sublim. 2 grs.; Dil. Hydrochloric Acid 2 drms.; Glycerine 1 oz.; Distilled Water to 10 oz. *Middlesex.*

Corrosive Sublimate 2 grs.; Glycerine 1 oz.; Distilled Water to 20 oz. *London Ophthalmic.*

Corros. Sublim. 2 grs.; Tinct. of Cochineal 2 drms.; water to 20 oz. *Westminster Ophthalmic.*

Corrosive Sublimate ½ gr.; Dil. Hydrochloric Acid 3 mins.; Glycerine 15 mins.; water to 1 oz. *Lock.*

Corros. Sublim. ½ gr.; Dil. Hydrochloric Acid 5 mins.; Glycerine 1 drm.; water to 1 oz. *Gt. Northern.*

Corros. Sublim. 1 gr.; Dil. Hydrochloric Acid 40 mins.; water to 8 oz. *London.*

Gargarisma Hydrochloricum.

See Gargarisma Acidi Hydrochlorici.

Gargarisma Iodi.

Tincture of Iodine 8 mins.; Tinct. of Bark 1 drm.; water to 1 oz. *St. Mary's.*

Gargarisma Krameriæ.

Rhatany Root bruised ½ oz.; water, 100° F., 10 oz. Infuse one hour. *Throat.*

Mildly astringent.

Gargarisma Myrrhæ.

Tincture of Myrrh 1 drm.; Distilled Water to 3 oz. *Middlesex.*

Gargarisma Plumbi et Aluminis.

Acetate of Lead 1 drm.; Tri-sulphate of Alum 1 drm.; water 6 oz. Dissolve, filter, and add Orange-flower Water 2 oz. *Lock.*

Gargarisma Potassii Bromidi.

Bromide of Potassium 100 grs.; water 10 oz. *Throat.*

Gargarisma Potassii Chloratis.

See also "Haust. Potass. Chlor."
See also Mistura Potassii Chloratis.

Chlorate of Potash 1 drm.; water 3 oz. *British Skin. University.*

Chlorate of Potassium ½ oz.; Distilled Water 12 oz. *Middlesex.*

Chlorate of Potassium 1 drm.; water to 4 oz. *Royal Chest. St. Mary's. City Chest.*

Chlorate of Potassium 100 grs.; Oxymel 2½ drms.; Distilled Water to 10 oz. *St. George's.*

Chlorate of Potash 1 drm.; water 5 oz. *Throat.*

Chlorate of Potassium 1 drm.; Glycerine 5 drms.; water to 5 oz. *Westminster.*

Chlorate of Potash ½ oz.; Dil. Hydrochloric Acid 4 drms.; water to 20 oz. *Charing Cross.*

Chlorate of Potassium 1 drm.; water 6 oz. *Guy's. London. Women. Great Northern. Lock. King's.*

Chlorate of Potassium 1 drm.; Glycerine 3 drms.; water to 6 oz. *Westminster Ophthalmic.*

Chlorato of Potassium 1 drm.; Glycerine 1½ drm.; water to 6 oz. *Royal Free. Central Throat.*

Chlorato of Potash 90 grs.; Hydrochloric Acid 40 mins.; Glycerine 1 oz.; water to 20 oz. Mix the first two in a bottle and let stand for 3 minutes, then add the water gradually and lastly the spirit. *London Ophthalmic.*

Gargarisma Potassii Chloratis Acidum.

Chlorate of Potassium 10 grs.; Dil. Hydrochloric Acid 10 mins.; Glycerine 20 mins.; water to 1 oz. *King's.*

Chlorate of Potassium 50 grs.; Dil. Hydrochloric Acid 50 mins.; Syrup 2 drms.; water to 5 oz. *Consumption.*

Antiseptic.

Gargarisma Potassii Permanganatis.

Solution of Permanganate of Potassium 6 mins.; water 1 oz. *Throat. Central Throat.*

Solution of Permanganate of Potassium 10 mins.; water to 1 oz. *London.*

Solution of Permanganate of Potassium 12 mins.; water to 1 oz. *Fever. St. Thomas's. St. Mary's. Westminster. University.*

Gargarisma "Sanitas."

Sanitas 20 mins.; water to 1 oz. *Central Throat.*

Gargarisma Sodæ Chlorinatæ.

Chlorinated Solution of Soda 4 drms.; water to 8 oz. *British Skin. St. Mary's.*

Chlorinated Solution of Soda 4 drms.; water to 10 oz. *Charing Cross. Throat. Central Throat. St. George's.*

Chlorinated Solution of Soda 4 drms.; Treacle ¼ oz.; water to 5 oz. *Gt. Northern.*

Chlorinated Solution of Soda 4 drms.; water to 4 oz. *University.*

Chlorinated Solution of Soda 4 drms.; water to 5 oz. *Fever.*

Chlorinated Solution of Soda 4 drms.; Distilled Water to 12 oz. *London. Middlesex. Royal Free.*

Chlorinated Solution of Soda 5 drms.; water to 10 oz. *St. Bartholomew's.*

Chlorinated Solution of Soda 4 drms.; water 10 oz. *King's.*

Gargarisma Sodæ Sulphocarbolatis.

Sulphocarbolate of Soda 4 grs.; Borax 18 grs.; Glycerine 24 mins.; water to 1 oz. *Throat.*

GLYCERINA.

Glycerinum Acidi Carbolici.

Carbolic Acid 1 oz.; Glycerine 1 oz. *Women.*

Glycerinum Acidi Tartarici.

Synonym.—Vidal's Glycerole.

Tartaric Acid, in fine powder, 22 grs.; Glycerine of Starch 1 oz. Mix thoroughly. Used as a topical stimulant in cases of Lichen circumscriptus and Lichen planus. *British Skin.*

Glycerinum Belladonnæ.

Extract of Belladonna 8 drms.; water 2 drms; Glycerine to 2 oz. *University. St. Mary's.*

Extract of Belladonna $\frac{1}{4}$ oz.; water 1 drm.; Glycerine to 1 oz. *St. Thomas's.*

Extract of Belladonna 1 oz.: water $\frac{1}{2}$ oz.; Glycerine $3\frac{1}{2}$ oz. *London Ophthalmic.*

Extract of Belladonna $\frac{1}{2}$ oz.; water 1 drm.; Glycerine to 1 oz. *London.*

Extract of Belladonna $\frac{1}{2}$ oz.; water 1 drm.; Glycerine 1 oz. *Middlesex.*

Glycerinum Ferri Dialysati.

Solution of Dialysed Iron 20 mins.; Glycerine 40 mins. *St. Bartholomew's.*

Glycerinum Ferri Perchloridi.

Solution of Perchloride of Iron 1 oz.; Glycerine 1 oz. *Middlesex.*

Glycerinum Guaiaci.

Tincture of Guaiacum 30 mins.; Glycerine to 2 drms. *British Skin.*

Glycerinum Ichthyocollæ.

Isinglass 10 grs.; Glycerine 1 fl. oz. Dissolve with a gentle heat.

Used in cases of Eczema, Lichen, and Ichthyosis. *British Skin.*

Glycerinum Iodoformi.

Iodoform in fine powder ¼ oz.; Glycerine to 1 oz. *St. Bartholomew's.*

Glycerinum Olei Cadi.

Juniper Tar 80 mins.; Glycerine of Starch 1 oz. Mix thoroughly.

Used as a mild topical stimulant in cases of Eczema in the scaly stage. *British Skin.*

Glycerinum Pepsinæ.

Pepsine pure 64 grs.; Hydrochloric Acid pure 1 drm.; water 1 oz. Dissolve and add Glycerine pure to 4 oz. (Each drachm contains 2 grains of pepsine.) Dose 1 to 2 drms. *London.*

Glycerinum Plumbi Acetatis.

Acetate of Lead 1 drm.; Glycerine 1 fl. oz. *Guy's.*

Glycerinum Plumbi Subacetatis (Glycerole of Lead).

Solution of Subacetate of Lead 20 oz.; Glycerine 20 oz.; mix and evaporate to 20 oz. *London.*

Glycerinum Tragacanthæ.

Tragacanth in powder 1 drm.; Glycerine 1 oz.; mix. *University.* (Mix with the aid of heat. *London.*)

Tragacanth 60 grs.; Glycerine ½ fl. oz.; water 1½ drm. Mix and heat for ten minutes in a water-bath. *Throat.*

GOSSYPIA MEDICATA.

Gossypium Acidi Boracici.

Boracic Acid 60 grs.; Glycerine 20 mins.; water 6 drms.; Cotton Wool, in a thin sheet, 60 grs.; mix the Boracic Acid, Glycerine, and water, and dissolve with the aid of heat. Saturate the wool evenly with the solution, and dry by exposure to the air with a moderate heat. *Throat.*

Antiseptic and disinfectant.

Gossypium Acidi Tannici.

Tannic Acid 30 grs.; Glycerine 10 mins.; water 6 drms.; Cotton Wool, in a thin sheet, 60 grs.

Mix the Tannic Acid, Glycerine, and water. Dissolve, and saturate the wool evenly with the solution, then dry by exposure to the air with a moderate heat. *Throat.*

Astringent.

Gossypium Aluminis.

Alum 30 grs.; Glycerine 10 mins.; water 1 oz.; Cotton Wool, in a thin sheet, 60 grs. Dissolve the Alum in the water, add the Glycerine, and saturate the wool evenly with the solution, then dry by exposure to the air with a moderate heat. *Throat.*

Astringent.

Gossypium Camphoræ.

Camphor 30 grs.; Pure Ether 1 oz.; Cotton Wool, in a thin sheet, 60 grs. Dissolve the Camphor in the Ether, and saturate the wool evenly with the solution. Dry by exposure to the air, remove from any artificial light, and keep in a stoppered bottle. This wool should be prepared in a room in which there is neither artificial light nor fire. *Throat.*

Stimulant and antiseptic.

Gossypium Cubebæ.

Tincture of Cubebs 1 oz.; Glycerine 10 mins.; Cotton Wool, in a thin sheet, 60 grs. Mix the Tincture and Glycerine, and saturate the wool evenly with the mixture. Dry by exposure to the air. *Throat.*

In catarrh with excessive secretion.

Gossypium Ferratum.

Moisten Cotton Wool with Glycerine, then express strongly, steep the damp wool in a solution of Sulphate of Iron, one part to two parts of water, squeeze out as much as possible of the liquid, and without drying pack the prepared wool into a bottle furnished with a glass stopper. *London.*

Gossypium Ferri Perchloridi.

Solution of Perchloride of Iron ½ oz.; Glycerine 10 mins.; Cotton Wool, in a thin sheet, 60 grs.

Mix the solution and Glycerine and saturate the wool evenly with the mixture. Dry by exposure to the air. *Throat.*

Astringent and styptic.

Note.—In the case of Tannic Acid and Perchloride of Iron Wools, when it is desired to prepare the wools quickly, spirit should be used as a solvent for the Tannic Acid instead of water, and Tincture of Perchloride of Iron in place of the solution.

Gossypium Hamamelis.

Tincture of Hamamelis ½ oz.; Glycerine 10 mins.; Cotton Wool, in a thin sheet, 60 grs. Mix the Tincture and Glycerine, and saturate the wool evenly with the mixture. Dry by exposure to the air. *Throat.*

Astringent.

Gossypium Iodatum.

Cotton Wool 10 drms.; Iodine, in fine powder, 1 drm. Into a glass flask having a large mouth furnished with a glass stopper introduce the cotton in small pieces at a time, adding to each about its proportion of Iodine; apply the heat of a sand-bath, and when the expanded air has escaped close the flask and continue the heat until the Iodine is vaporized and the cotton has assumed a dark brown colour. *London. Women.*

Gossypium Iodi.

Tincture of Iodine ½ oz.; Glycerine 10 mins.; Cotton Wool, in a thin sheet, 60 grs. Mix the Tincture and Glycerine, and saturate the wool evenly with the mixture; dry by exposure to the air, and keep in a stoppered bottle. *Throat.*

Stimulant and disinfectant.

Gossypium Iodoformi.

Iodoform 70 grs.; Pure Ether 10 fl. drms; Absolute Alcohol 2 fl. drms.; Glycerine 10 mins.; Cotton Wool, in a thin sheet, 60 grs.; dissolve the Iodoform in the Ether, to which add the Alcohol and Glycerine previously mixed. Saturate the wool evenly with the solution;

dry carefully by exposure to the air. This wool should be prepared in a room in which there is neither artificial light nor fire. *Throat.*

Stimulant and antiseptic.

Gossypium Krameriæ.

Tincture of Rhatany ½ oz.; Glycerine 10 mins.; Cotton Wool, in a thin sheet, 60 grs. Mix the Tincture and Glycerine and saturate the wool evenly with the mixture; dry by exposure to the air. *Throat.*

Astringent.

Gossypium Opii.

Tincture of Opium ½ oz.; Glycerine 10 mins.; Cotton Wool, in a thin sheet, 60 grs. Mix the Tincture and Glycerine and saturate the wool in the mixture. Dry by exposure to the air. *Throat.*

Sedative.

Gossypium Zinc Chloridi Saturatum.

(No form given.) *Women.*

GUTTÆ.

(FOR THE EYES AND EARS.)

Guttæ Acidi Borici.

Boracic Acid 5 grs.; Distilled Water 1 fl. oz. *St. Mary's.*

Boracic Acid 16 grs.; water 1 oz. *Central Throat.*

Guttæ Acidi Borici cum Opio.

Tincture of Opium 1 drm.; Glycerine 2 drms.; Boracic Acid Drops to 1 oz. *Central Throat.*

Guttæ Acidi Borici cum Spiritû.

Methylated Spirit 2 drms.; Boracic Acid Drops to 1 oz. *Central Throat.*

Guttæ Acidi Carbolici.

Carbolic Acid 5 grs.; Glycerine 2 drms.; water to 1 oz. *Central Throat.*

Guttæ Acidi Carbolici et Acidi Tannici.

Glycerine of Carbolic Acid 30 mins.; Glycerine of Tannic Acid 3 drms.; water to 1 oz. *Central Throat.*

Guttæ Acidi Carbolici cum Opio.

Tincture of Opium 2 drms.; Carbolic Acid Drops to 1 oz. *Central Throat.*

Guttæ Acidi Carbolici cum Spiritû.

Glycerine of Carbolic Acid 40 mins.; Methylated Spirit ½ oz.; water to 1 oz. *Central Throat.*

Guttæ Acidi Sulphurosi.

Sulphurous Acid 1 drm.; water to 1 oz. *Central Throat.*

Guttæ Argenti Nitratis.

Nitrate of Silver 1 gr. or 5 grs. or 10 grs.; Distilled Water 1 fl. oz. *St. Mary's.*

Nitrate of Silver 2 grs.; Distilled Water 1 oz. *Royal Free. St. George's.*

Nitrate of Silver 1 gr., or 2 grs., or 4 grs.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Nitrate of Silver 1 gr.; Distilled Water to 1 oz. *Guy's. Gt. Northern. London. London Ophthalmic. Westminster.*

Guttæ Argenti Nitratis Fortiores.

Nitrate of Silver 2 grs.; Distilled Water to 1 oz. *London Ophthalmic.*

Nitrate of Silver 5 grs.; Distilled Water 1 oz. *London.*

Nitrate of Silver 6 grs.; Distilled Water 1 oz. For the Ear. *Throat.*

Guttæ Argenti Nitratis Fortissimæ.

Nitrate of Silver 12 grs.; Distilled Water 1 oz. For the Ear. *Throat.*

Guttæ Argenti Nitratis Mitiores.

Nitrate of Silver 3 grs.; Distilled Water 1 oz. For the Ear. *Throat.*

Guttæ Atropinæ. (*See also below.*)

Sulphate of Atropine ¼ gr., 1, 2, or 4 grs.; Distilled Water 1 oz. *Westminster.*

A Solution in Distilled Water containing 1 per cent. of Atropine Sulphate. *St. Thomas's.*

Sulphate of Atropine 1 gr. or 2 grs. or 4 grs.; Distilled Water 1 fl. oz. *St. Mary's.*

Solution of Sulphate of Atropine 1 drm.; water to 1 oz. *Central Throat.*

Sulphate of Atropia ½ gr.; water 1 oz. *Guy's.*

Sulphate of Atropine 1 gr.; Distilled Water 1 oz. *Middlesex.*

Sulphate of Atropine 2 grs.; water 1 oz. *Gt. Northern.*

Guttæ Atropinæ c. Alumine.

Sulphate of Atropia 1 gr.; Alum 3 grs.; water 1 oz. *London. London Ophthalmic.*

Guttæ Atropinæ et Cocainæ.

A Solution in Distilled Water containing 1 per cent. of Atropine Sulphate, and 2 per cent. Cocaine Hydrochlorate. *St. Thomas's.*

Sulphate of Atropine 4 grs.; Hydrochlorate of Cocaine 20 grs.; Distilled Water 1 fl. oz. *St. Mary's. Westminster Ophthalmic.*

Sulphate of Atropine 2 grs.; Hydrochlorate of Cocaine 10 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Guttæ Atropinæ Fortiores.

Sulphate of Atropine 2 grs; Distilled Water 1 oz. *Middlesex.*

Guttæ Atropinæ Mitiores.

A Solution in Distilled Water containing ½ per cent. of Atropine Sulphate. *St. Thomas's.*

Guttæ Atropinæ Sulphatis.

Sulphate of Atropine 1 gr.; water to 1 oz. *London. St. Bartholomew's.*

Sulphate of Atropine 2 grs.; Distilled Water to 1 oz. *Royal Free. London Ophthalmic.*

Sulphate of Atropine 1 gr., or 2 grs., or 4 grs.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Guttæ Atropinæ Sulphatis Fortiores.

Sulphate of Atropia 4 grs.; Distilled Water 1 oz. *London. London Ophthalmic.*

Guttæ Atropinæ et Zinci Sulphatis.

Sulphate of Atropine 1 gr.; Sulphate of Zinc 1 gr.; Distilled Water 1 oz. *London. London Ophthalmic. Westminster.*

Guttæ Chloral Hydratis.

Hydrate of Chloral ½ drm.; Glycerine 3½ drms.; water to 1 oz. *Central Throat.*

Guttæ Cocainæ.

Hydrochlorate of Cocaine 5 grs., or 20 grs., or 40 grs. Distilled Water 1 oz. *St. Mary's.*

Hydrochlorate of Cocaine 10 grs., or 20 grs., or 40 grs.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Hydrochlorate of Cocaine 10 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Hydrochlorate of Cocaine 16 grs.; Boracic Acid 4 grs.; Distilled Water 1 oz. *St. George's.*

Guttæ Cocainæ, 2%.

Hydrochlorate of Cocaine 2½ grs.; Glycerine 1 drm.; water 1 drm. *Great Northern.*

Guttæ Cocainæ Fort. 20%.

Hydrochlorate of Cocaine 24 grs.; Glycerine 1 drm.; water 1 drm. *Great Northern.*

Guttæ Cupri Sulphatis.

Sulphate of Copper 2 grs.; water 1 oz. *Guy's. London Ophthalmic. Westminster. Westminster Ophthalmic.*

Sulphate of Copper 1 gr.; Distilled Water 1 oz. *Middlesex. St. Mary's.*

Guttæ Cupri Sulphatis Compositæ.

Alum 1 gr.; Sulphate of Copper 1 gr.; Distilled Water 1 oz. *St. Mary's.*

Guttæ Daturinæ.

Sulphate of Daturine 2 grs.; water 1 oz. *London. London Ophthalmic. Westminster Ophthalmic.*

Guttæ Duboisinæ.

Sulphate of Duboisine 1 gr.; Distilled Water 1 oz. *Westminster Ophthalmic. London Ophthalmic.*

Guttæ Eserinæ. *See also* Guttæ Physostigminæ.

Sulphate of Eserine 1 or 2 grs.; Distilled Water 1 oz. *Westminster.*

Sulphate of Eserine 2 grs.; water 1 oz. *Gt. Northern. London. Middlesex. St. Bartholomew's.*

Sulphate of Eserine 4 grs.; Distilled Water 1 oz. *Royal Free.*

Guttæ Homatropinæ.

Hydrobromate of Homatropine 2 grs.; Distilled Water 1 oz. *Westminster.*

A Solution in Distilled Water, containing 1 per cent. of Homatropine Hydrobromate. *St. Thomas's.*

Hydrobromate of Homatropine 2 grs.; Distilled Water 1 oz. *London.*

Hydrobromate of Homatropine 4 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Guttæ Homatropinæ et Cocainæ.

A Solution in Distilled Water, containing 2 per cent. of Homatropinæ Hydrobromate, and 2 per cent. of Cocaine Hydrochlorate. *St. Thomas's.*

Guttæ Hydrargyri Perchloridi.

Solution of Perchloride of Mercury 20 mins.; Tincture of Belladonna 1 drm.; Methylated Spirit 3 drms.; water to 1 oz. *Central Throat.*

Corrosive Sublimate $\frac{1}{8}$ gr.; Distilled Water 1 oz. *Westminster Ophthalmic. Royal Free. Westminster.*

Guttæ Hyoscinæ.

Hydrobromate of Hyoscine 2 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Guttæ Opii.

Wine of Opium 2 drms.; water to 1 oz. *London Ophthalmic. Westminster. Westminster Ophthalmic.*

Wine of Opium 2 drms.; water 3 drms. *Guy's.*

Guttæ Opii et Belladonnæ.

Tincture of Opium 2 drms.; Tincture of Belladonna 2 drms.; water to 1 oz. *Central Throat.*

Guttæ Physostigminæ. *See also* Guttæ Eserinæ.

Physostigmine 1 gr. or 2 grs.; Distilled Water 1 oz. *St. Mary's. Westminster Ophthalmic.*

Physostigmine Sulphate 2 grs.; Distilled Water 1 oz. *St. George's. London Ophthalmic.*

A Solution in Distilled Water, containing 1 per. cent. of Physostigmine Sulphate. *St. Thomas's.*

Guttæ Physostigminæ cum Cocaina.

Sulphate of Physostigmine 1 gr.; Hydrochlorate of Cocaine 5 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Guttæ Physostigminæ Fortiores.

Sulphate of Physostigmine 1 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Guttæ Physostigminæ Mitiores.

A Solution in Distilled Water containing ½ per cent. of Physostigmine Sulphate. *St. Thomas's.*

Guttæ Pilocarpiæ.

Nitrate of Pilocarpine 2 grs.; water 1 oz. *London. London Ophthalmic.*

Guttæ Plumbi.

Solution of Subacetate of Lead 30 mins.; Glycerine 1½ drms.; Distilled Water to 1 oz. *Central Throat.*

Guttæ Plumbi cum Opio.

Tincture of Opium 2 drms.; Lead Drops to 1 oz. *Central Throat.*

Guttæ Potassii Iodidi.

Iodide of Potassium 4 grs.; water 1 oz. *London Ophthalmic.*

Guttæ Sodæ Compositæ.

Carbolic Acid 1 gr.; Bicarbonate of Sodium 10 grs.; Glycerine 2 drms.; water to 1 oz. *Central Throat.*

Guttæ Spiritûs.

Methylated Spirit 1 oz. *Central Throat.*

Guttæ Spiritûs Dilutæ.

Methylated Spirit ½ oz.; water to 1 oz. *Central Throat.*

Guttæ Zinci Chloridi.

Chloride of Zinc 1 gr.; water to 1 oz. *London. Middlesex. Westminster Ophthalmic.*

Chloride of Zinc 2 grs.; Distilled Water to 1 oz. *Royal Free. London Ophthalmic.*

Chloride of Zinc 4 grs.; Glycerine 2 drms.; water to 1 oz. *Central Throat.*

Guttæ Zinci Chloridi et Belladonnæ.

Tincture of Belladonna 2 drms.; Chloride of Zinc with Spirit Drops to 1 oz. *Central Throat.*

Guttæ Zinci Chloridi cum Cocaina.

Chloride of Zinc 2 grs.; Hydrochlorate of Cocaine 10 grs.; Distilled Water 1 oz. *London Ophthalmic.*

Guttæ Zinci Chloridi cum Spiritû.

Methylated Spirit 2 drms.; Chloride of Zinc Drops to 1 oz. *Central Throat.*

Guttæ Zinci Sulphatis.

Sulphate of Zinc 2 grs.; water to 1 oz. *Gt. Northern. London Ophthalmic. Westminster. Westminster Ophthalmic.*

Sulphate of Zinc 1 gr.; water 1 oz. *London. St. Mary's.*

Sulphate of Zinc 12 grs.; water 1 oz. For the Ear. *Throat.*

Guttæ Zinci Sulphatis et Aluminis.

Sulphate of Zinc 1 gr.; Alum 3 grs.; water 1 oz. *London. London Ophthalmic.*

HAUSTUS.

Haustus Acidi Gallici.

Glycerine of Gallic Acid 25 mins.; water to 1 oz. *St. Bartholomew's.*

Glycerine of Gallic Acid 20 mins.; Acid Infusion of Roses to 1 oz. *City Chest.*

Glycerine of Gallic Acid 1 drm.; water to 1 oz. *Westminster.*

Gallic Acid 10 grs.; Aromatic Sulphuric Acid 15 mins.; Spirit of Chloroform 10 mins.; Distilled Water to 1 oz. *Middlesex.*

Gallic Acid 10 grs.; Dil. Sulphuric Acid 5 mins.; Acid Infusion of Roses 1 oz. *Women.*

Haustus Acidi Hydrobromici.

Hydrobromic Acid 20 mins.; Syrup 20 mins.; water to 1 oz. *City Chest.*

Haustus Acidi Hydrocyanici.

Dil. Hydrocyanic Acid 4 mins.; Bicarbonate of Sodium 5 grs.; water to 1 oz. *St. Bartholomew's.*

Dil. Hydrocyanic Acid 4 mins.; Bicarbonate of Sodium 20 grs.; water to 1 oz. *St. George's.*

Dil. Hydrocyanic Acid 4 mins; Bicarbonate of Soda 10 grs.; Cinnamon Water to 1 oz. *Fever.*

Haustus Acidi Hydrocyanici et Sodii.

Bicarbonate of Sodium 10 grs; Carbonate of Magnesium 10 grs.; Dil. Hydrocyanic Acid 3 mins.; Compound Tincture of Cardamoms 20 mins.; Diluted Chloroform Water to 1 oz. *Westminster.*

Haustus Acidi Nitrici et Strychninæ.

Diluted Nitric Acid 10 mins.; Solution of Strychnine 3 mins.; Diluted Chloroform Water to 1 oz. *Westminster.*

Haustus Acidi Nitro-hydrochlorici.

Dil. Hydrochloric Acid 15 mins.; Dil. Nitric Acid 15 mins.; Spirit of Nitrous Ether 30 mins.: Syrup 30 mins.; water to 1 oz. *Fever.*

Dil. Nitro-hydrochloric Acid 15 mins.; Compound Infusion of Gentian 1 oz. *City Chest.*

Dil. Nitro-hydrochloric Acid 10 mins.; Compound Tincture of Gentian 20 mins.; Distilled Water to 1 oz. *Middlesex.*

Dil. Nitro-hydrochloric Acid 10 mins.; Tincture of Orange Peel 20 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *St. Bartholomew's. Westminster Ophthalmic. Samaritan.*

Dil. Nitro-hydrochloric Acid 10 mins.; Mint Water 1 oz. *Women.*

Haustus Acidi et Opii.

Diluted Sulphuric Acid 15 mins.; Tincture of Opium 5 mins.; Caraway Water 1 fl. oz. *Fever.*

Dil. Sulphuric Acid 15 mins.; Tincture of Opium 10 mins.; Diluted Chloroform Water to 1 oz. *Westminster.*

Haustus Acidi Phosphorici.

Dil. Phosphoric Acid 20 mins.; water 1 oz. *Fever.*
Dil. Phosphoric Acid 20 mins.; Tincture of Orange ½ drm.; water to 1 oz. *Westminster.*

Haustus Acidi Phosphorici et Strychniæ.

Dil. Phosphoric Acid 15 mins.; Solution of Strychnia 3 mins.; Spirit of Chloroform 15 mins.; Infusion of Quassia to 1 oz. *City Chest.*

Haustus Acidus cum Nuce Vomica.

Tincture of Nux Vomica 5 mins.; Spirit of Chloroform 15 mins.; Nitro-hydrochloric Acid draught 1 fl. oz. *City Chest.*

Haustus Aconiti cum Colchico.

Tincture of Aconite 3 mins.; Colchicum Wine 10 mins.; Bicarbonate of Potassium 10 grs.: water to 1 oz. *Westminster Ophthalmic.*
Tincture of Aconite (P.B.) 3 mins.; Tincture of Colchicum Seeds 10 mins.; Sulphate of Quinine 1 gr.; Diluted Sulphuric Acid 1½ min.; Spirit of Chloroform 10 mins.; water to 1 oz. *St. Bartholomew's.*
Tincture of Aconite 3 mins.; Tincture of Colchicum Seeds 15 mins.: Bicarbonate of Potassium 15 grs.; water to 1 oz. *Westminster.*

Haustus Aconiti et Colchici cum Quininâ.

Sulphate of Quinine 1 gr.; Tincture of Aconite 3 mins.; Colchicum Wine 10 mins.; Spirit of Chloroform 10 mins. Dil. Sulphuric Acid 2 mins.; Peppermint Water to 1 oz. *Westminster Ophthalmic.*

Haustus Æthereus.

Spirit of Ether 1 drm.; Aromatic Spirit of Ammonia, Syrup, of each ½ drm.; Pimento Water to 1 oz. *St. George's.*

Haustus Ætheris Ammoniatus.

Spirit of Ether ½ drm.; Aromatic Spirit of Ammonia ½ drm.; water to 1 oz. *St. Bartholomew's. Westminster.*

Haustus Ætheris et Ammoniæ.

Spirit of Ether ½ drm.; Aromatic Spirit of Ammonia ½ drm.; Camphor Water to 1 oz. *City Chest.*

Haustus Ætheris Comp.

Spirit of Ether ½ drm.; Carbonate of Ammonium 3 grs.; Spirit of Chloroform 10 mins.; Distilled Water to 1 oz. *Middlesex.*

Ether 20 mins.; Dil. Sulphuric Acid 15 mins.; Peppermint Water 1 oz.; add a sufficient quantity of Sol. of Sulphate of Indigo to impart a bluish tint. *Fever.*

Haustus Albus.

Sulphate of Magnesium 1 drm.; Carbonate of Magnesium 10 grs.; Spearmint Water to 1 oz. *St. Bartholomew's.*

Sulphate of Magnesium 1 drm.; Light Carbonate of Magnesium 20 grs.; Mucilage of Acacia 15 mins.; Peppermint Water to 1 oz. *St. George's.*

Sulphate of Magnesium 1 drm.; Carbonate of Magnesium 10 grs.; Peppermint Water 1 oz. *Westminster. Lock.*

Haustus Aluminis.

Alum 5 grs.; Dil. Sulphuric Acid 20 mins.; Acid Infusion of Roses to 1 oz. *Westminster.*

Haustus Amarus.

Dil. Phosphoric Acid 15 mins.; Compound Tincture of Gentian ½ drm.; Compound Infusion of Gentian to 1 oz. *St. George's.*

Haustus Ammonii Acetatis.

Solution of Acetate of Ammonium 3 drms.; Distilled Water to 1 oz. *Middlesex.*

Strong Solution of Acetate of Ammonia 40 mins.; water to 1 oz. *St. George's.*

Solution of Acetate of Ammonium 4 drms.; water to 1 oz. *St. Bartholomew's.*

Solution of Acetate of Ammonium 3 drms.; Spirit of Nitrous Ether 20 mins.; Camphor Water to 1 oz. *Westminster.*

Haustus Ammoniæ Acetatis Compositus.

Strong Solution of Acetate of Ammonia 40 mins.; Carbonate of Ammonia 4 grs.; Spirit of Nitrous Ether 20 mins.; water to 1 oz. *Fever.*

Haustus Ammon. Acet. c. Camphorâ.

Solution of Acetate of Ammonium 2 drms.; Camphor Water to 1 oz. *St Bartholomew's.*

Haustus Ammonii Acetatis c. Ferro.

Strong Solution of Acetate of Ammonia 30 mins.; Dil. Acetic Acid 15 mins.; Tincture of Perchloride of Iron 10 mins.; water to 1 oz. *Fever.*

Solution of Acetate of Ammonia 2 drms.: Diluted Acetic Acid 10 mins.; Solution of Peracetate of Iron 15 mins.; water 1 oz. *Women.*

Solution of Acetate of Ammonium 2½ drms.; Tincture of Perchloride of Iron ten mins.; Dil. Acetic Acid ½ drm.; Distilled Water to 1 oz. *Middlesex.*

Haustus Ammonii Acetatis et Ipecacuanhæ.

Solution of Acetate of Ammonium 2½ drms.: Ipecacuanha Wine 10 mins.; Camphor Water to 1 fl. oz. *City Chest.*

Haustus Ammon. Acet. c. Mag. Sulph.

Solution of Acetate of Ammonium 4 drms.; Sulphate of Magnesium 60 grs.; water to 1 oz. *St. Bartholomew's.*

Haustus Ammon. Acet. c. Scillâ.

Solution of Acetate of Ammonia 4 drms.; Vinegar of Squill 20 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Ammonii Alkalinus.

Carbonate of Ammonium 5 grs.: Bicarbonate of Sodium 15 grs.; Diluted Chloroform Water 1 oz. *Westminster.*

Haustus Ammonii Benzoatis.

Benzoate of Ammonium 15 grs.; Syrup of Ginger 15 mins.; water to 1 oz. *Westminster.*

Haustus Ammoniæ Carbonatis.

Carbonate of Ammonia 5 grs.; water 1 oz. *Fever.*

Haustus Ammonii Carbonatis et Ipecacuanhæ.

Carbonate of Ammonium 5 grs.; Ipecacuanha Wine 10 mins.; Camphor Water to 1 fl. oz. *City Chest.*

Haustus Ammonii Chloridi.

Chloride of Ammonium 10 grs.; Bicarbonate of Potassium 15 grs.; Syrup 1 drm.; Compound Infusion of Gentian to 1 fl. oz. *City Chest.*

Chloride of Ammonium 30 grs.; Diluted Chloroform Water 1 oz. *Westminster.*

Haustus Ammonii et Cinchonæ.

Carbonate of Ammonium 3 grs.; Spirit of Chloroform 10 mins.; Decoction of Yellow Bark 1 oz. *Westminster Ophthalmic.*

Carbonate of Ammonium 5 grs.; Decoction of Bark 1 oz. *Westminster.*

Haustus Ammonii Citratis.

Strong Solution of Citrate of Ammonium 45 mins.; Distilled Water to 1 oz. *St. George's.*

Haustus Ammonii Citratis Effervescens.

Carbonate of Ammonium 15 grs.; water 1 oz.; Citric Acid 17 grs.; water 1 oz. *St. George's.*

To be mixed and taken during effervescence.

Haustus Ammoniæ Effervescens.

Carbonate of Ammonia 15 grs.; water 1 oz.; Tartaric Acid 18 grs.; water ½ oz. *Fever.*

Haustus Ammoniæ et Nucis Vomicæ.

Spirit of Chloroform 15 mins.; Tincture of Nux Vomica 10 mins.; Carbonate of Ammonium 5 grs.; Infusion of Cloves to 1 oz. *City Chest.*

Haustus Ammonii et Senegæ.

Carbonate of Ammonium 5 grs.; Infusion of Senega 1 oz. *Westminster.*

Haustus Ammoniaci Fœtidus.

Fetid Spirit of Ammonia (Hosp. Pharm.) 15 mins.; Mixture of Ammoniacum to 1 oz. *St. Bartholomew's.*

Haustus Amygdalæ.

Almond Oil 2 drms.; Mucilage 2 drms.; water to 1 oz. *St. Bartholomew's.*

Haustus Antimonialis.

Antimonial Wine 1 drm.; Strong Solution of Acetate of Ammonia 30 mins.; Nitrate of Potash 5 grs.; water to 1 oz. *Fever.*

Haustus Antimonii et Ammonii Chloridi.

Antimonial Wine 15 mins.; Chloride of Ammonium 10 grs.; Spirit of Chloroform 10 mins.; Syrup of Orange 1 drm.; Camphor Water to 1 fl. oz. *City Chest.*

Haustus Antimonii c. Magnes. Sulph.

Antimonial Wine 30 mins.; Sulphate of Magnesium 60 grs.; water to 1 oz. *St. Bartholomew's.*

Haustus Antimonii c. Morphiâ.

Antimonial Wine 40 mins.; Solution of Hydrochlorate of Morphia 30 mins.; Camphor Water to 1 oz. *Fever.*

Haustus Aromaticus.

Aromatic Spirit of Ammonia 20 mins.; Aromatic Powder of Chalk 20 grs.; Cinnamon Water to 1 oz. *City Chest.*

Haustus Aromaticus c. Rheo.

Powdered Rhubarb 3 grs.; Aromatic Powder of Chalk 10 grs.; Peppermint Water 1 oz. *Women.*

Haustus Arsenicalis Alkalinus.

Solution of Arsenic 4 mins.; Aromatic Spirit of Ammonia ½ drm.; Citrate of Iron and Ammonia 5 grs.; water to 1 fl. oz. *City Chest.*

Haustus Arsenici et Ferri.

Hydrochloric Solution of Arsenic 3 mins.; Tincture of Perchloride of Iron 10 mins.; Infusion of Quassia to 1 oz. *City Chest.*

Haustus Assafœtidæ.

Tincture of Assafœtida 1 drm.; water 1 oz. *Fever.*

Assafœtida 10 grs.; Mucilage 1 drm.; Dill Water to 1 oz. *Westminster.*

Haustus Balsami Compositus.

Compound Tincture of Benzoin 15 mins.; Tincture of Tolu 15 mins.; Ammoniacum Mixture ½ oz.; Glycerine 1 drm.; water to 1 fl. oz. *City Chest.*

Haustus Belladonnæ.

Tincture of Belladonna 20 mins.; Camphor Water to 1 oz. *Fever.*

Haustus Benzoini cum Opio.

Compound Tincture of Benzoin ½ drm.; Compound Tincture of Camphor ½ drm.; Syrup of Squill ½ drm.; Infusion of Senega to 1 fl oz. *City Chest.*

Haustus Bismuthi.

Carbonate of Bismuth 10 grs.; Light Carbonate of Magnesium 10 grs.; Tincture of Calumba 20 mins.; Distilled Water to 1 oz. *Middlesex.*

Subnitrate of Bismuth 8 grs.; Bicarbonate of Soda 10 grs.; Mucilage 1 drm.; Infusion of Quassia 1 oz. *Women.*

Subnitrate of Bismuth, Heavy Carbonate of Magnesium, of each 10 grs.; Mucilage of Acacia 1 drm.; Peppermint Water to 1 oz. *St. George's.*

White Bismuth 10 grs.; Carbonate of Magnesia 15 grs.; Mucilage of Gum Arabic 2 drms.; Cinnamon Water to 1 oz. *Fever.*

Haustus Bismuthi et Acidi Hydrocyanici.

Solution of Bismuth 10 mins.; Dil. Hydrocyanic Acid 3 mins.; Diluted Chloroform Water to 1 oz. *Westminster.*

Haustus Bismuthi Alkalinus.

Subnitrate of Bismuth 10 grs.; Bicarbonate of Sodium 10 grs.; Infusion of Calumba 1 oz. *City Chest.*

Haustus Bismuthi et Calumbæ.

Subnitrate of Bismuth 10 grs.; Infusion of Calumba 1 oz. *Westminster.*

Haustus Bismuthi Compositus.

Subnitrate of Bismuth 10 grs.; Bicarbonate of Soda 15 grs.; Diluted Hydrocyanic Acid 3 mins.; Mucilage 1 drm.; Infusion of Calumba 1 oz. *Women.*

Haustus Bismuthi et Sodii.

Carbonate of Bismuth 10 grs.; Bicarbonate of Sodium 10 grs.; Peppermint Water 1 oz. *Westminster.*

Haustus Bromidi Compositus.

Bromide of Ammonium 5 grs.; Bromide of Potassium 5 grs.; Bromide of Sodium 10 grs.; Compound Tincture of Cardamoms ½ drm.; Peppermint Water 1 fl. oz. *City Chest.*

Haustus Calcii Hypophosphitis.

Hypophosphite of Lime 5 grs.; Saccharated Solution of Lime 10 mins.; Glycerine 15 mins.; Camphor Water to 1 oz. *City Chest.*

Haustus Calcii Hypophosphitis Comp.

Hypophosphite of Lime 5 grs.; Syrup of Phosphate of Iron 60 mins.; Glycerine 60 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Calcii et Sodii Hypophosphitis.

Hypophosphite of Lime 5 grs.; Hypophosphite of Sodium 5 grs; Glycerine 15 mins.; water to 1 oz. *Westminster.*

Haustus Calumbæ Alkalinus.

Bicarbonate of Sodium 10 grs; Tincture of Calumba 20 mins.; Diluted Chloroform Water to 1 oz. *Westminster.*

Bicarbonate of Sodium 10 grs.; Tincture of Calumba 20 mins.; Infusion of Orange Peel to 1 oz. *St. Bartholomew's.*

Haustus Calumbæ et Ammoniæ.

Carbonate of Ammonium 5 grs.; Infusion of Calumba 1 oz. *City Chest.*

Haustus Calumbæ et Sodæ.

Bicarbonate of Sodium 10 grs.; Infusion of Calumba 1 oz. *City Chest.*

Haustus Cannabis Indicæ.

Extract of Indian Hemp 1 gr.; Ether 15 mins.; Camphor Water 1 oz. *Fever.*

Tincture of Indian Hemp 20 mins.; Syrup of Chloral 20 mins.; Glycerine 1 drm.; water 1 oz. *Women.*

Haustus Carminativus.

Rhubarb 5 grs; Ginger 5 grs.; Bicarbonate of Sodium 10 grs.; Carbonate of Ammonium 3 grs.; Cinnamon Water to 1 oz. *Westminster.*

Haustus Caryophyllatus.

Bicarbonate of Sodium 10 grs.; Aromatic Spirit of Ammonia, Spirit of Chloroform, of each 20 mins.; Infusion of Cloves to 1 oz. *St. George's.*

Haustus Caryophylli Co.

Bicarbonate of Sodium 10 grs.; Spirit of Chloroform 10 mins.; Aromatic Spirit of Ammonia 20 mins.; Infusion of Cloves to 1 oz. *Middlesex.*

Haustus Cascarillæ Compositus.

Compound Tincture of Camphor 20 mins.; Spirit of Chloroform 10 mins.; Oxymel of Squill ½ drm.; Infusion of Cascarilla to 1 oz. *Westminster.*

Vinegar of Squill 20 mins.: Compound Tincture of Camphor 20 mins.; Infusion of Cascarilla to 1 oz. *City Chest.*

Haustus Cascarillæ Opiatus.

Compound Tincture of Camphor 1 drm.; Vinegar of Squill ½ drm; Infusion of Cascarilla to 1 oz. *St. George's.*

Haustus Cascarillæ c. Scillâ.

Tincture of Squill 15 mins.; Infusion of Cascarilla to 1 oz. *St. Bartholomew's.*

Haustus Cetacei.

Spermaceti 20 grs.; Powd. Acacia Gum 20 grs.; Vinegar of Squill ½ drm; Pimento Water to 1 oz. *St. George's.*

Haustus Cetacei Co.

Spermaceti 20 grains; Powd. Tragacanth 5 grs.; Syrup of Poppies 30 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Chalybeatus.

Tincture of Perchloride of Iron 10 mins.; Dil. Nitric Acid 10 mins.; Syrup 20 mins.; Peppermint Water to 1 oz. *City Chest.*

Haustus Chiratæ.

Infusion of Chiretta 1 oz. *Fever.*

Haustus Chloral.

Hydrate of Chloral 20 grs; Syrup ½ drm.; Peppermint Water to 1 oz. *St. George's.*

Haustus Chloral et Ammonii Bromidi.

Hydrate of Chloral 15 grs.; Bromide of Ammonium 20 grs.; Syrup ½ drm.; Spirit of Chloroform 20 mins.; Peppermint Water to 1 oz. *St. George's.*

Haustus Chloral et Potassii Bromidi.

Hydrate of Chloral 15 grs.; Bromide of Potassium 20 grs.; Syrup ½ drm.; Spirit of Chloroform 20 mins; Peppermint Water to 1 oz. *St. George's.*

Haustus Chlori.

Chlorate of Potash ½ gr.; Hydrochloric Acid 3 mins.; mix for 5 minutes, and add water 7½ drms.; Chlorate of Potash 10 grs.; Spirit of Chloroform 10 mins.; Dil. Hydrochloric Acid 15 mins. *Fever.*

Haustus Chloroformi Compositus.

Solution of Hydrochlorate of Morphine 12 mins.; Iodide of Potassium 3 grs.; Glycerine 1 drm.; Chloroform Water to 1 fl oz. *City Chest.*

Spirit of Chloroform 15 mins.; Comp. Tincture of Camphor 20 mins; Syrup of Squill ½ drm.; Distilled Water to 1 oz. *Middlesex.*

Chloroform 1 min; Diluted Hydrocyanic Acid 3 mins.; Solution of Acetate of Morphine 3 mins.; Diluted Nitric Acid 10 mins.; Glycerine 1 drm.; Tincture of Cascarilla ½ drm.; water to 1 oz. *St. Bartholomew's.*

Haustus Cinchonæ.

Liquid Extract of Cinchona 10 mins., Decoction of Cinchona to 1 oz. *St. George's.*

Dil. Nitro-hydrochloric Acid 10 mins.; Spirit of Chloroform 5 mins.; Decoction of Bark to 1 oz. *Middlesex.*

Haustus Cinchonæ Acidus.

Aromatic Sulphuric Acid 10 mins.; Spirit of Chloroform 10 mins.; Decoction of Pale Bark to 1 oz. *St. Bartholomew's.*

Dil. Hydrochloric Acid 15 mins.; Decoction of Bark to 1 oz. *Westminster.*

Dil. Nitro-hydrochloric Acid 10 mins.; Decoction of Yellow Bark 1 oz. *Women.*

Dil. Sulphuric Acid 5 mins.; Decoction of Bark 1 oz. *City Chest.*

Haustus Cinchonæ c. Ammonio.

Carbonate of Ammonium 5 grs.; Spirit of Chloroform 5 mins.; Decoction of Bark to 1 oz. *Middlesex.*

Haustus Cinchonæ cum Opio.

Tincture of Opium 5 mins.; Glycerine 1 drm.; Acid Draught of Cinchona to 1 fl. oz. *City Chest.*

Haustus Cinchoniæ.

Hydrochlorate of Cinchonine 1 gr.; Dil. Hydrochloric Acid 10 mins.; Treacle ½ drm.; water to 1 oz. *Fever.*

Haustus Cinchonidinæ Sulphatis.

Sulphate of Cinchonidine 2 grs.; Dilute Sulphuric Acid 10 mins; Infusion of Quassia to 1 fl. oz. *City Chest.*

Haustus Cinchoninæ c. Ferro.

Sulphate of Cinchonine 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 2 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Cinchoninæ Hydrochloratis.

Hydrochlorate of Cinchonine 1 gr.; Diluted Hydrochloric Acid 1½ min.; water to 1 oz. *St. Bartholomew's.*

Haustus Colchici.

Wine of Colchicum 15 mins.; Carbonate of Magnesium 10 grs.; Pimento Water to 1 oz. *Westminster Ophthalmic.*

Bicarbonate of Potassium 15 grs.; Tincture of Colchicum Seeds 20 mins.; Tincture of Hyoscyamus 20 mins.; Spearmint Water to 1 oz. *Westminster.*

Tincture of Colchicum Seeds 20 mins.; Carbonate of Magnesium 10 grs.; Spearmint Water to 1 oz. *St. Bartholomew's.*

Haustus Colchici Compositus.

Iodide of Potassium 5 grs.; Bicarbonate of Sodium 20 grs.; Wine of Colchicum 10 mins.; Pimento Water to 1 oz. *St. George's.*

Haustus Conii.

Juice of Hemlock ½ drm.; Bromide of Potassium ½ drm.; water to 1 oz. *Westminster.*

Haustus Copaibæ.

Copaiba 30 mins.; Solution of Potash 20 mins.; Caraway Water to 1 oz. *Middlesex.*

Copaiba 30 mins.; Spirit of Nitrous Ether 30 mins.; Mucilage of Acacia 1 drm.; Solution of Potash 5 mins.; Cinnamon Water to 1 oz. *Westminster.*

Haustus Copaibæ Acidus.

Copaiba 20 mins.; Dil. Sulphuric Acid 10 mins.; Mucilage of Acacia 1 drm.; Acid Infusion of Roses to 1 oz. *St. George's.*

Haustus Copaibæ Co.

Copaiba 15 mins.; Cubebs 30 grs.; Spirit of Nitrous Ether 15 mins.; Mucilage of Acacia 1 drm.; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Copaibæ Resinæ.

Resin of Copaiba 10 grs.; Rectified Spirit 15 mins.; Spirit of Chloroform 10 mins.; Syrup of Ginger 40 mins.; Mucilage of Acacia 80 mins.; water to 1 oz. *Westminster.*

Tincture of Copaiba Resin (3 mins. contain 1 grain) 30 mins; Spirit of Chloroform 10 mins.; Syrup of Ginger 60 mins.; Mucilage of Acacia 60 mins.; water to 1 oz. *Middlesex.*

Haustus Cretæ Aromaticus.

Aromatic Powder of Chalk 30 grs.; Cassia Water to 1 oz. *St. Bartholomew's.*

Aromatic Powder of Chalk 30 grs.; Cinnamon Water 1 oz. *Westminster.*

Haustus Cretæ Aromat. c. Opio.

Aromatic Powder of Chalk and Opium 20 grs.; Cassia Water to 1 oz. *St. Bartholomew's.*

Haustus Cretæ c. Catechu.

Tincture of Catechu 1 drm.; Chalk Mixture to 1 oz. *Fever.*

Haustus Cretæ Compositus.

Chalk Mixture 1 oz.; Tincture of Catechu 1 drm.; Glycerine of Carbolic Acid 5 mins. *Women.*

Prepared Chalk 15 grs.; Mucilage of Acacia 60 mins.; Tincture of Catechu 30 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Cretæ Compositus cum Opio.

Tincture of Opium 5 mins.; Aromatic Powder of Chalk 20 grs., Spirit of Chloroform 20 mins.; Tincture of Catechu 10 mins.; Pimento Water to 1 oz. *Royal Chest.*

Haustus Cretæ et Opii.

Tincture of Opium 10 mins.; Tincture of Catechu ½ drm.; Chalk Mixture to 1 oz *Westminster.*

Tincture of Opium 5 mins.; Tincture of Catechu ½ drm.; Chalk Mixture to 1 oz. *City Chest.*

Haustus Cretæ Opiatus. *See also* Haustus Cretæ et Opii.

Prepared Chalk 20 grs; Tincture of Opium 5 mins.; Compound Tincture of Cardamoms 1½ drms.; Syrup 1 drm.; Oil of Peppermint 3 mins.; water to 1 oz. *St. George's.*

Haustus Diaphoreticus.

Antimonial Wine 20 mins.; Solution of Acetate of Ammonium 3 drms.; Spirit of Nitrous Ether 20 mins.; Camphor Water to 1 oz. *Westminster.*

Haustus Diureticus.

Acid Tartrate of Potash 40 grs.; Tincture of Digitalis 10 mins.; Spirit of Nitrous Ether 30 mins.; water to 1 oz. *Fever.*

Acetate of Potassium 20 grs.; Spirit of Nitrous Ether ½ drm.; Juice of Broom 1 drm.; water to 1 oz. *Westminster.*

Haustus Effervescens.

Bicarbonate of Sodium 20 grs.; water 1 oz.; Tartaric Acid 18 grs.; water 1 oz. *Westminster.*

Bicarbonate of Sodium 20 grs; water 1 oz.; Tartaric Acid 17 grs.; water ½ oz. *City Chest. Fever.*

Haustus Effervescens c. Acido Hydrocyanico.

Bicarbonate of Soda 20 grs.; water 1 oz.; Tartaric Acid 18 grs.; Dil. Hydrocyanic Acid 4 mins.; water 1 oz. *Fever.*

Haustus Effervescens c. Calumbâ.

Bicarbonate of Sodium 20 grs.; Infusion of Calumba 1 oz.; Tartaric Acid 17 grs.; Infusion of Calumba ½ oz. *City Chest.*

Haustus Emeticus.

Wine of Ipecacuanha 4 drms.; Oxymel of Squill 4 drms. *St. Bartholomew's.*

Antimonial Wine 2 drms.; Wine of Ipecacuanha 6 drms. *Fever.*

Ipecacuanha 10 grs.; Sulphate of Zinc 20 grs.; Syrup 1 drm.; Spearmint Water to 1 oz. *Westminster.*

Haustus Emeticus Purgans.

Tartarated Antimony ⅛ gr.; Sulphate of Magnesium 60 grs.; Distilled Water to 1 oz. *Middlesex.*

Haustus Ergotæ Acidus.

Dil. Sulphuric Acid 20 mins.; Infusion of Ergot to 1 oz. *Westminster.*

Haustus Ergotæ Compositus.

Carbonate of Ammonia 4 grs.; Liquid Extract of Ergot 15 to 30 mins.; Comp. Tincture of Lavender 15 mins.; Spirit of Chloroform 10 mins.; Camphor Water 1 oz. *Women.*

Haustus Ferri Acidus.

Tincture of Perchloride of Iron 15 mins.; water to 1 oz. *Fever.*

Haustus Ferri Alkalinus.

Ammonio-Citrate of Iron 10 grs.; Bicarbonate of Potassium 10 grs.; water 1 oz. *Westminster.*

Ammonio-Citrate of Iron 5 grs.; Aromatic Spirit of Ammonia ½ drm.; Infusion of Calumba to 1 oz. *City Chest.*

Haustus Ferri cum Aloë.

Compound Decoction of Aloës 3 drms.; Compound Mixture of Iron 5 drms. *St. George's.*

Haustus Ferri Amarus.

Solution of Perchloride of Iron 10 mins.; Dil. Phosphoric Acid 15 mins.; Syrup of Lemons 1 drm.; Infusion of Quassia to 1 oz. *St. George's.*

Haustus Ferri et Ammoniæ.

Citrate of Iron and Ammonia 5 grs.; water to 1 oz. *Fever.*

Haustus Ferri et Ammonii Citratis.

Citrate of Iron and Ammonium 8 grs.; Carbonate of Ammonium 2 grs.; Spirit of Chloroform 10 mins.; water to 1 oz. *St. Bartholomew's.*

Citrate of Iron and Ammonia 5 grs.; Spirit of Chloroform 5 mins.; Infusion of Quassia to 1 oz. *Middlesex.*

Haustus Ferri Aperiens.

Sulphate of Iron 2 grs.; Sulphate of Magnesia 40 grs.; Diluted Sulphuric Acid 5 mins.; Peppermint Water 1 oz. *Women.*

Sulphate of Iron 2 grs.; Sulphate of Magnesium 30 grs.; Dil. Sulphuric Acid 8 mins.; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *Westminster Ophthalmic.*

Sulphate of Iron 2 grs.; Sulphate of Magnesium 60 grs.; Dil. Sulphuric Acid 10 mins.; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *Westminster.*

Haustus Ferri et Arsenici.

Ammonio-Citrate of Iron 10 grs.; Solution of Arsenic 3 mins.; water to 1 oz. *Westminster.*

Haustus Ferri Citratis.

Ammonio-Citrate of Iron 10 grs. ; Diluted Chloroform Water 1 oz. *Westminster.*

Haustus Ferri et Ergotæ.

Solution of Perchloride of Iron 10 mins. ; Liquid Extract of Ergot 20 mins. ; Glycerine 15 mins. ; water to 1 oz. *Westminster.*

Haustus Ferri Iodidi.

Ammonio-Citrate of Iron 10 grs. ; Iodide of Potassium 5 grs. ; water 1 oz. *Westminster.*

Haustus Ferri cum Magnesio.

Sulphate of Iron 1 gr. ; Sulphate of Magnesium 20 grs. ; Dil. Sulphuric Acid 10 mins. ; Peppermint Water to 1 oz. *Middlesex.*

Haustus Ferri cum Nuce Vomicâ.

Solution of Perchloride of Iron 10 mins, : Tincture of Nux Vomica 6 mins. ; Diluted Phosphoric Acid 5 mins ; Spirit of Chloroform 5 mins. ; water to 1 oz. *St. Bartholomew's.*

Ammonio-Citrate of Iron 10 grs ; Tincture of Nux Vomica 10 mins. ; water to 1 oz. *Westminster.*

Haustus Ferri Perchloridi.

Solution of Perchloride of Iron 10 mins. ; Glycerine 10 mins. : Infusion of Quassia ½ oz. ; water to 1 oz. *Westminster Ophthalmic.*

Solution of Perchloride of Iron 10 mins. ; Glycerine 15 mins. ; water to 1 oz. *Women.*

Tincture of Perchloride of Iron 15 mins ; Spirit of Chloroform 10 mins. ; Distilled Water to 1 oz. *Middlesex.*

Solution of Perchloride of Iron 15 mins. ; Spirit of Chloroform 10 mins. ; Glycerine 20 mins. ; water to 1 oz. *Westminster.*

Tincture of Perchloride of Iron 15 mins. ; Glycerine 1 drm. ; Spirit of Chloroform 10 mins. ; water to 1 fl. oz. *City Chest.*

Haustus Ferri et Quassiæ.

Sulphate of Iron 1 gr. ; Dil. Sulphuric Acid 5 mins. ; Infusion of Quassia 1 oz. *City Chest.*

Solution of Perchloride of Iron 15 mins.; Glycerine 15 mins.; Infusion of Quassia to 1 oz. *Westminster.*

Solution of Perchloride of Iron 15 mins.; Infusion of Quassia to 1 oz. *St. Bartholomew's.*

Haustus Ferri et Quiniæ.

Sulphate of Quinia 2 grs.; Tincture of Perchloride of Iron 20 mins.; Spirit of Chloroform 15 mins.; water to 1 oz. *Fever.*

Haustus Ferri et Quiniæ Citratis.

Citrate of Iron and Quinine 5 grs.; Aromatic Spirit of Ammonia ½ drm.; water to 1 oz. *City Chest.*

Haustus Ferri et Strychninæ.

Solution of Perchloride of Iron 10 mins.; Solution of Hydrochlorate of Strychnine 1 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *Westminster Ophthalmic.*

Haustus Filicis. (*See also* Mist. Filicis.)

Liquid Extract of Male Fern 1 drm.; Mucilage 2 drms.; Peppermint Water to 1 oz. *Westminster.*

Liquid Extract of Male Fern 1 drm.; Syrup of Ginger 1 drm.; Tincture of Quillaia ½ drm.; water to 1½ oz. *London.*

Liquid Extract of Male Fern 1 drm.; Compound Powder of Tragacanth 40 grs.; Peppermint Water to 1 oz. *Middlesex.*

Liquid Extract of Male Fern 1 drm.; Mucilage 4 drms.; water to 1 oz. *Royal Free.*

Haustus Flavus.

Caramel a sufficiency; water to 1 oz. *St. Bartholomew's.*

Haustus Gentianæ Acidus.

Dil. Nitro-Hydrochloric Acid 15 mins.; Compound Infusion of Gentian to 1 oz. *Westminster.*

Aromatic Sulphuric Acid 10 mins.; Simple Infusion of Gentian to 1 oz. *Middlesex.*

Haustus Gentianæ Alkalinus.

Bicarbonate of Sodium 10 grs.; Compound Infusion of Gentian 1 fl. oz. *City Chest.*

Bicarbonate of Potassium 10 grs. ; Tincture of Ginger 10 mins. ; Infusion of Rhubarb 60 mins. ; Simple Infusion of Gentian to 1 oz. *Middlesex.*

Haustus Gentianæ cum Magnesiâ.

Light Carbonate of Magnesium 15 grs. ; Sulphate of Magnesium 1 drm. ; Compound Tincture of Gentian 15 mins. ; Compound Infusion of Gentian to 1 oz. *St. George's.*

Haustus Gentianæ et Magnesii Sulphatis.

Sulphate of Magnesium 1 drm. ; Carbonate of Magnesium 20 grs. ; Compound Infusion of Gentian to 1 oz. *Westminster Ophthalmic.*

Haustus Gentianæ c. Rheo.

Compound Tincture of Gentian ½ drm. ; Bicarbonate of Sodium 10 grs. ; Spirit of Chloroform 10 mins. ; Infusion of Rhubarb ½ oz. ; Peppermint Water to 1 oz. *St. Bartholomew's. City Chest.*

Haustus Gentianæ c. Sennâ.

Infusion of Senna ½ oz. ; Tincture of Ginger 20 mins. ; Comp. Infusion of Gentian to 1 oz. *Westminster.*

Haustus Gentianæ c. Sodâ.

Bicarbonate of Soda 10 grs. ; Compound Infusion of Gentian 1 oz. *Women.*

Haustus Guaiaci Co.

Ammoniated Tincture of Guaiacum 40 mins. ; Mucilage 2 drms. ; Distilled Water to 1 oz. *Middlesex.*

Haustus Hæmatoxyli cum Opio.

Tincture of Opium 10 mins. ; Tincture of Catechu 1 drm. ; Decoction of Logwood to 1 fl. oz. *City Chest.*

Tincture of Opium 5 mins. ; Tincture of Catechu 1 drm. ; Decoction of Logwood to 1 oz. *St. George's.*

Haustus Hemidesmi c. Potassii Iodido.

Comp. Decoction of Hemidesmus 1 oz. ; Iodide of Potassium 5 grs. *St. Bartholomew's.*

Haustus Hydrargyri Biniodidi.

Red Iodide of Mercury $\frac{1}{20}$ gr.; Iodide of Potassium 5 grs.; Decoction of Bark 1 oz. *Westminster.*

Haustus Hydrargyri Iodidi.

Solution of Perchloride of Mercury 60 mins.; Iodide of Potassium 5 grs.; Tincture of Red Bark 30 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Hydrargyri Perchloridi.

Solution of Perchloride of Mercury 1 drm.; Glycerine 10 mins.; water to 1 oz. *Westminster Ophthalmic.*

Solution of Perchloride of Mercury 60 mins.; Comp. Tincture of Cardamoms 20 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Hydrargyri Perchloridi et Potassii Iodidi.

Solution of Perchloride of Mercury 60 mins.; Iodide of Potassium 5 grs.; Compound Tincture of Cardamoms 20 mins.; water to 1 oz. *St. Bartholomew's. Westminster Ophthalmic.*

Haustus Hyoscyami.

Tincture of Henbane 1 drm.; Camphor Water to 1 oz. *Fever.*

Haustus Imperialis.

Acid Tartrate of Potash 1 drm.; Sugar 4 drms.; boiling water 20 oz. *University.*

Haustus Ipecacuanhæ.

Wine of Ipecacuanha $2\frac{1}{2}$ mins.; Glycerine 10 mins.; water to 1 drm. For an infant under 1 year old. *St. George's.*

Solution of Potash 2 mins.; Wine of Ipecacuanha $2\frac{1}{2}$ mins.; Syrup 20 mins.; Mucilage 30 mins.; Dill Water to 2 drms. *Westminster.*

Haustus Ipecacuanha Ammoniatus.

Carbonate of Ammonium 4 grs.; Wine of Ipecacuanha 12 mins.; Compound Tincture of Camphor 15 mins.; Camphor Water to 1 oz. *St George's.*

Haustus Ipecacuanha c. Ammonio.

Carbonate of Ammonium 4 grs.; Ipecacuanha Wine 10 mins.; Spirit of Chloroform 10 mins.; Syrup of Extract of Poppies 30 mins: Distilled Water to 1 oz. *Middlesex.*

Carbonate of Ammonia 10 grs.; Ipecacuanha Wine 15 mins.; Chlorate of Potash 20 grs.; water 1 oz. *Fever.*

Haustus Ipecacuanhæ Co.

Ipecacuanha Wine 10 mins.; Comp. Tincture of Camphor 30 mins.; Solution of Acetate of Ammonium 3 drms.; Distilled Water to 1 oz. *Middlesex.*

Haustus Ipecacuanhæ Emeticus.

See Haustus Emeticus.

Haustus Ipecacuanhæ Opiatus.

Ipecacuanha Wine 8 mins.; Tincture of Opium 4 mins.; Nitrate of Potassium 8 grs.; Liquid Extract of Liquorice ½ drm.; water to 1 fl. oz. *City Chest.*

Haustus Ipecacuanhæ c. Scillâ.

Wine of Ipecacuanha 10 mins; Syrup of Squill 30 mins.; Spearmint Water to 1 oz. *Middlesex.*

Haustus Magnesii Acidus.

Sulphate of Magnesium 1 drm.; Dil. Sulphuric Acid 10 mins.; Spearmint Water to 1 oz. *Westminster.*

Haustus Magnesii Carbonatis c. Sodio.

Carbonate of Magnesium 8 grs.; Bicarbonate of Sodium 8 grs.; Peppermint Water to 1 oz. *St. Bartholomew's.*

Haustus Magnesiæ Cinchonatus.

Heavy Carbonate of Magnesium 10 grs.; Sulphate of Magnesium 20 grs.; Decoction of Cinchona 1 oz. *St. George's.*

Haustus Magnes. Co. Vel Haustus Albus.

Light Carbonate of Magnesium 30 grs.; Sulphate of Magnesium 1 drm.; Peppermint Water 1 oz. *Royal Chest.*

Carbonate of Magnesium 15 grs.; Aromatic Spirit of Ammonia ½ drm.: Compound Tincture of Camphor 15 mins.; Dill Water to 1 oz. *City Chest.*

Light Carbonate of Magnesium 5 grs.; Sulphate of Magnesium 60 grs.; Peppermint Water to 1 oz. *Middlesex.*

Haustus Magnesiæ et Magnesii Sulphatis.

Carbonate of Magnesium 15 grs.; Sulphate of Magnesium ½ drm.; Peppermint Water 1 oz. *City Chest.*

Haustus Magnesii c. Rheo.

Light Carbonate of Magnesium 15 grs.; Sulphate of Magnesium 60 grs.; Powd. Rhubarb 20 grs.; Peppermint Water to 1 oz. *Middlesex.*

Carbonate of Magnesia 5 grs.; Sulphate of Magnesia 60 grs.; Powd. Rhubarb 20 grs.; Tinct. of Ginger 5 mins.; Peppermint Water 1 oz. *Women.*

Haustus Menthæ Sulphuricus.

Dil. Sulphuric Acid 10 mins.; Syrup ½ drm.; Peppermint Water to 1 oz. *City Chest.*

Dil. Sulphuric Acid 10 mins.; Syrup of Red Poppies 30 mins.; Spearmint Water to 1 oz. *St. Bartholomew's.*

Haustus Menth. Sulph. c. Ferri Sulph.

Sulphate of Iron 1 gr.; Spirit of Chloroform 10 mins.; Sulphuric Mint Draught to 1 oz. *St. Bartholomew's.*

Haustus Menthæ Sulph. c. Magn. Sulph.

Dil. Sulphuric Acid 10 mins.; Sulphate of Magnesium 60 grs.; Syrup of Red Poppies 30 mins.; Spearmint Water to 1 oz. *St. Bartholomew's. Lock.*

Haustus Menthæ Sulphuricus c. Papavere et Scillâ.

Syrup of Poppies ½ drm.; Tincture of Squill 15 mins; Sulphuric Mint Draught to 1 oz. *St. Bartholomew's.*

Haustus Morphinæ.

Solution of Bimeconate of Morphine 20 mins.; Pimento Water to 1 oz. *St. George's.*

Haustus Morphinæ et Acidi Hydrocyanici.

Solution of Hydrochlorate of Morphine 10 mins.; Dil. Hydrocyanic Acid 3 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *Westminster.*

Haustus Morphinæ c. Ferro.

Solution of Hydrochlorate of Morphine 10 mins.; Solution of Perchloride of Iron 15 mins.; Dil. Hydrochloric Acid 3 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *St. Bartholomew's.*

Solution of Hydrochlorate of Morphine 10 mins.; Tincture of Perchloride of Iron 15 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *City Chest.*

Haustus Morphinæ Hydrochloratis.

Solution of Hydrochlorate of Morphine 20 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Niger. *See* Mistura Sennæ.

Haustus Nitri.

Nitrate of Potassium 10 grs.; Spearmint Water, Distilled Water, of each ½ oz. *St. George's.*

Haustus Nitro-Glycerinæ.

Solution of Nitro-Glycerine one-100th min.; Compound Tincture of Chloroform 10 mins.; Pimento Water to ½ fl. oz. *City Chest.*

Solution of Nitro-Glycerine 1 min.; Diluted Chloroform Water ½ oz. *Westminster.*

Haustus Nucis Vomicæ.

Tincture of Nux Vomica 10 mins.; Compound Infusion of Gentian to 1 oz. *Westminster Ophthalmic.*

Haustus Olei Morrhuæ.

Cod Liver Oil 2 drms.; Mucilage of Acacia 2 drms.; White Sugar 30 grs.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Olei Morrhuæ Alkalinus.

Cod Liver Oil 2 drms.; Solution of Potash 15 mins.; Cinnamon Water to 1 oz. *Westminster.*

Haustus Olei Morrhuæ et Ferri.

Ammonio-Citrate of Iron 10 grs.; Carbonate of Potassium 10 grs.; Cod Liver Oil ½ oz.; Cinnamon Water ½ oz. *Westminster.*

Haustus Olei Ricini.

Castor Oil ½ oz.; Solution of Potash 15 mins. Peppermint Water to 1 oz. *Middlesex.*

Haustus Olei Ricini Alkalinus.

Castor Oil 2 drms.; Mucilage of Acacia 2 drms.; Solution of Potash 15 mins.; Cinnamon Water to 1 oz. *Westminster.*

Haustus Olei Ricini c. Terebinthinâ.

Castor Oil 1 oz.; Oil of Turpentine 2 drms.; Peppermint Water to 2 oz. *Royal Free.*

Haustus Opiatus.

Tincture of Opium 10 mins; Spirit of Chloroform 10 mins; Peppermint Water to 1 oz. *St. Bartholomew's.*

Haustus Opii.

Liquor Opii Sedativ. 20 mins.; water to 1 oz. *Lock.*

Haustus Opii c. Æthere.

Tincture of Opium 15 mins; Ether 15 mins.; Camphor Water to 1 oz. *Fever.*

Haustus Oxymellis Compositus.

Ipecacuanha Wine 5 mins.; Compound Tincture of Camphor 20 mins.; Nitrate of Potassium 7 grs.; Oxymel 2 drms.; water to 1 fl. oz. *City Chest.*

Haustus Oxymellis Scillæ.

Compound Tincture of Camphor, Spirit of Nitrous Ether, of each 20 mins.; Oxymel of Squill 1½ drms.; water to 1 oz. *St. George's.*

Haustus Plumbi.

Acetate of Lead 3 grs.; Dil. Acetic Acid 5 mins; Distilled Water to 1 oz. *Fever.*

Haustus Plumbi Acetatis.

Acetate of Lead 5 grs.; Oxymel 1 drm.; water to 1 oz. *St. Bartholomew's.*

Haustus Plumbi c. Morphiâ.

Acetate of Lead 3 grs.; Acetate of Morphia $\frac{1}{6}$ gr.; Dil. Acetic Acid 5 mins; Peppermint Water to 1 oz. *Fever.*

Haustus Potassæ Acetatis Comp.

Acetate of Potash 15 grs.; Tincture of Squill 15 mins.; Sweet Spirit of Nitre 20 mins.; Decoction of Broom 1 oz; mix. *Women.*

Haustus Potassæ Bicarbonatis.

Bicarbonate of Potash 30 grs.; Nitrate of Potash 10 grs.; water to 1 oz. *Fever.*

Haustus Potassii Bromidi.

Bromide of Potassium 20 grs.; Hydrate of Chloral 20 grs.; water 1 oz. *Lock.*

Bromide of Potassium 10 grs; Bicarbonate of Potassium 4 grs; water to 1 oz. *Westminster Ophthalmic.*

Bromide of Potassium 20 grs.; Carbonate of Ammonium 3 grs.; water to 1 oz. *Westminster.*

Bromide of Potassium 20 grs.; Infusion of Quassia 1 oz. *Middlesex.*

Haustus Potassii Bromidi et Belladonnæ.

Bromide of Potassium 10 grs.; Tincture of Belladonna 10 mins; Spirit of Nitrous Ether 20 mins.; Chloroform Water to 1 fl. oz. *City Chest.*

Haustus Potassii Bromidi et Cinchonæ.

Bromide of Potassium 30 grs; Carbonate of Ammonium 3 grs.; Decoction of Bark 1 oz. *Westminster.*

Haustus Potassii Bromidi Compositus.

Bromide of Potassium 10 grs.; Infusion of Rhubarb $\frac{1}{2}$ oz.; Compound Tincture of Gentian 30 mins; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *St. Bartholomew's.*

Haustus Potassii Bromidi c. Ferro.

Bromide of Potassium 10 grs.; Carbonate of Ammonia 3 grs.; Ammonio-Citrate of Iron 4 grs.; Spirit of Chloroform 10 mins.; water 1 oz. *Women.*

Haustus Potassii Bromidi et Iodidi.

Bromide of Potassium 5 grs.; Iodide of Potassium 3 grs.; Compound Infusion of Gentian 1 oz. *Westminster.*

Haustus Potassii Chloratis.

Chlorate of Potassium 10 grs.; Boiling Water to 1 oz. *St. Bartholomew's.*

Chlorate of Potassium 20 grs.; water to 1 oz. *Fever. Westminster Ophthalmic.*

Haustus Potassii Chloratis Acidus.

Chlorate of Potassium 10 grs.; Dil. Hydrochloric Acid 10 mins.; Glycerine 1 drm.; Decoction of Bark to 1 oz. *City Chest.*

Haustus Potassii Chloratis c. Ferro.

Chlorate of Potash 20 grs.; Tincture of Perchlorido of Iron 20 mins.; water to 1 oz. *Fever.*

Chlorate of Potassium 10 grs; Tincture of Perchloride of Iron 10 mins.; Dil. Hydrochloric Acid 5 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Potassii Citratis.

Bicarbonate of Potassium 20 grs.; Citric Acid 14 grs.; water to 1 oz. *Middlesex. St. Bartholomew's.*

Citrate of Potassium 20 grs.; Syrup ½ drm.; water to 1 oz. *Westminster.*

Haustus Potassii Citratis Effervescens.

Bicarbonate of Potassium 20 grs.; Citric Acid 14 grs.; water to 1 oz. Taken during effervescence. *Middlesex. St. George's.*

Bicarbonate of Potassium 20 grs.; water 1 oz.; Citric Acid 14 grs.; water 1 oz. Taken during effervescence. *St. Bartholomew's.*

Haustus Potassii c. Hyoscyamo.

Nitrate of Potassium 10 grs.; Bicarbonate of Potassium 20 grs.; Tincture of Hyoscyamus 20 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Potassii Iodidi.

Iodide of Potassium 5 grs.; Pimento Water 1 oz. *St. George's.*

Iodide of Potassium 5 grs.; Aromatic Spirit of Ammonia 15 mins.; water to 1 oz. *Westminster Ophthalmic.*

Iodide of Potassium 5 grs.; Aromatic Spirit of Ammonia 20 mins.; Decoction of Cinchona to 1 oz. *Middlesex.*

Iodide of Potassium 5 grs.; Carbonate of Ammonium 3 grs.; water to 1 oz. *Westminster.*

Haustus Potassii Iodidi Alkalinus.

Iodide of Potassium 5 grs; Bicarbonate of Potassium 15 grs.; Diluted Chloroform Water 1 oz. *Westminster.*

Iodide of Potassium 2 grs.; Bicarbonate of Potassium 15 grs.; Simple Infusion of Gentian 1 oz. *Middlesex.*

Haustus Potassii Iodidi Ammoniatus.

Iodide of Potassium 3 grs.; Carbonate of Ammonium 2 grs.; water 1 oz. *St. Bartholomew's.*

Haustus Potassii Iodidi c. Colchico.

Iodide of Potassium 5 grs; Bicarbonate of Potassium 10 grs.; Colchicum Wine 10 mins.; Simple Infusion of Gentian to 1 oz. *Middlesex.*

Haustus Potassii Iodidi Compositus.

Iodide of Potassium 5 grs.; Aromatic Spirit of Ammonia ½ drm.; Decoction of Bark to 1 oz. *City Chest.*

Haustus Potassii c. Soda Tartarata.

Nitrate of Potassium 10 grs.; Bicarbonate of Potassium 20 grs.; Tartarated Soda 60 grs.; Peppermint Water to 1 oz. *St. Bartholomew's.*

Haustus Quassiæ Acidus.

Diluted Nitric Acid 10 mins.; Infusion of Quassia 1 oz. *Women.*

Haustus Quassiæ Alkalinus.

Bicarbonate of Soda 15 grs.; Sal Volatile 15 mins; Infusion of Quassia 1 oz. *Women.*

Haustus Quassiæ et Ferri. (*See also* "Haust. Ferri cum Quassiâ.")

Tincture of Perchloride of Iron 15 mins.; Tincture of Ginger 1 drm.; Infusion of Quassia to 1 oz. *St. George's.*

Haustus Quininæ.

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid 1 min.; Distilled Water 1 oz. *Middlesex.*

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid 3 mins.; water to 1 oz. *Westminster Ophthalmic.*

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid 5 mins.; Infusion of Quassia to 1 oz. *City Chest.*

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid 1½ mins.; water 1 oz. *St. Bartholomew's.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 10 mins.; water 1 oz. *Fever.*

Sulphate of Quinine 2 grs.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Lock.*

Sulphate of Quinine 2 grs.; Dil. Hydrobromic Acid 10 mins.; water to 1 oz. *Westminster.*

Hydrochlorate of Quinine 2 grs.; Tincture of Orange 1 drm.; water to 1 oz. *St. George's.*

Haustus Quininæ Acidus.

Sulphate of Quinine 2 grs.; Dil. Sulphuric Acid 15 mins.; Comp. Tincture of Cardamoms 1 drm.; Syrup 1 drm.; water to 1 oz. *St. George's.*

Haustus Quininæ Ammoniatus.

Ammoniated Tincture of Quinia 1 drm.; Spirit of Chloroform 10 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Quininæ c. Ferro.

Sulphate of Quinine 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 5 mins.; Infusion of Quassia to 1 oz. *City Chest.*

Sulphate of Quinine 2 grs.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 2 mins.; Syrup of Lemons 1 drm.; water to 1 oz. *St. George's.*

Sulphate of Quinine 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 2 mins.; Distilled Water to 1 oz. *Middlesex.*

Sulphate of Quinine 1 gr.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 4 mins.; water to 1 oz. *Westminster.*

Sulphate of Quinine 1 gr.; Sulphate of Iron ½ gr.; Spirit of Chloroform 10 mins.; Sulphuric Mint Draught to 1 oz. *St. Bartholomew's.*

Sulphate of Quinine 1 gr.; Solution of Perchloride of Iron 10 mins.; Dil. Sulphuric Acid 3 mins.; water to 1 oz. *Westminster Ophthalmic.*

Haustus Quiniæ c. Opio.

Sulphate of Quinia 1 gr.; Dil. Sulphuric Acid 15 mins.; Tincture of Opium 5 mins.; Peppermint Water 1 oz. *Fever.*

Haustus Quininæ c. Potassii Iodido.

Iodide of Potassium 5 grs.; Quinine Draught 1 fl. oz. *City Chest.*

Sulphate of Quinine 2 grs.; Dil. Sulphuric Acid 3 mins.; Iodide of Potassium 5 grs.; water 1 oz. *Westminster.*

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid 1½ mins.; Iodide of Potassium 5 grs.; water to 1 oz. *St. Bartholomew's. Westminster Ophthalmic.*

Haustus Quininæ et Strychninæ.

Solution of Strychnine 5 mins.; Quinine Draught to 1 fl. oz. *City Chest.*

Haustus Quinquiniæ.

Quinquiniæ Hydrochloras 1 gr.; Dil. Phosphoric Acid 5 mins; Chloroform Water 1 oz. *Women.*

Haustus Quinquiniæ c. Ferro.

Quinquiniæ Sulphatis 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 3 mins.; Glycerine 20 mins.; water 1 oz. *Women.*

Haustus Rhei.

Rhubarb 20 grs.; Light Carbonate of Magnesium 20 grs.; Aromatic Spirit of Ammonia ½ drm.; Pimento Water to 1 oz. *St. George's.*

Haustus Rhei Aromaticus.

Tincture of Rhubarb 1 drm.; Aromatic Powder of Chalk 10 grs.; Cinnamon Water to 1 fl. oz. *City Chest.*

Haustus Rhei Co.

Rhubarb 15 grs.; Bicarbonate of Sodium 12 grs.; Tincture of Ginger 10 mins.; Strong Solution of Ammonia 2 mins.; Peppermint Water to 1 oz. *Royal Chest.*

Infusion of Rhubarb ½ oz.; Bicarbonate of Sodium 10 grs.; Compound Tincture of Gentian ½ drm.; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *Westminster Ophthalmic.*

Haustus Rhei c. Magnesiâ.

Rhubarb 12 grs.; Carbonate of Magnesium 12 grs.; Aromatic Spirit of Ammonia ½ drm.; Peppermint Water to 12 drms. *City Chest.*

Comp. Rhubarb Powder 30 grs.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Rhei cum Opio. ("Diarrhœa Mixture.")

Aromatic Powder of Chalk 15 grs.; Aromatic Spirit of Ammonia ½ drm.; Spirit of Chloroform 20 mins.; Compound Tincture of Cardamoms 1 drm.; Ess. of Peppermint 10 mins.; Tincture of Opium 10 mins.; Rhubarb Draught to 1 oz. *St. George's.*

Haustus Salinus.

Citrate of Potash 20 grs.; water 1 oz. *Women.*

Solution of Acetate of Ammonium 2½ drms.; Nitrate of Potassium 10 grs.; Camphor Water to 1 oz. *Middlesex.*

Solution of Acetate of Ammonium 1 drm.; Citrate of Potassium 15 grs.; water to 1 oz. *Westminster Ophthalmic.*

Nitrate of Potassium 10 grs; Spirit of Nitrous Ether ½ drm.; Solution of Acetate of Ammonium 2 drms.; Camphor Water to 1 oz. *City Chest.*

Haustus Salinus Antimonialis.

Antimonial Wine 20 mins.; Saline Draught to 1 fl. oz. *City Chest.*

Haustus Salinus Aperiens.

Sulphate of Magnesia 2 drms.; Carbonate of Magnesia 20 grs.; Peppermint Water 1 oz. *Women.*

Haustus Salinus Effervescens.

Bicarbonate of Soda 20 grs.; water 1 oz.; Tartaric Acid 18 grs.; water 1 oz. (To be taken effervescing.) *Women.*

Haustus Salinus cum Opio.

Tincture of Opium 15 mins.; Saline Draught to 1 oz. *Middlesex.*

Haustus Sanguinis Bovini.

Desiccated Bullock's Blood 30 grs.; Warm Water 105° 7 drms. Solve and add Glycerine 1 drm. *Westminster.*

Haustus Scillæ.

Oxymel of Squill ½ drm.; Solution of Acetate of Ammonium 3 drms.; Spirit of Nitrous Ether 20 mins.; Camphor Water to 1 oz. *Westminster.*

Haustus Scillæ Acidus.

Oxymel of Squill 1 drm.; Dil. Hydrochloric Acid 7 mins.; Spirit of Chloroform 10 mins.; Comp. Infusion of Gentian 1 oz. *Women.*

Haustus Scillæ Co.

Syrup of Squill ½ drm.; Ipecacuanha Wine 5 mins.; Comp. Tincture of Camphor 15 mins.; water to 1 oz. *Westminster Ophthalmic.*

Oxymel of Squill 80 mins.; Compound Tincture of Camphor 20 mins.; Spirit of Nitrous Ether 20 mins.; Peppermint Water to 1 oz. *Westminster.*

Tincture of Squill 15 mins.; Carbonate of Ammonia 5 grs.; Comp. Tincture of Camphor 20 mins; Spirit of Chloroform 10 mins.; Infusion of Cascarilla to 1 oz. *Women.*

Tincture of Squill 15 mins.; Spirit of Nitrous Ether ½ drm.; Solution of Acetate of Ammonium 2 drms.; Caraway Water to 1 oz. *Middlesex.*

Haustus Scoparii Co.

Spirit of Juniper 30 mins.; Tartrate of Potassium 20 grs.; Decoction of Broom to 1 oz. *St. Bartholomew's.*

Acid Tartrate of Potassium 20 grs.; Spirit of Nitrous Ether ½ drm.; Decoction of Broom to 1 oz. *City Chest.*

Acetate of Potassium 20 grs.; Tincture of Squill 15 mins.; Spirit of Nitrous Ether ½ drm.; Decoction of Broom to 1 oz. *Middlesex.*

Haustus Sedativus.

Hydrate of Chloral 15 grs.; Bromide of Potassium 20 grs.; Syrup of Tolu 30 mins; Distilled Water to 1 oz. *Royal Chest.*

Haustus Senegæ et Ammoniæ.

Carbonate of Ammonium 5 grs.; Infusion of Senega 1 oz. *City Chest.*

Carbonate of Ammonium 5 grs.; Tincture of Squill 40 mins.; Tincture of Senega 40 mins.; water to 1 oz. *St. Bartholomew's.*

Haustus Senegæ Co.

Carbonate of Ammonium 4 grs.; Tincture of Squill 15 mins.; Pimento Oil 1 min.; Infusion of Senega to 1 oz. *Middlesex.*

Carbonate of Ammonia 5 grs.; Spirit of Chloroform 15 mins.; Tincture of Squill 10 mins.; Infusion of Senega to 1 oz. *Fever.*

Haustus Sennæ.

Sulphate of Magnesium 2 drms.; Tincture of Senna 1½ drm.; Comp. of Cardamoms 30 mins; Infusion of Senna to 1 oz. *St George's.*

Haustus Sennæ Co.

Sulphate of Magnesium 1 drm.; Extract of Liquorice 10 grs.; Oil of Pimento 1 min.; Infusion of Senna to 1 oz. *Royal Chest.*

Alexandrian Senna Leaves 2 oz.; Ginger Root sliced 1½ drm.; Pimento contused 1½ drm.; boiling water 20 oz. Infuse 1 hour, strain, and add Sulphate of Magnesium 4 oz.; Caramel 1 fl. drm. Dose 1 to 2 oz. *Royal Free.*

Sulphate of Magnesium ¼ oz.; Spirit of Peppermint 10 mins.; Infusion of Senna to 1½ oz. *St. Bartholomew's.*

Sulphate of Magnesium 120 grs.; Aromatic Spirit of Ammonia ½ drm.; Infusion of Senna to 1½ oz. *City Chest.*

Sulphate of Magnesium 2 drs.; Oil of Peppermint ¼ min.; Infusion of Senna to 1½ oz. *Westminster Ophthalmic.*

Sulphate of Magnesia 120 grs.; Tincture of Senna 2 drms.; Comp. Infusion of Senna to 1 oz. *Fever.*

Sulphate of Magnesium 120 grs.; Oil of Pimento 1 min.; Extract of Liquorice 10 grs.; Infusion of Senna to 1 oz. *Middlesex.*

Sulphate of Magnesia 160 grs.; Infusion of Senna to 1 oz. *London.*

Haustus Serpentariæ et Ammoniæ.

Carbonate of Ammonium 5 grs.; Infusion of Serpentary 1 oz. *City Chest.*

Carbonate of Ammonium 5 grs.; Spirit of Aniseed 10 mins.; Tincture of Serpentary 1 drm.; Spearmint Water to 1 oz. *St. Bartholomew's.*

Haustus Sodii Citratis.

Bicarbonate of Sodium 20 grs.; Citric Acid 17 grs.; water to 1 oz. Dissolve and mix. To be taken after effervescence has ceased. *St. Bartholomew's.*

Haustus Sodii Hypophosphitis.

Hypophosphite of Sodium 20 grs.; Camphor Water 1 oz. *Westminster.*

Hypophosphite of Sodium 5 grs.; Bicarbonate of Sodium 5 grs.; Spirit of Chloroform 10 mins.; Compound Tincture of Cardamoms ½ drm.; Camphor Water to 1 oz. *City Chest.*

Haustus Sodii Salicylatis.

Salicylate of Sodium 20 grs.; Peppermint Water 1 oz. *Westminster.*

Salicylate of Sodium 15 grs.; Spirit of Chloroform 10 mins.; Syrup of Orange 1 drm.; Water to 1 oz. *Westminster Ophthalmic.*

Salicylate of Sodium 15 grs.; Distilled Water to 1 oz. *Middlesex.*

Haustus Sodii Tartratis.

Bicarbonate of Sodium 20 grs.; Tartaric Acid 17 grs.; water 1 oz. Dissolve and mix. To be taken after effervescence has ceased. *St. Bartholomew's.*

Haustus Sodii Tartratis Effervescens.

Bicarbonate of Sodium 20 grs.; water to 1 oz. Dissolve and add Tartaric Acid 17 grs.; water to 1 oz. To be taken during effervescence. *St. Bartholomew's.*

Haustus Strychninæ Compositus.

Solution of Strychnine P. B. 4 mins.; Sulphate of Quinine 1 gr.; Sulphate of Zinc 1 gr.; Dil. Sulphuric Acid 2 mins.; Distilled Water to 1 oz. *Middlesex.*

Haustus Strychninæ c. Ferro.

Solution of Strychnia 3 mins.; Solution of Perchloride of Iron 10 mins.; Syrup 30 mins.; water 1 oz. *Women.*

Solution of Strychnine 4 mins.; Tincture of Perchloride of Iron 10 mins.; Distilled Water to 1 oz. *Middlesex.*

Solution of Strychnine 3 mins.; Tincture of Perchloride of Iron 15 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *City Chest.*

Haustus Strychninæ c. Magnesio.

Sulphate of Iron 2 grs.; Sulphate of Magnesium 15 grs.; Solution of Strychnine 4 mins.; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *Middlesex.*

Haustus Taraxaci Acidus.

Juice of Dandelion ½ drm; Dil. Nitro-hydrochloric Acid 15 mins.; Compound Infusion of Gentian to 1 oz. *Westminster.*

Haustus Terebene.

Pure Terebene 10 mins.; Mucilage of Tragacanth 1 drm.; Glycerine 1 drm.; Cinnamon Water to 1 fl. oz. *City Chest.*

Haustus Terebinthinæ.

Oil of Turpentine 15 mins.; Mucilage 1 drm.; Pimento Water to 1 oz. *St. George's.*

Oil of Turpentine 15 mins.; Ether 15 mins.; Mucilage 2 drms.; Peppermint Water to 1 oz. *Fever.*

Oil of Turpentine 20 mins.; Mucilage 2 drms.; Caraway Water to 1 oz. *St. Bartholomew's.*

Haustus Tragacanthæ c. Ipecacuanhâ.

Ipecacuanha Wine 10 mins.; Mucilage of Tragacanth 1 oz. *Fever.*

Haustus Valerianæ.

Ammoniated Tincture of Valerian 1 drm.; Compound Decoction of Aloes 2 drms.; Spirit of Chloroform 20 mins; Infusion of Valerian to 1 oz. *St. George's.*

Ammoniated Tincture of Valerian 1 drm.; water to 1 oz. *Fever.*

Haustus Valerianæ Comp.

Carbonate of Ammonia 4 grs.; Infusion of Valerian 1 oz. *Women.*

Ammoniated Tincture of Valerian 20 mins.; Fœtid Spirit of Ammonia 15 mins.; Infusion of Quassia to 1 oz. *Middlesex. Westminster.*

Haustus Valerianæ c. Hyoscyamo.

Ammoniated Tincture of Valerian ½ drm.; Tincture of Hyoscyamus ½ drm.; Camphor Water to 1 oz. *St. Bartholomew's.*

Haustus Zinci Emeticus.

Sulphate of Zinc 20 grs.; water to 1 oz. *St. Bartholomew's.*

Haustus Zinci Sulphatis.

Sulphate of Zinc 20 grs.; water 1 oz. *London.*

Haustus Zinci Sulphatis c. Ipecac.

Sulphate of Zinc 20 grs.; Ipecacuanha Wine ½ oz.; water to 1½ oz. *London.*

HYDRARGYRI OLEAS.

Contains 10 per cent. of Oxide of Mercury. *Guy's.*

HYDRARGYRI OLEAS c. MORPHIA.

Morphia 1 gr.; Oleate of Mercury 1 drm. *Guy's.*

INFUSA.

Infusum Abri.

Jequirity Seeds, in Powder, from 1 to 5 parts, infused in 100 parts of distilled water at a temperature not exceeding 120° F. (48·8° C.). *St. Thomas's.*

Jequirity Seeds 1 drm.; water at 120° F. 12½ drms. Allow it to stand till cool, then decant. *London Ophthalmic.*

Infusum Gentianæ Aromaticum.

(*Vel* Infusum Gentianæ Compositum.)

Sliced Gentian ¼ oz.; Lemon Peel 45 grs.; Orange Peel 22½ grs.; boiling water 20 oz. *Consumption.*

Infusum Gentianæ Co.

Gentian Root 120 grs.; Ginger 60 grs.; boiling water 20 oz.: infuse 1 hour. Dose 1 to 2 oz. *London.*

Infusum Gentianæ Simplex.

Gentian Root bruised 2 drms.; boiling water 20 oz. infuse 1 hour. Dose 1 to 2 oz. *Middlesex.*

Infusum Gummi Rubri.

Red Gum ½ oz.; boiling water 20 oz. *London.*

Infusum Tabaci.

Leaf Tobacco 60 grs.; boiling water 20 oz. *Women.*

INHALATIONS. (*See also* VAPORES.)

The following are for use with a Seigel's Steam Spray Producer:—

Inhalatio Acidi Carbolici.

Carbolic Acid (No. 2 Calvert) 20 grs.; hot water 1 oz. *Guy's.*

Inhalatio Acidi Sulphurosi.

Sulphurous Acid 3 fl. drms.; water to 1 oz. *Guy's.*

Inhalatio Acidi Tannici.

Tannic Acid 10 grs.; water 1 oz. *Guy's.*

Inhalatio Alkalina.

Carbonate of Soda 10 grs.; water 1 oz. *Guy's.*

Inhalatio Aluminis.

Alum 15 grs.; water 1 oz. *Guy's.*

Inhalatio Potassæ Chloratis.

Saturated Solution of Chlorate of Potash. *Guy's.*

INJECTIONES.

Injectio Acidi Borici.

Boric Acid 2 drs.; water to 20 oz. *Samaritan.*

Injectio Acidi Carbolici.

Liquefied Carbolic Acid 2 drms.; water to 20 oz. *Samaritan.*

Carbolic Acid 20 grs.; water 20 oz. *Women.*

Carbolic Acid 5 grs.; water 1 oz. *Throat.*

Injectio Acidi Carbolici ad aures.

Carbolic Acid (No. 2 Calvert) 12 grs.; hot water 1 oz. To be diluted with an equal quantity of warm water immediately before use. *London.*

Injectio Acidi Carbolici ad vaginam.

Carbolic Acid (No. 2 Calvert) 2 grs.; hot water 2 drms. Dissolve and add water to 1 oz. *London.*

Injectio Acidi Tannici.

Tannic Acid 2 drms.; Glycerine 1 oz.; water 3 oz. *Fever.*

Tannic Acid 6 grs.; water 1 oz. *London.*

Injectio Acidi Tannici c. Zinco.

Tannic Acid 20 grs.; Sulphate of Zinc 20 grs.; water to 20 oz. *Samaritan.*

Injectio Alkalina.

Bicarbonate of Sodium 1 gr.; Distilled Water 1 oz. *Central Throat.*

Carbonate of Potassium 120 grs.; water 20 oz. *London Ophthalmic.*

Solution of Potash 2 drms.; water 20 oz. *London. Women.*

Injectio Aluminis.

Alum 60 grs.; water 20 oz. *Women.*

Alum 5 grs.; Distilled Water 1 oz. *Middlesex.*

Injectio Aluminis pro urethrâ.

Alum 1 gr.; water 1 oz. *Lock.*

Alum 4 grs.; Carbolic Acid (No. 2 Calvert) $\frac{1}{4}$ gr. water 1 oz. *London.*

Injectio Aluminis pro vaginâ.

Alum 1 drm.; water 20 oz. *Lock.*

Alum 6 grs.; water 1 oz. *London.*

Injectio Aluminis et Acidi Tannici.

Alum 60 grs.; Tannic Acid 60 grs.; water 20 oz. *Women.*

Injectio Aluminis Co.

Alum 3 grs.; Sulphate of Zinc 3 grs.; water 1 oz. *London.*

Injectio Aluminis et Quercûs.

Alum 6 grs.; Decoction of Oak Bark 1 oz. *Royal Free.*

Injectio Aluminis et Zinci.
Alum 2 ; Sulphate of Zinc 1 , mix one or two teaspoonfuls dissolved in 20 ozs. of warm water for vaginal injections. *St. Thomas's.*
Alum 120 grs ; Sulphate of Zinc 40 grs. ; water 20 oz. *British Skin.*
Alum 60 grs. ; Sulphate of Zinc 60 grs. ; water 20 oz. *Royal Free.*

Injectio Astringens.
Alum 4 grs. ; Sulphate of Zinc 4 grs. ; Tannic Acid $1\frac{1}{2}$ gr. ; water 1 oz. *London Ophthalmic.*

Injectio Astringens pro vagina.
Tannic Acid 1 drm. ; Alum 2 drms. ; water 20 oz. *Lock.*

Injectio Boracis.
Borax 120 grs. ; water 20 oz. *Women.*

Injectio Boracis pro vagina.
Borax 1 drm. ; water 20 oz. *Lock.*

Injectio Communis.
Alum 40 grs ; Sulphate of Zinc 24 grs. ; Decoction of Oak Bark 4 oz. *King's.*

Injectio Creolin.
Creolin 1 drm. ; water to 20 oz. *Samaritan.*

Injectio Cupri Sulphatis.
Sulphate of Copper 1 gr. ; Distilled Water 1 oz. *London. Middlesex.*

Injectio Cupri pro urethra.
Sulphate of Copper 1 gr. ; water 1 oz. *Lock.*

Injectio Ferri Perchloridi.
Perchloride of Iron 60 grs. ; water 1 oz. *Throat.*

Injectio Iodi.
Tincture of Iodine 1 drm. ; water to 20 oz. *Samaritan.*
Solution of Iodine 10 mins. ; water 1 oz. *Throat.*

Injectio Plumbi.
Acetate of Lead 16 grs. ; water 4 oz. *Fever.*
Acetate of Lead 30 grs. ; water 20 oz. *Women.*

Diluted Solution of Subacetate of Lead 12 mins.; water to 1 oz. *London.*

Diluted Solution of Subacetate of Lead 1½ drm.; Rectified Spirit 2 drms.; water to 20 oz. *London Ophthalmic.*

Solution of Subacetate of Lead 1 drm.; Distilled Water to 20 oz. *Middlesex. Samaritan.*

Solution of Subacetate of Lead 20 mins.; Distilled Water to 1 oz. *Royal Free.*

Injectio Plumbi pro urethrâ.

Solution of Acetate of Lead 1 drm.; water to 10 ozs. *Lock.*

Injectio Plumbi pro vaginâ

Solution of Subacetate of Lead 1 drm.; water 20 oz. *Lock.*

Injectio Plumbi cum Belladonnâ pro urethrâ.

Urethral Injection of Lead 1 oz.; Extract of Belladonna 1 gr. *Lock.*

Injectio Plumbi cum Belladonnâ pro vaginâ.

Extract of Belladonna 20 grs.; Vaginal Injection of Lead 20 ozs. *Lock.*

Injectio Plumbi c. Opio.

Acetate of Lead 40 grs.; Extract of Opium 10 grs.; water 20 oz. *Women.*

Injectio Plumbi cum Opio pro vaginâ.

Solution of Lead 1 drm.; Liq. Opii Sed. 20 mins.; water to 20 oz. *Lock.*

Injectio Potassæ Permanganatis.

Solution of Permanganate of Potash 6 mins.; water to 1 oz. *Throat. Women.*

Solution of Permanganate of Potash 24 mins.; water to 1 oz. *London.*

Permanganate of Potash 10 grs.; Distilled Water 20 oz. *Charing Cross.*

Injectio Quercûs Co.

Alum 4 grs.; Sulphate of Zinc 4 grs.; Decoction of Oak Bark 1 oz. *London.*

Alum 80 grs.; Sulphate of Zinc 80 grs.; Decoction of Oak Bark 10 oz.; Distilled Water 10 ozs. *Middlesex.*

Injectio Quercûs c. Alumine.

Alum 1 drm.; Decoction of Oak Bark 4 ozs. *Fever.*

Injectio Quiniæ Sulphatis.

Sulphate of Quinia 4 grs.; Diluted Sulphuric Acid 3 mins.; water 1 oz.; to be diluted with 1 oz. of warm water before using for the ear. *University.*

Injectio Sodii Iodidi.

Iodide of Sodium 1 gr.: Distilled Water 1 oz. *Central Throat.*

Injectio Thymol.

Thymol 1 gr.; Rectified Spirit 1 drm.; Glycerine 1 drm.; water to 1 oz. *London.*

Injectio Zinci Acet. cum Catechu pro urethrâ.

Acetate of Zinc 4 grs.; Tincture of Opium 10 mins.; Tincture of Catechu 10 mins.; Mucilage of Acacia 1 drm.; water to 1 oz. *Lock.*

Injectio Zinci cum Alumine pro vaginâ.

Sulphate of Zinc 15 grs.; Alum 45 grs.; water 20 oz. *Lock.*

Injectio Zinci cum Belladonnâ pro urethrâ.

Chloride of Zinc ½ gr.; Extract of Belladonna 1 gr; water 1 oz. *Lock.*

Injectio Zinci Chloridi.

Chloride of Zinc 2 grs.: Distilled Water 1 oz. *Royal Free.*

Chloride of Zinc 1 gr.; Distilled Water 1 oz. *London. Middlesex.*

Chloride of Zinc ½ gr.: Extract of Belladonna ¼ gr.; water 1 oz. *King's.*

Injectio Zinci Chloridi pro urethrâ.

Chloride of Zinc ½ gr.; water 1 oz. *Lock.*

Injectio Zinci Permanganatis pro urethrâ.

Permanganate of Zinc ⅛ gr.: water 1 oz. *Lock.*

Injectio Zinci cum Plumbi cum Catechu pro urethrâ.

Acetate of Zinc 4 grs.: Acetate of Lead 4 grs.: Tincture of Catechu 1 drm.: water to 3 ozs. *Lock.*

Injectio Zinci Sulphatis.

Sulphate of Zinc 2 grs.; Distilled Water to 1 oz. *Charing Cross. Middlesex.*

Sulphate of Zinc 3 grs.; Acetate of Lead 3 grs.; water 1 oz. *King's.*

Sulphate of Zinc 3 grs.; water 1 oz. *Royal Free. Women.*

Sulphate of Zinc 6 grs.; water 1 oz. *London.*

Sulphate of Zinc 8 grs.; water 1 oz. *Fever.*

Injectio Zinci Sulphatis pro urethrâ.

Sulphate of Zinc 1 gr.; water 1 oz. *Lock.*

Sulphate of Zinc 3 grs.; water 1 oz. *London.*

Injectio Zinci Sulphatis et Acidi Carbolici.

Sulphate of Zinc 4 grs.; Carbolic Acid 4 grs.; water 1 oz.: to be diluted with 1 oz. of warm water before using for the ear. *University.*

Injectio Zinci Sulphocarbolatis.

Sulphocarbolate of Zinc 3 grs.; water 1 oz. *Charing Cross.*

Sulphocarbolate of Zinc 6 grs.; water 1 oz. *London.*

Injectio Zinci Sulphocarbolatis pro urethrâ.

Sulphocarbolate of Zinc 2 grs.; water 1 oz. *Lock.*

INJECTIONES HYPODERMICÆ.

The following remedies in the form of Hypodermic Discs are used (*London.*):—

,, Aconitia $\frac{1}{60}$ gr. in each.
,, Apomorphia $\frac{1}{10}$ gr. in each.
,, Atrophia (Sulphate) $\frac{1}{120}$ gr. in each.
,, Caffeine $\frac{1}{2}$ gr. in each.
,, Codeia $\frac{1}{4}$ gr. in each.
,, Curara $\frac{1}{10}$ gr. in each.
,, ,, $\frac{1}{20}$ gr. in each.
,, Daturine $\frac{1}{120}$ gr. in each.
,, Digitaline.
,, Ergotine.
,, Gelsemium, equal to 10 mins. Tincture.
,, Hyoscyamine $\frac{1}{300}$ gr in each
,, Morphia $\frac{1}{6}$ gr. in each.
,, ,, and Atropine, $\frac{1}{6}$ gr. Morphia and $\frac{1}{120}$ gr. Atropine in each.

Discs of Physostigmine (or Eserine) equal to $\frac{1}{6}$ gr.
Extract of Calabar Bean.
,, Pilocarpine $\frac{1}{12}$ gr. in each.
,, Sclerotic Acid $\frac{1}{10}$ gr. in each.
,, Strychnia $\frac{1}{60}$ gr. in each.

Injectio Acidi Acetici Hypod.

Diluted Acetic Acid 15 to 30 mins. *Throat.*

Injectio Acidi Carbolici Hypod.

Carbolic Acid (No. 1 Calvert) 15 grs.; Rectified Spirit 15 mins.; water to 1 drm. Dose 1 to 4 mins. = $\frac{1}{4}$ to 1 gr. acid. *London.*

Injectio Acidi Sclerotici Hypod.

Sclerotic Acid pure 15 grs.; Glycerine pure 15 mins.; water to 1 drm. Dissolve and add 1 per cent. of Carbolic Acid No. 1. Dose 1 to 4 mins. = $\frac{1}{4}$ to 1 gr. acid. *London.*

Injectio Atropinæ Hypod.

Sulphate of Atropine 2 grs.; Distilled Water 1 oz. Dose from 2 to 6 mins. (*i.e.*, from $\frac{1}{120}$ gr. to $\frac{1}{40}$ gr. of the salt). *St. George's.*

Sulphate of Atropia $\frac{1}{2}$ gr.; Glycerine pure 15 mins.; water to 1 drm. Dissolve and add 1 per cent. of Carbolic Acid No. 1. Dose 1 to 2 mins. = $\frac{1}{120}$ to $\frac{1}{60}$ Sulphate. *London.*

Sulphate of Atropia 1 gr.; Distilled Water 1 oz. (4 mins. = $\frac{1}{120}$ gr. Atropia). *Women.*

Injectio Atropiæ Sulphatis.

Sulphate of Atropia $\frac{1}{4}$ gr.; water 1 drm. (3 mins. contain $\frac{1}{80}$ gr. Atropine). Dose 2 to 4 mins. *London Ophthalmic.*

Injectio Cocainæ Hypodermica.

Hydrochlorate of Cocaine 10 grs.; Saturated Solution of Boracic Acid 100 mins. Dose 2 to 5 mins. *Central Throat.*

Injectio Curare Hypod.

Curare 4 grs.; distilled water 1 fl. drm. Rub the Curare with the water, allow it to stand for 48 hours, and then filter. *Guy's.*

Curare 5 grs.; Glycerine pure 15 mins.; water to 1 drm. Mix the Glycerine and water and heat them to the boiling-point; rub the Curare with the hot liquid in a mortar, triturate frequently during 24 hours and then filter. Dose 1 min. $=\frac{1}{12}$ gr. Curare, cautiously increased. *London.*

Injectio Ergotinæ Hypod.

Ergotine 1 gr.; Glycerine 3 mins.; water 3 mins. *Westminster.*

Ergotina (Bonjean's) 10 grs.; Distilled Water 1 fl. dr. Dissolve. *Guy's.*

Ergotine 240 grs.; Distilled Water sufficient to make up 1 fl. oz.; in this dissolve Carbolic Acid 4 grs.; 2 to 6 mins. *Throat.*

Ergotine 15 grs.; Glycerine pure 15 mins.; water to 1 drm. Dissolve and add 1 per cent. Carbolic Acid No. 1. Dose 1 to 4 mins.$=\frac{1}{4}$ to 1 gr. Ergotine. To be injected deeply. *London.*

Injectio Ergotæ Hypod.

Bonjean's Liquoris Ergotæ (6 mins. = 1 gr.). *Women.*

Injectio Hydrargyri Hypodermica.

Perchloride of Mercury 8 grs.; water 1 oz. Inject 15 to 20 mins. into the muscles of the buttock or shoulder. *Lock.*

Injectio Hydrargyri Iodidi Hypod.

Red Iodide of Mercury $7\frac{1}{2}$ grs.; Iodide of Sodium about $7\frac{1}{2}$ grs., or less if possible; Distilled Water to 1 oz. Dissolve the Iodide of Sodium in a little water and add it drop by drop to the Iodide of Mercury till the latter is all dissolved. Dilute with more water and filter, pouring over the filter a sufficient quantity of water to produce 1 oz. of fluid. This will contain $\frac{1}{15}$ gr. of Iodide of Mercury in 4 mins. Dose 4 to 10 mins. *Throat.*

Injectio Hydrarg. Perchloridi Hypod.

Corrosive Sublimate $\frac{1}{2}$ gr.; Chloride of Sodium pure 5 grs.; water to 1 drm. Dose 4 to 12 mins. $=\frac{1}{30}$ to $\frac{1}{10}$ gr. in divided portions in the course of one day. *London.*

Injectio Iodi Hypod. Communis.

Tincture of Iodine B. P. 15 to 30 mins. *Throat.*

Injectio Iodi Hypod. Fortior.

Iodine 40 grs.; Absolute Alcohol 1 oz. 10 to 15 mins. *Throat.*

Injectio Iodi Hypod. Fortissima.

Iodine 360 grs.; Iodide of Potassium 360 grs; Distilled Water to 1 oz.; dissolve. 3 to 5 mins. *Throat.*

Injectio Morphinæ Hypod.

One minim contains $\frac{1}{10}$ of a grain of the Acetate of Morphine. *St. Bartholomew's.*

Acetate of Morphine 80 grs.; Distilled Water 1 oz.; dissolve. 6 mins. contain 1 gr. *Throat.*

Acetate of Morphine 40 grs.; Distilled Water to 1 oz. Brit. Pharm. 12 mins. contain 1 gr. *London Ophthalmic. Middlesex. Women.*

Acetate of Morphia 10 grs.; Glycerine 15 mins.; Acetic Acid, Solution of Potash, and Distilled Water of each *q. s.* Dissolve the Morphia in $\frac{1}{2}$ drm. of the water with the aid of a gentle heat and a few drops of Acetic Acid; when cool add Solution of Potash nearly to neutralization, then mix with the Glycerine and sufficient water to make 1 drm.; lastly add 1 per cent. Carbolic Acid No. 1. Dose 1 to 3 mins. $= \frac{1}{6}$ to $\frac{1}{2}$ gr. Acetate of Morphia. *London.*

Acetate of Morphine (freshly prepared) 48 grs.; Acetic Acid $4\frac{1}{2}$ mins. or less; Distilled Water to 1 oz. Dose from 1 to 3 mins. (*i. e.* from $\frac{1}{10}$ gr. to $\frac{1}{3}$ gr. (nearly) of the salt). *St. George's.*

Injectio Morphinæ Hypod. Fortior.

Acetate of Morphine 80 grs.; Distilled Water to 1 oz. (6 mins. contain 1 gr.) *Middlesex.*

Injectio Morphinæ et Atropinæ Hypod.

Injectio Morphiæ Hypoderm. London Hospital 2 drms.; Injectio Atropiæ Hypod. London Hospital 1 drm.; mix. Dose 3 mins. $= \frac{1}{3}$ gr. Acetate of Morphia, $\frac{1}{120}$ gr. Sulphate of Atropia. *London.*

Sulphate of Atropine 2 grs.; Hypodermic Injection of Morphine 1 oz. Dose from 1 min. (*i.e.*, $\frac{1}{240}$ gr. of the Atropine Salt and $\frac{1}{10}$ gr. of the Morphine Salt) to 3 min. (*i.e.*, $\frac{1}{80}$ gr. of the Atropine Salt and $\frac{1}{3}$ gr. (nearly) of the Morphine Salt). *St. George's.*

Sulphate of Atropine $\frac{1}{6}$ gr.; Hypodermic Injection of Morphine P. B. 1 drm. Dose 1 to 4 mins. *London Ophthalmic. Middlesex.*

Injectio Morphiæ Hypoderm. 1 drm.; Solution of Atropia 20 mins. (4 mins. = Morphia $\frac{1}{4}$ gr. Atropia $\frac{1}{120}$ gr.) *Women.*

Injectio Pilocarpinæ Hypodermica.

See also Liquor Pilocarpinæ.

Nitrate of Pilocarpine 5 grs.; Distilled Water 100 mins. Dose 2 to 5 mins. *Central Throat.*

Nitrate of Pilocarpine 48 grs; Distilled Water 1 oz. Dose from 2 to 5 mins. (*i.e.*, from $\frac{1}{5}$ gr. to $\frac{1}{2}$ gr. of the salt). *St. George's.*

Nitrate of Pilocarpine 1 gr.; Distilled Water 20 mins. Dose 2 to 6 mins. *London Ophthalmic.*

Injectio Quiniæ Hypod.

Neutral Sulphate of Quinine 20 grs.; Glycerine pure 1 drm.; dissolve by the aid of heat. Dose 1 to 4 mins. = $\frac{1}{4}$ to 1 gr. Sulphate of Quinine. This solution should be warmed before use. *London.*

Injectio Strychniæ Hypod.

Solution of Strychnia Brit. Pharm. Dose 1 to 2 mins. = $\frac{1}{120}$ to $\frac{1}{60}$ gr. Strychnia. *London.*

INSTILLATIONES.

Instillatio Acidi Sulphurosi.

Sulphurous Acid 10 cubic centimetres; Carbolic Acid 5 cc.; Distilled Water 85 cc. *City Chest.*

Instillatio Creasoti.

Creasote 1 part; Ethylic Alcohol 1 part. *City Chest.*

Instillatio Eucalypti.

Oil of Eucalyptus 1 part; Ethylic Alcohol 1 part. *City Chest.*

Instillatio Iodi et Carbolici.

Iodine 50 centigrs.; Ether 15 cc.; Carbolic Acid 15 cc; Creasote 10 cc.; Rectified Spirit 60 cc. *City Chest.*

Instillatio Iodoformi Co.

Oil of Eucalyptus 10 cc.; Chloroform 2 cc.; Rectified Spirit 10 cc; Iodoform 1 grm. *City Chest.*

Instillatio Pini Sylvestris.

Fir-wool Oil 1 part; Ethylic Alcohol 1 part. *City Chest.*

Instillatio Thymol.

Thymol 2 grms.; Camphor 2 grms.; Carbolic Acid 2 cc.; Rectified Spirit 20 cc. *City Chest.*

INSUFFLATIONES.

Insufflatio Acidi Tannici.

Tannic Acid in powder 2 grs.; Starch in powder ½ gr. An astringent in hæmorrhage from the larynx and trachea. *Throat.*

Insufflatio Acidi Tannici et Iodoformi. (*Nasal.*)

Tannic Acid in powder 5 grs.; Iodoform in fine powder 2 grs.; Gum Acacia in fine powder 3 grs. An astringent and alterative in post-nasal catarrh. *Throat.*

Insufflatio Aluminis.

Alum 2 grs.; Sugar of Milk 2 grs. *City Chest.*

Alum in fine powder 3 grs.; Starch in powder ½ gr. A mild astringent in chronic tracheitis. *Throat.*

Insufflatio Aluminis. (*Aural.*)

Alum in fine powder, Subnitrate of Bismuth in fine powder. Of each an equal quantity. Astringent. *Throat.*

Insufflatio Ammonii Chloridi.

Chloride of Ammonium in fine powder 2 grs.; Starch in powder ½ gr.; mix. A solvent when mucus is adherent. *Throat.*

Insufflatio Argenti Nitratis. (*Aural.*)

Nitrate of Silver in fine powder 6 grs.; Subnitrate of Bismuth in fine powder 60 grs. Caustic. *Throat.*

Insufflatio Astringens.

Tannic Acid 1 gr.; Alum 2 grs.; Borax 3 grs. *Royal Chest.*

Insufflatio Bismuthi.

Subnitrate of Bismuth 2 grs.; Starch in powder ½ gr. A sedative in congestion of the trachea. *Throat.*

Insufflatio Bismuthi, Morphiæ, et Iodoformi. (*Nasal*)

Carbonate of Bismuth 7 grs.; Acetate of Morphia ¼ gr.; Iodoform in fine powder 5 grs.; Gum Acacia in fine powder 5 grs. *Throat.*

Insufflatio Boracis.

Borax in powder 3 grs.; Starch in powder ½ gr. Mildly detergent. *Throat.*

Insufflatio Cocainæ.

Hydrochlorate of Cocaine 5 to 10 grs.; Oxychloride of Bismuth to 1 oz. *Central Throat.*

Insufflatio Iodoformi.

Iodoform 1 gr.; Borax 2 grs. *Royal Chest.*

Iodoform 5 grs.; Oxychloride of Bismuth to 1 oz. *Central Throat.*

Iodoform in fine powder 1 gr.; Starch in powder ½ gr. Antiseptic and mildly caustic. *Throat.*

Insufflatio Iodoformi. (*Aural.*)

Iodoform in fine powder; Subnitrate of Bismuth in fine powder. Of each an equal quantity. Antiseptic and mildly caustic. *Throat.*

Insufflatio Iodoformi Composita.

Iodoform 1 gr.; Boracic Acid 1 gr.; Acetate of Morphine ⅙ gr. *Westminster.*

Insufflatio Iodoformi et Morphinæ.

See also Insufflatio Morphinæ et Iodoformi.

Iodoform 1 gr.; Boric Acid 1 gr.; Sugar of Milk 1 gr.; Hydrochlorate of Morphine ¼ gr. *City Chest.*

Insufflatio Iodol.

Iodol 5 grs.; Oxychloride of Bismuth to 1 oz. *Central Throat.*

Insufflatio Menthol Compositu.

Menthol 2 drms.; Chloride of Ammonium 5 drms., Boracic Acid to 1 oz. *Central Throat.*

Insufflatio Menthol Mitis.

Menthol 15 grs.; Sugar of Milk to 1 oz. *Central Throat.*

Insufflatio Morphinæ.

Hydrochlorate of Morphine $\frac{1}{8}$ gr. $\frac{1}{6}$ gr. $\frac{1}{4}$ gr. $\frac{1}{2}$ gr.; Sugar of Milk 2 grs. *Royal Chest.*

Acetate of Morphia $\frac{1}{16}$ gr.; Starch in powder $\frac{1}{2}$ gr. Rub together to form a powder. Insufflations of Morphia are also used containing respectively $\frac{1}{8}$, $\frac{1}{4}$, and $\frac{1}{2}$ gr. of Acetate of Morphia in each, combined with $\frac{1}{2}$ gr. of Starch. Sedative, especially in laryngeal phthisis. *Throat.*

Insufflatio Morphinæ et Iodoformi.

Hydrochlorate of Morphine gr. $\frac{1}{6}$; Iodoform 1 gr. Borax 2 grs. *Royal Chest.*

Insufflatio Plumbi Acetatis.

Acetate of Lead in fine powder 1 gr.; Starch in powder $\frac{1}{2}$ gr. Styptic. *Throat.*

Insufflatio Zinci Chloridi.

Chloride of Zinc 5 grs; Oxychloride of Bismuth to 1 oz. *Central Throat.*

Insufflatio Zinci Chloridi cum Morphiâ.

Hydrochlorate of Morphia 5 grs; Chloride of Zinc Insufflation to 1 oz. *Central Throat.*

LAPIS DIVINUS.

Sulphate of Copper; Sulphate of Alum; Nitrate of Potassium; of each equal parts. *Westminster Ophthalmic.*

Equal parts of Copper Sulphate; Alum and Nitrate of Potassium fused together; Camphor equal to $\frac{1}{50}$ part of the whole added. *St. Thomas's. London Ophthalmic.*

Sulphate of Copper 3 oz.; Nitrate of Potash 3 oz.; Alum 3 oz.; Camphor 60 grs. *Guy's.*

LINCTI.

Linctus. *See also* Linctus Communis and Linctus Simplex.

Oxymel of Squill; Mucilage of Acacia; Treacle; equal parts of each. *St. Thomas's.*

Dil. Sulphuric Acid ½ drm.; Syrup of Squill ½ drm. Syrup of Poppies ½ drm.; Comp. Tincture of Camphor ½ drm.; Ipecacuanha Wine 15 mins.; Powdered Gum Acacia ½ drm.; Treacle 3 drms.; water to 1 oz. *Westminster Ophthalmic.*

Linctus Acidi Tanno-Gallici.

Tannic Acid 6 drms.; Gallic Acid 2 drms.; water to 1 oz. Dose a teaspoonful to be slowly sipped in case of bleeding. *St. Bartholomew's.*

Linctus Acidus.

Dil. Sulphuric Acid 2 mins.; Oxymel 25 mins.; Simple Linctus to 1 drm. *St. Mary's.*

Dil. Sulphuric Acid 5 mins.; Oxymel 20 mins.; Spirit of Chloroform 2 mins.; Treacle to 1 drm. *University.*

Dil. Sulphuric Acid 5 mins.; Oxymel 25 mins.; Simple Linctus to 1 drm. *Consumption.*

Linctus Acidus c. Opio.

Tincture of Opium 15 mins.; Diluted Sulphuric Acid 15 mins.; Glycerine 1 oz.; Camphor Water 1 oz. Dose 1 to 2 drms. *Gt. Northern.*

Linctus Ammonii.

Tincture of Squill 5 mins.; Carbonate of Ammonium ¼ gr.; Essence of Anise 1 min; Borax ¼ gr.; Mucilage of Acacia ½ drm.; water to 1 drm. *St. Mary's.*

Tincture of Squill 5 mins.; Carbonate of Ammonium ⅛ gr.; Essence of Anise P. B. 1 min.; Borax ¼ gr.; Mucilage 30 mins.; water to 1 drm. *Consumption.*

Linctus Ammoniæ Compositus.

Carbonate of Ammonium ⅛ gr.; Ipecacuanha Wine 2 mins.; Tincture of Squill 5 mins; Essence of Anise 1 min.; Mucilage of Acacia 20 mins.; Distilled Water to 1 drm. *Royal Chest.*

Linctus Camphoræ Compositus.

Compound Tincture of Camphor; Oxymel of Squill; Syrup of Tolu equal parts. Dose a teaspoonful. *St. Bartholomew's.*

Linctus Communis. *See also* Linctus and Linctus Simplex.

Acetic Acid 2 mins.; Vinegar of Squill 36 mins.; Syrup of Poppies 36 mins.; Confection of Hips 100 grs.; Powdered Tragacanth 6 grs.; Cold water to 1 oz. Dose 1 teaspoonful. *St. Bartholomew's.*

Comp. Tincture of Camphor 15 mins.; Oxymel of Squill 45 mins. Dose 1 drm. *Women.*

Dil. Sulphuric Acid 7½ mins.; Tincture of Squill 30 mins.; Syrup of Extract of Poppies 1½ drm.; Powdered Tragacanth 6¼ grs.; Treacle 2 drms.; Distilled Water to 1 oz. Dose ½ to 2 drms. *Middlesex.*

Dil. Sulphuric Acid 15 mins.; Syrup of Squill 30 mins.; Compound Tincture of Camphor 2 drms.; Treacle 1 drm.; Anise Water to 1 oz. *King's.*

Dil. Sulphuric Acid 30 mins.; Vinegar of Squill 3 drms.; Tincture of Opium 30 mins.; Powdered Tragacanth 40 grs.; Treacle 2 oz.; water 2 oz. Dose 1 to 2 drms. *London Ophthalmic.*

Dil. Sulphuric Acid 40 mins,; Tincture of Opium 20 mins.; Treacle 300 grs.; Hot Water to 1 oz. Dose 1 drm. *Throat.*

Olive Oil 1 drms; Confection of Hips 6 drms.; Vinegar of Squill 1½ drm.; Tincture of Opium 7½ mins.; Treacle 3 drms. Dose 1 to 2 drms. *St. George's.*

Tincture of Squill 5 mins.; Wine of Antimony 5 mins.; Treacle ½ drm.; Water to 1 drm. *Central Throat.*

Solution of Hydrochlorate of Morphine 3 mins.; Spirit of Chloroform 3 mins.; Glycerine and Water of each ½ drm. *City Chest.*

Linctus Glycerini.

Ipecacuanha Wine 5 mins.; Compound Tincture of Camphor 15 mins.; Glycerine ½ drm.; water to 1 drm. *St. Mary's.*

Compound Tincture of Camphor 2 drms.; Vinegar of Ipecacuanha Wine 40 mins.; Glycerine ½ oz.; water to 1 oz. Dose 1 drm. *Throat.*

Linctus c. Ipecacuanhâ.

Ipecacuanha Wine 30 mins.; Linctus to 1 oz. Dose 1 teaspoonful. *St. Bartholomew's.*

Linctus Ipecacuanhæ c. Morphiâ.

Solution of Hydrochlorate of Morphia 2 mins.; Spirit of Chloroform 2 mins.; Ipecacuanha Wine 2 mins.; Mucilage of Acacia 30 mins.; water to 1 drm. *Charing Cross.*

Linctus Limonis.

Syrup of Lemon 10 drms; Solut. Hydrochlor. Morphia 2 drs.; water to 3 oz. Dose 1 drm. *Central Throat.*

Syrup of Lemon 6 drms.; Solut. Acet. Morphia 2 fl. drms.; water to 3 oz. Dose 1 drm. *Throat.*

Linctus Morphinæ.

Solution of Hydrochlorate of Morphine 3 mins.; Spirit of Chloroform 3 mins.; Glycerine 1 drm.; *Westminster.*

Solution of Hydrochlorate of Morphia 3 mins.; Spirit of Chloroform 3 mins.; Treacle, Honey, or Glycerine 60 grs.; water to 1 drm. *University.*

Solution of Hydrochlorate of Morphine 4 mins.; Spirit of Chloroform 4 mins.; Ipecacuanha Wine 4 mins.; Syrup of Tolu 20 mins.; Mucilage of Acacia to 1 drm. *Samaritan.*

Solution of Hydrochlorate of Morphine 5 mins.; Diluted Hydrocyanic Acid $2\frac{1}{2}$ mins.; Spirit of Ether $2\frac{1}{2}$ mins.; Syrup $\frac{1}{2}$ drm.; Distilled water to 1 drm. Dose $\frac{1}{2}$ to 1 drm. *Royal Free.*

Solution of Hydrochlorate of Morphine 8 mins.; Treacle $\frac{1}{2}$ drm.; water to 1 drm. *St. Mary's.*

Hydrochlorate of Morphine $\frac{1}{16}$ gr.; Dil. Hydrochloric Acid 1 min.; Syrup of Squill 20 mins.; Dil. Hydrocyanic Acid 2 mins.; water to 1 drm. *Royal Chest.*

Hydrochlorate of Morphine 1 gr.; Dil. Hydrochloric Acid 2 mins.; Dil. Hydrocyanic Acid 30 mins.; Syrup of Squill 2 oz.; water to 4 oz.; Dose $\frac{1}{2}$ to 2 drms. *Middlesex.*

Linctus Morphinæ Acetatis.

Solution of Acetate of Morphine 8 mins.; Chloric Ether 3 mins.; Lemon Juice 15 mins.; Mucilage to 1 drm. *Consumption.*

Linctus Morphinæ c. Chloroformo.

Solution of Hydrochlorate of Morphine 24 mins.; Chloroform 8 mins.; Rectified Spirit 72 mins.; Glycerine to 1 oz. Dose 1 teaspoonful. *St. Bartholomew's.*

Linctus Morphiæ Compositus.

Hydrochlorate of Morphia $\frac{1}{16}$ gr.; Laurel Water 8 mins.; Spirit of Chloroform 4 mins.; Syrup of Lemons 30 mins.; Glycerine to 1 drm. Dose 1 drm. *London.*

Linctus Morphinæ Hydrocyanicus.

Solution of Acetate of Morphine 3 mins.; Dil. Hydrocyanic Acid 1 min.; Oxymel of Squill to 1 drm. *St. George's.*

Linctus Opiatus.

Tincture of Opium 3 mins.; Dil. Sulphuric Acid 5 mins.; Simple Linctus to 1 drm. *Westminster.*

Tincture of Opium 10 mins.; Dil. Sulphuric Acid 10 mins.; Treacle 6 drms.; water to 1 fl. oz. Dose 1 to 2 teaspoonfuls. *Guy's.*

Tincture of Opium 16 mins.; Dil. Sulphuric Acid 32 mins.; Treacle 160 mins.; boiling water to 1 oz.; Dose 1 to 2 drms. *London.*

Tincture of Opium 15 mins.; Dil. Sulphuric Acid 10 mins.; Treacle 4 fl. drms.; Distilled Water to 1 oz. Dose 1 drm. *Royal Free.*

Linctus Opii.

Tincture of Opium 5 mins.; Dil. Sulphuric Acid 5 mins.; Simple Linctus to 1 drm. *Consumption.*

Linctus c. Opio.

Tincture of Opium 16 mins.; Linctus to 1 oz. Dose 1 drm. *St. Thomas's.*

Linctus Papaveris.

Syrup of Poppies 1 oz.; Syrup of Tolu 1 oz.; Compound Tincture of Camphor 1 oz. Dose 1 drm. *Throat.*

Linctus Scillæ.

Oxymel of Squill 20 mins.; Dil. Sulphuric Acid 5 mins.; Tincture of Opium 2 mins.; Simple Linctus to 1 drm. *Consumption.*

Oxymel of Squill ½ drm.; Paregoric 15 mins. Treacle to 1 drm. *St. Mary's.*

Syrup of Squill, Syrup of Poppies, Syrup of Lemons, Syrup of Tolu, equal quantities. Dose 1 drm. *Throat.*

Linctus Scillæ c. Opio.

Oxymel of Squill 30 mins.; Syrup of Poppies 30 mins. *King's.*

Oxymel of Squill 20 mins.; Liquid Extract of Opium 2 mins.; Dil. Sulphuric Acid 5 mins.; Treacle 20 mins.; water to 1 drm. *Charing Cross.*

Linctus Scillæ Co. vel c. Opio.

Oxymel of Squill 5 mins.; Compound Tincture of Camphor 2½ mins.; Spirit of Nitrous Ether 2½ mins.; water to 1 drm. *Westminster.*

Oxymel of Squill 20 mins.; Comp. Tincture of Camphor 10 mins.; Ipecacuanha Wine 5 mins. Mucilage of Acacia to 1 drm. *Royal Chest.*

Oxymel of Squill 24 mins.; Comp. Tincture of Camphor 12 mins.; Ipecacuanha Wine 6 mins.; Mucilage to 1 drm. *University.*

Linctus Simplex. *See also* Linctus and Linctus Communis.

Treacle 15 mins.; Syrup of Poppies 15 mins.; Spirit of Chloroform 3 mins.; Acid Infusion of Roses to 1 drm. *Royal Chest.*

Simple Syrup 15 mins.; Diluted Chloroform Water to 1 drm. *Westminster.*

Linctus Simplex vel Theriaca Preparata.

Treacle 20 mins.; Spirit of Chloroform 2 mins.; water to 1 drm. *Consumption. St. Mary's.*

Linctus pro Tussi.

Oxymel of Squill, Syrup of Poppies, Mucilage, of each equal parts. *St. Thomas's.*

LINIMENTA.

Linimentum Acidi Salicylici.

Salicylic Acid 10 grs.; Methylated Spirit to 1 oz. *St. Mary's.*

Linimentum Aconiti Mitius.

Aconite Liniment B.P. 1 oz.; Soap Liniment 3 oz. *London.*

Linimentum Aconiti et Saponis.

Liniment of Aconite 1 oz.; Soap Liniment 3 oz. *London Ophthalmic.*

Linimentum Æruginis.

Powder of Verdigris 1 oz.; Dil. Acetic Acid 7 oz.; Honey 14 oz.; dissolve the Verdigris in the Acid, and filter; add the Honey, and boil to a proper consistence. *Middlesex.*

Linimentum Ammoniæ.

Solution of Ammonia 1 oz.; Olive Oil 3 oz. *London.*

Linimentum Ammoniæ Mitius.

Solution of Ammonia 1 drm.; Olive Oil 7 drms. *City Chest.*

Linimentum Belladonnæ et Chloroformi.

Liniment of Belladonna 1 oz.; Liniment of Chloroform 1 oz. *Westminster.*

Linimentum Belladonnæ Compos.

Liniment of Belladonna ½ oz.; Compound Liniment of Camphor to 1 oz. *St. Mary's.*

Extract of Belladonna 30 grs.; Tincture of Aconite 4 drms.; Compound Camphor Liniment 1½ oz. *Samaritan.*

Extract of Belladonna, Glycerine, of each equal parts. *Lock.*

Extract of Belladonna 1 drm.; Distilled Water 1 drm.; Soap Liniment 6 drms. *London Ophthalmic.*

Linimentum Belladonnæ c. Iodo.

See also Lin. Iodo c. Bellad.

Liniment of Belladonna 4 drms.; Liniment of Iodine 4 drms. *Samaritan.*

Linimentum Belladonnæ Mitius.

Belladonna Liniment B.P. 1 oz.; Soap Liniment 3 oz. *London.*

Linimentum Calcis. (Carron Oil.)

Solution of Lime B.P. and Linseed Oil equal parts. *London. Middlesex.*

Linimentum Calcis Co.

Olive Oil 3 oz.; Oil of Turpentine 3 drms.; Lime Water to 10 oz. *Gt. Northern.*

Oil of Turpentine 3 drms.; Olive Oil 4 oz.; Solution of Lime to 12 oz. *Royal Free.*

Linimentum Camphoræ c. Cantharide.

Liniment of Camphor 14½ drms.; Tincture of Opium 2 drms.; Tincture of Cantharides 3½ drms. *Women.*

Linimentum Cantharidis.

Tincture of Cantharides 2 drms.; Liniment of Soap 6 drms. *City Chest.*

Vinegar of Cantharides 6 drms.; Glacial Acetic Acid 40 mins.; Glycerine 6 drms.; Spirit of Rosemary 20 mins.; water to 4 oz. *St. Bartholomew's.*

Linimentum Cantharidis c. Ammoniâ.

Almond Oil 6 drms.; Strong Solution of Ammonia 160 mins.; Glycerine 160 mins.; Tincture of Cantharides 80 mins.; Spirit of Rosemary 20 mins.; water to 4 oz. *St. Bartholomew's.*

Liniment Cantharidis Compositum.

Cantharidin ½ gr.; Acetic Ether 20 mins.; dissolve and add Oil of Lavender 3 mins.; Castor Oil 1½ drms.; Rectified Spirit to 1 oz. *Westminster.*

Linimentum Cantharidis c. Opio.

Tincture of Cantharides 2 drms.; Tincture of Opium 2 drms.; Strong Solution of Ammonia 4 drms.; Liniment of Soap 1 oz. *London.*

Linimentum Capsici.

Tincture of Capsicum 3 drms.; Compound Liniment of Camphor 4 drms.; Methylated Spirit to 1 oz. *St. Mary's.*

Linimentum Chloral c. Camphora.

Hydrate of Chloral 1 drm.; Camphor 1 drm. *Samaritan. St. George's.*

Linimentum Chloroformi.

Chloroform 1 oz.; Olive Oil 2 oz.; mix. *London.*

Linimentum Cretæ.

Prepared Chalk 2 oz.; Olive Oil, Rose Water, of each equal parts to 1 oz. *St. George's.*

Linimentum Crotonis Dilutum.

Liniment of Croton Oil P. B.: Liniment of Soap, equal parts. *Consumption. St. Mary's.*

Croton Oil 1 drm.; Soap Liniment to 2 oz. *University.*

Linimentum Crotonis et Terebinthinæ.

Croton Oil 1 drm.; Oil of Turpentine 3 drms. Olive Oil 4 drms. *London Ophthalmic.*

Linimentum Hydrarg. Oleatis (10 per cent.)

Precipitated Peroxide of Mercury 1 drm.; Oleic Acid 10 drms.; keep agitating the Acid in the mortar; sprinkle in the Peroxide gradually, and triturate the mixture frequently during 24 hours until the peroxide is dissolved, and a viscid solution is formed. *London Ophthalmic. Throat. University.*

Linimentum Hydrarg. Oleatis (5 per cent., 10 per cent., and 15 per cent.).

Yellow Oxide of Mercury, freshly prepared 24 grs.; 48 grs.; and 72 grs.; to 1 oz. of Oleic Acid. Dissolve with a gentle heat. *St. Bartholomew's.*

Linimentum Hydrarg. Oleatis (5 per cent.).

Yellow Oxide of Mercury, recently precipitated, 1 drm.; Oleic Acid 5 drms.; Olive Oil to 20 drms. Sprinkle in the Oxide to the Acid in a porcelain dish, raise the temperature to 120° F. and keep it at this, constantly stirring, till they combine; then add the Oil, and mix well together. *London.*

Linimentum Hydrarg. Oleatis c. Morphiâ.

Liniment of Oleate of Mercury 10 per cent.: Liniment of Oleate of Morphia 2 per cent.: of each equal parts. *London.*

Pure Morphia 10 grs; Oleic Acid 5 drms; dissolve, and add Liniment of Oleate of Mercury 5 drms. *London Ophthalmic. Throat. University.*

Linimentum Iodi c. Belladonnâ.

Iodine Liniment, Belladonna Liniment, equal parts. *Women.*

Linimentum Menthol.

Menthol 1 part, Olive Oil 5 parts. *St. George's.*

Linimentum Menthol Comp.

Menthol 3 drms.; Tincture of Aconite 4 drms.; Chloroform 4 drms.; Liniment of Soap 5 drms. *Samaritan.*

Menthol 2 drms.; Liniment of Belladonna ½ oz.; Liniment of Chloroform 1 oz.; Liniment of Soap to 3 ozs. *Central Throat.*

Linimentum Menthol Solidum.

Menthol melted at a gentle heat, and poured into moulds, each of the capacity of 1 drm. of Menthol, and allowed to cool. *St. George's.*

Linimentum Morphiâ Oleatis (2 per cent.),

Morphia (Alkaloid) 12 grs.; Oleic Acid 10 drms.; dissolve by aid of heat. *London.*

Linimentum Myristicæ.

Volatile Oil of Nutmeg 1 oz.; Olive Oil 3 oz. *London.*

Expressed Oil of Nutmeg 1 oz.; Olive Oil 3 fl. oz. *Guy's.*

Linimentum Olei Crotonis.

Croton Oil 1 drm.; Liniment of Soap 7 drms. *Samaritan.*

Linimentum Olei Crotonis et Camphoræ.

Oil of Croton 1 drm.; Liniment of Camphor 15 drms. *City Chest.*

Linimentum Opii.

Tincture of Opium 1 oz.; Liniment of Soap 3 oz. *London.*

Tincture of Opium 1 oz.; Ammoniated Liniment of Soap to 4 oz. *St. Bartholomew's.*

Linimentum Opii et Chloroformi.

Tincture of Opium 2 drms.; Chloroform 2 drms.; Compound Camphor Liniment 4 drms.; Liniment of Soap 1 oz. *City Chest.*

Linimentum Plumbi c. Oleo.

Solution of Subacetate of Lead ½ oz.; Olive Oil to 4 oz. *St. Bartholomew's. Gt. Northern.*

Linimentum Potassii Iodidi.

Iodide of Potassium 1 drm.; Solution of Ammonia 2 drms.; Liniment of Soap to 2 oz. *City Chest.*

Linimentum Saponis.

Soft Soap 1 oz.; hot water 10 oz. *Middlesex.*

Soft Soap 2½ oz.; Camphor 1 oz.; Methylated Spirit 10 oz.; boiling water 10 oz. *Gt. Northern.*

Soft Soap 6 oz.; Camphor 1½ oz.; Rectified Spirit 6 oz.; Oil of Turpentine 1 oz.; water 30 oz. *London.*

Linimentum Saponis c. Ammoniâ.

Soft Soap ½ oz.; Solution of Ammonia 1 drm.; Methylated Spirit 3 drms.; Oil of Marjoram 6 mins.; Oil of Turpentine 1½ drm.; boiling water to 4 oz. *St. Bartholomew's.*

Linimentum Saponis Comp.

Soft Soap 4 lbs.; Camphor 1 lb.; Methylated Spirit of Wine 3 galls.; water to 5 galls. *Royal Free.*

Linimentum Saponis et Iodi.

Tincture of Iodine 1 drm.; Liniment of Soap 7 drms. *City Chest.*

Linimentum Saponis Mollis.

Soft Soap 12 drms.; Camphor 4 drms.; Oil of Origanum 1 drm.; Rectified Spirit 7½ oz. *Guy's.*

Linimentum Saponis et Olei Cadini.

Soft Soap 1 oz.; Oil of Cade 1 oz.; Rectified Spirit 1 oz. *Westminster.*

Linimentum Saponis c. Opio.

Tincture of Opium 2 drms.; Soap Liniment 10 drms. *Consumption.*

Tincture of Opium 2 drms.; Soap Liniment 6 drms. *Middlesex.*

Linimentum Saponis Viridis.

Soft Soap 4 drms.; Methylated Spirit add 1 oz. *St. Mary's.*

Linimentum Terebinth.

Oil of Turpentine 1½ oz.; Soap Liniment 1½ oz. *London.*

Linimentum Terebinth. c. Ammonia.

Liniment of Turpentine 6 drms.; Solution of Ammonia 6 drms.; Oil of Cajeput 10 mins.; Olive Oil to 2 oz. *Royal Chest.*

Liniment of Turpentine 6 drms.; Solution of Ammonia 6 drms.; Oil of Cajeput 15 mins.; Olive Oil 2 oz. *Middlesex.*

Linimentum Terebinth. c. Chloroformo.

Liniment of Turpentine 1½ oz.; Chloroform ½ oz. *St. Mary's.*

LINTEA MEDICATA.

Linteum Boracicum.

Lint steeped in a hot saturated watery solution of Boracic Acid, and dried without wringing. *Guy's. London.*

Linteum Carbolicum.

Lint steeped in a hot solution of Carbolic Acid, 1 part of acid, No. 2 Calvert, to 49 parts of hot water, and dried without wringing. *London.*

LIQUORES.

Liquor Argenti Nitratis.

Nitrate of Silver 10 to 30 grs.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Nitrate of Silver 5, 10, 15, or 20 grs.; water 1 oz. *London Ophthalmic.*

Liquor Arsenici et Hydrargyri Hydriodatis.
(Donovan's Solution.)

Each fluid drm. contains $\frac{1}{12}$ gr. Arsenic; ¼ gr. Mercury; ¾ gr. Iodine. Dose 10 to 30 mins. *London.*

Liquor Atropiæ Salicylatis.

Atropine 5 grs.; Salicylic Acid 7½ grs.; water 10 oz. *Charing Cross.*

Liquor Bituminis Comp.

Coal Tar 8 drms.; Boiling Water 2 oz.; shake well and add Tincture of Quillaia 20 oz. Agitate occasionally in a close vessel for 12 hours and filter. *London. Westminster.*

Liquor Chlori.

Chlorate of Potash 30 grs.; Hydrochloric Acid ½ oz.; water to 1 oz. *London.*

Liquor Cocainæ Hydrochloratis.

Hydrochlorate of Cocaine 90 grs.; Boracic Acid 6 grs.; water 1 oz. (about 20 per cent., 4 and 10 per cent. solutions also kept). *Westminster.*

Liquor Epispasticus. *P.B. London Ophthalmic.*

Liquor Ferri Acetatis.

Same strength as Tinct. Ferri Acet. P.B. *London.*

Liquor Ferri et Ammoniæ Citratis. (Vin. Ferri).

Citrate of Iron and Ammonium 8 grs.; water to 1 oz. Dose 1 to 4 teaspoonfuls. *St. Bartholomew's.*

Liquor Ferri Dialystus.

Each drm. contains 3 grs. of Oxide of Iron. Dose 10 to 20 mins. *London.*

Liquor Hydrargyri Bibromidi.

Bibromide of Mercury 1 gr.; Distilled Water 2 oz. (Dose same as Liq. Hydrarg. Perchlor.) *Women.*

Liquor Hydrargyri Cyanidi.

Cyanide of Mercury 15 grs. Distilled Water to 1 oz. *St. Bartholomew's.*

Liquor Hydrargyri Nitratis Acidus Fortior.

Mercury 8 drms.; Nitric Acid (sp. gr. 1·42) 2 oz. *Westminster.*

Liquor Iodoformi Æthereus.

A saturated solution of Iodoform in Ether. *Guy's.*

Liquor Nitroglycerini.

Nitroglycerine 1 gr.; Rectified Spirit 100 mins. *St. Thomas's. Westminster.*

Liquor Picis Alkalinus.

Caustic Potash 60 grs; Distilled Water 5 drms.; mix and add gradually Stockholm Tar 2 drms. *Charing Cross.*

Liquor Picrotoxini Aceticus.

Picrotoxin 2 grs.; Glacial Acetic Acid 1 drm. Dissolve and add Distilled Water to 1 oz. *Westminster.*

Liquor Pilocarpinæ.

Nitrate of Pilocarpine 24 grs.; water 1 oz. For Subcutaneous injection (5 mins.=$\frac{1}{4}$ gr.). *Westminster Ophthalmic.*

Liquor Plumbi Lactatis.

Solution of Subacetate of Lead 30 mins.; Milk to 1 oz. *Westminster.*

Liquor Ruber.

Raw Sugar 1 oz.; boiling water 20 oz. Heat the Sugar in an iron vessel until it fuses to a deep brown colour, then add the boiling water. *London.*

Liquor Zinci Chloridi cum Opio.

Chloride of Zinc 16 oz.; Opium $1\frac{1}{2}$ oz.; Hydrochloric Acid 6 drms.; boiling water 20 oz. Macerate the Opium in 12 ozs. of boiling water for twelve hours, add the acid, and filter; then dissolve the Chloride of Zinc in the filtered liquid, and make up to 20 oz. with water. *London Ophthalmic. Middlesex.*

LOHOCH. *See* LINCTI.

LOTIONES.

Lotio Aceti.

Vinegar 5 drms.; water to 10 oz. *St. Bartholomew's.*

Dil. Acetic Acid 5 drms.; Distilled Water 10 oz. *London Ophthalmic.*

Lotio Acidi Acetici.

Dil. Acetic Acid 10 drms.; Distilled Water to 20 oz. *Westminster Ophthalmic.*

Dil. Acetic Acid 2 oz.; water to 20 oz. *City Chest.*

Lotio Acidi Benzoici.

Benzoic Acid 2 grs.; Rectified Spirit 24 mins.; Distilled Water to 1 oz. *Middlesex.*

Benzoic Acid 1 gr.; water 1 oz. *British Skin.*

Lotio Acidi Borici.

Boracic Acid 10 grs.; water 1 oz. *St. Bartholomew's. Great Northern. Westminster Ophthalmic.*

A saturated Aqueous Solution. *London. University.*

Boracic Acid 8 grs.; warm water 1 oz. *Westminster.*

Boracic Acid 15 grs.; water 1 oz. *British Skin. St. Thomas's.*

Boracic Acid 5 grs., or 10 grs., or 15 grs.; water 1 oz. *St. Mary's.*

Boracic Acid 19 grs.; Distilled Water at 60°F. 1 oz. *London Ophthalmic.*

Boracic Acid 1 oz.; Cochineal *q. s.*; water to 40 oz. *Royal Free.*

Lotio Acidi Borici cum Æthere.

Boracic Acid ½ oz.; Spirit of Ether 5 oz.; Rectified Spirit 20 oz. *St. Bartholomew's.*

Lotio Acidi Borici et Atropinæ.

Boracic Acid 10 grs.; Sulphate of Atropine ⅛ gr.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Lotio Acidi Borici cum Zinco.

Boracic Acid 3 grs.; Sulphate of Zinc 4 grs.; Tincture of Opium 5 mins.; Glycerine 1 drm. Distilled Water to 1 oz. *St. Bartholomew's.*

Lotio Acidi Carbolici.

Carbolic Acid 1 part; water at 122° F., to 20, 40, 60, 80, or 100 parts as required. *University. London Ophthalmic.*

Carbolic Acid No. 2 Calvert 1 part; Boiling Water to 20, 40, 80, or 100 parts as required. *London.*

Carbolic Acid 10 grs.; water 1 oz. *British Skin. Westminster Ophthalmic.*

Carbolic Acid 2 drms.; water 10 ozs. *Central Throat.*

Carbolic Acid 12 grs.; water 1 oz. *Lock.*

Carbolic Acid 24 grs.; water 1 oz. *Guy's.*

Carbolic Acid 1 oz.; water to 40 oz. *Middlesex. Royal Free. St. George's. Women. Westminster.*

Carbolic Acid Crystals 1 gr.; water to 55 mins. *Fever.*

Carbolic Acid Crystals 1 oz.; water to 20 oz. *St. Thomas's.*

Carbolic Acid Crystals 1 gr.; Mucilage 4 mins.; water to 80 mins. *King's.*

Carbolic Acid 1 oz.; Glycerine 1 oz.; water 40 oz. *Charing Cross.*

Liquefied Carbolic Acid 12 mins. or 24 mins.; water 1 oz. *St. Mary's.*

Liquefied Carbolic Acid 50 mins.; water to 10 oz. *St. Bartholomew's.*

Lotio Acidi Carbolici c. Borace Fortior.

Bicarbonate of Soda 120 grs.; Borax 120 grs.; Glycerine of Carbolic Acid 1½ drm.; water to 1 oz. To be added to a pint of water before use. *St. Bartholomew's.*

Lotio Acidi Carbolici et Boracis.

Glycerine of Carbolic Acid 2½ oz.; Glycerine of Borax 2½ oz.; water to 20 oz.; to be diluted with 5 to 10 parts of water. *St. Thomas's.*

Bicarbonate of Sodium 20 grs.; Borax 20 grs.; Glycerine of Carbolic Acid 1 drm.; water to 1 oz. *St. Bartholomew's.*

Lotio Acidi Carbolici c. Iodo.

Carbolic Acid Liquefied 12 mins.; Tincture of Iodine 6 mins.; water to 1 oz. *St. Bartholomew's. Westminster.*

Lotio Acidi Carbolici Oleata.

Carbolic Acid 1 drm.; Olive Oil 12 drms. *Women.*

Lotio Acidi Chromici.

Chromic Acid 10 grs.; Distilled Water 1 oz. *Westminster.*

Lotio Acidi Hydrocyanici.

Diluted Hydrocyanic Acid 3 mins.; Glycerine 1 drm.; Caramel 3 mins.; Distilled Water to 1 oz. *Royal Free.*

Diluted Hydrocyanic Acid 5 mins.; water 1 oz. *London Ophthalmic.*

Diluted Hydrocyanic Acid 10 mins.; water 1 oz. *British Skin. Guy's. St. Bartholomew's. Westminster Ophthalmic.*

Diluted Hydrocyanic Acid 1 drm.; Tincture of Cochineal 2 drms.; water to 4 oz. *St George's.*

Lotio Acidi Hydrocyanici Composita.

Borax 40 grs.; Diluted Hydrocyanic Acid ½ drm. Distilled Water 10 oz. *Middlesex.*

Lotio Acidi Hydrocyanici c. Sodio.

Diluted Hydrocyanic Acid 5 mins.; Bicarbonate of Sodium 5 grs.; Borax 5 grs.; water 1 oz.; *London Ophthalmic.*

Lotio Acidi Nitrici.

Diluted Nitric Acid 6 mins.; water to 1 oz. *London.*

Diluted Nitric Acid 10 mins.; water 1 oz. *British Skin. Guy's.*

Diluted Nitric Acid 15 mins.; Tincture of Opium 15 mins.; water to 1 oz. *University.*

Diluted Nitric Acid 20 mins.; Distilled Water to 1 oz. *Royal Free.*

Strong Nitric Acid 2 mins.; water 1 oz. *Gt. Northern.*

Strong Nitric Acid 4 mins.; Tincture of Opium 6 mins.; water 1 oz. *Fever.*

Strong Nitric Acid 3 mins.; water 1 oz. *St. Mary's.*

Lotio Acidi Nitrici et Opii.

Dil. Nitric Acid 5 mins.; Tincture of Opium 5 mins.; water to 1 oz. *Westminster.*

Dil. Nitric Acid 15 mins.; Liquid Extract of Opium 45 mins.; water to 2 oz. *Middlesex.*

Diluted Nitric Acid 3 mins.; Opium Lotion to 1 oz. *St. Bartholomew's.*

Nitric Acid 3 mins.; Tincture of Opium 3 mins.; water to 1 oz. *Charing Cross.*

Lotio Acidi Salicylici Composita.

Salicylic Acid 10 grs.; Boracic Acid 20 grs.; Glycerine 2 drms.; Methylated Spirit to 1 oz. *St. Mary's.*

Lotio Acidi Sulphurosi.

Sulphurous Acid 1 drm.; water to 1 oz. *Middlesex. St Mary's.*

Sulphurous Acid 2 drms.; water to 1 oz. *British Skin. Charing Cross. London.*

Sulphurous Acid 5 oz.; Glycerine to 10 oz. *Westminster.*

Lotio Acidi Sulphurosi Fortior.

The "Sulphurous Acid," B.P. *London.*

Lotio Acidi Tannici.

Glycerine of Tannic Acid 1 oz.; water to 20 oz. *Charing Cross.*

Tannic Acid 3 grs.; Distilled Water to 1 oz. *Royal Free.*

Tannic Acid 10 grs.; water 1 oz. *Guy's*

Lotio Alkalina.

Bicarbonate of Sodium 20 grs.; Glycerine of Carbolic Acid 5 mins.; water 1 oz. *St. Mary's.*

Carbonate of Potash ½ oz.; Iodide of Potassium 60 grs.; tepid water 20 oz. *Charing Cross.*

Bicarbonate of Soda 12 grs.; Carbolic Acid 1½ gr.; water 1 oz. *Throat.*

Carbonate of Soda 7 grs.; water 1 oz. *Guy's.*

Lotio Alkalina Composita.

Bicarbonate of Sodium, Chloride of Sodium, Borax, equal parts of each. 1 or 2 teaspoonfuls dissolved in a pint of water. *St Thomas's.*

Lotio Aluminis.

Alum 4 grs.; water to 1 oz. *St. Bartholomew's.*

Alum 6 grs.; water 1 oz. *Gt. Northern. London Ophthalmic. Westminster Ophthalmic.*

Alum 2 grs., or 6 grs., or 10 grs.; water 1 oz. *St. Mary's.*

Alum 10 grs.; water 1 oz. *British Skin. Guy's. London.*

Alum 12 grs.; water 1 oz. *Charing Cross. Westminster.*

Alum 15 grs.; water 1 oz. *City Chest.*

Alum 6 grs.; Carbolic Acid 1½ gr.; water 1 oz. *Throat.*

Lotio Aluminis et Acidi Tannici.

Alum 12 grs.; Tannic Acid 6 grs.; water 1 oz.; *Westminster.*

Lotio Aluminis Ætherea.

Alum 6 grs.; Spirit of Nitrous Ether 1 drm.; water to 1 oz. *St. Bartholomew's.*

Lotio Aluminis Co.

Alum 3 grs.; Sulphate of Zinc 1 gr.; Distilled Water 1 oz. *London Ophthalmic.*

Lotio Aluminis Fortior.

Alum 16 grs.; water to 1 oz. *St. Bartholomew's.*

Lotio Aluminis Mitis.

Alum 3 grs.; water 1 oz. *London Ophthalmic.*

Alum 6 grs.; water to 1 oz. *Westminster.*

Lotio Aluminis et Zinci.

Alum 4 grs.; Sulphate of Zinc 1 gr.; water 1 oz. *Westminster. Westminster Ophthalmic.*

Lotio Aluminis et Zinci Sulphatis.

Alum 10 grs.; Sulphate of Zinc 10 grs.: water 1 oz. *Guy's.*

Lotio Ammonii Acetatis.

Solution of Acetate of Ammonium 1 drm.: Rose Water ½ oz; Distilled Water ½ oz. *London Ophthalmic.*

Lotio Ammonii Chloridi.

Chloride of Ammonium 15 grs.; Diluted Acetic Acid ½ drm.; Rectified Spirit ½ drm; water to 1 oz. *London.*

Chloride of Ammonium 24 grs.; Rectified Spirit 48 mins.; Diluted Acetic Acid 48 mins.; water to 1 oz. *St. George's.*

Chloride of Ammonium 30 grs.; Distilled Vinegar 1 drm.; Spirit of Wine 1 drm.; water to 1 oz. *Fever.*

Lotio Ammonii Chloridi Alkalina.

Chloride of Ammonium 6 grs.; Bicarbonate of Soda 6 grs.; water 1 oz. *Throat.*

Lotio Ammonii Chloridi Astringens.

Chloride of Ammonium 6 grs.; Alum 6 grs.; water 1 oz. *Throat.*

Lotio Anthemidis.

Chamomile Flowers 30 grs.; Boiling Distilled Water 1 oz. Infuse 15 minutes and strain. *British Skin.*

Lotio Argenti Nitratis.

Nitrate of Silver 1 gr.; Distilled Water 1 oz. *St. Bartholomew's.*

Nitrate of Silver 2 grs.; Distilled Water to 1 oz. *Westminster.*

Nitrate of Silver 5 grs.; water 1 oz. *Guy's.*

Nitrate of Silver 3 grs.; Distilled Water to 1 oz. *British Skin. London.*

Lotio Argenti Nitratis Ætherea.

Nitrate of Silver 2 grs.; Spirit of Nitrous Ether ½ drm.; Distilled Water to 1 oz. *St. Bartholomew's.*

Lotio Argenti Nitratis Fort.

Nitrate of Silver 1 drm.; Distilled Water 1 oz. *Fever.*

Nitrate of Silver 2 grs.; Distilled Water 1 oz. *St. Bartholomew's.*

Lotio Arnicæ.

Tincture of Arnica 20 mins; water 1 oz. *London Ophthalmic.*

Tincture of Arnica 1 drm.; Lead Lotion to 1 oz. *St. Bartholomew's.*

Lotio Atropiæ et Hydrargyri Perchloridi.

Atropia Lotion 4 drms.; Perchloride of Mercury Lotion 4 drms.; mix. (Eye Lotion No. 3.) *University.*

Lotio Atropinæ Sulphatis.

Solution of Sulphate of Atropia 12 mins.; water to 1 oz. (Eye Lotion No. 2.) *University.*

Sulphate of Atropine 2 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Belladonnæ.

Extract of Belladonna ½ oz.; water to 20 oz. To be used with an equal quantity of hot water. *St. Thomas's.*

Lotio Belladonnæ c. Alumine.

Extract of Belladonna 5 grs.; Alum 3 grs.; water 1 oz. *London Ophthalmic.*

Lotio Belladonnæ et Zinci.

Extract of Belladonna 1½ gr.; Sulphate of Zinc 1 gr.; Mucilage of Acacia 18 mins.; Distilled Water to 1 oz. *Westminster.*

Lotio Bismuthi.

Carbonate of Bismuth 10 grs.; water 1 oz. *Westminster.*

Subnitrate of Bismuth 10 grs.; water 1 oz. *British Skin.*

Lotio Bismuthi et Hydrargyri.

Subnitrate of Bismuth 5 grs.; Perchloride of Mercury $\frac{1}{5}$ gr.; Oxide of Zinc 20 grs.; water 1 oz. *University.*

Lotio Bismuthi et Zinci.

Oxide of Bismuth 20 grs.; Oxide of Zinc 20 grs.; Glycerine $\frac{1}{2}$ drm.; water to 1 oz. *London.*

Lotio Bituminis Comp.

Compound Solution of Bitumen (Hosp.) 20 mins.; water to 1 oz. *London. Westminster.*

Lotio Boracis.

Borax 3 grs.; hot water 1 oz. *Lock.*

Borax 5 grs.; water 1 oz. *King's.*

Borax 10 grs.; water 1 oz. *Guy's. London. City Chest. St. Bartholomew's. Westminster Ophthalmic*

Borax $\frac{1}{4}$ oz.; water to 10 oz. *Middlesex.*

Borax 15 grs.; water 1 oz. *British Skin.*

Glycerine of Borax 1 drm.; Distilled Water to 7 drms. *Westminster.*

Glycerine of Borax 1 drm.; water to 1 oz. *Charing Cross. London Ophthalmic.*

Lotio Boracis Composita.

Borax 10 grs.; Diluted Hydrocyanic Acid 3 mins.; Glycerine 1 drm.; Rose Water to 1 oz. *Royal Chest.*

Borax 40 grs.; Phosphate of Sodium 1 drm.; Glycerine 1 drm.; water to 1 oz. *St. Mary's.*

Lotio Boracis c. Glycerino.

Borax $\frac{3}{4}$ oz.; Glycerine $1\frac{1}{2}$ oz.; water to 10 oz. *Royal Free.*

Lotio Boracis c. Potassii Chlorate.

Borax 3 grs.; Chlorate of Potassium 6 grs.; water 1 oz. *St. Bartholomew's.*

Lotio Boracis c. Zinco.

Borax 4 grs.; Sulphate of Zinc 4 grs.; Glycerine 1 drm.; water to 1 oz. *Gt. Northern.*

Lotio Calaminæ.

Calamine 15 grs.; Oxide of Zinc 15 grs.; Glycerine 10 mins.; Lime Water 1 drm.; water to 1 oz. *Westminster.*

Calamine 30 grs.; Oxide of Zinc 20 grs.; Glycerine ½ drm.; water to 1 oz. *London.*

Calamine 30 grs.; Oxide of Zinc 20 grs.; water 1 oz. *Middlesex.*

Levigated Calamine 6 drms.; Oxide of Zinc 6 drms.; Glycerine 6 drms.; Lime Water to 12 oz. *St. Mary's.*

Levigated Calamine 40 grs.; Oxide of Zinc 20 grs.; Glycerine 20 mins.; water to 1 oz. *University.*

Prepared Calamine 1½ oz.; Oxide of Zinc ½ oz.; Glycerine 1 oz.; Lime Water 8 oz.; water 4 oz. *Charing Cross.*

Lotio Calaminæ Composita.

Calamine ½ oz.; Oxide of Zinc ½ oz.; Glycerine 1 drm.; Solution of Subacetate of Lead 2 drms.; Lime Water 2 oz. *St. Bartholomew's.*

Lotio Calcis.

Lime Water 1 oz. Almond Oil 1 drm. *British Skin.*

Lotio Calcis Chloratæ.

Solution of Chlorinated Lime 3 mins.; water to 1 oz. *London.*

Lotio Calcis et Sodii.

Bicarbonate of Sodium 6 grs.; Glycerine 10 mins.; Lime Water to 1 oz. *Westminster.*

Lotio Calcii Sulphurati.

Slaked Lime 4 oz.; Sublimed Sulphur 4 oz.; water 35 oz.; boil and evaporate to 1 pint and filter. *University. Westminster.*

Lotio Carbolici Composita.

Glycerine of Carbolic Acid 12 mins.; Bicarbonate of Sodium 6 grs.; Borax 6 grs.; Distilled Water to 1 oz. *Westminster.*

Lotio Carbolici et Hydrargyri.

"Strong Mixture."

Carbolic Acid 25 parts; Perchloride of Mercury 1 part; water 500 parts. *King's.*

Lotio Carbonis.

Liq. Carbonis Deterg 4 drms.; water 20 oz. *Women.*

Lotio Carbonis Detergens.

Liq. Carbonis Deterg. 4 drms.; Bicarbonate of Sodium 4 drms.; Distilled Water 12 oz. *Westminster Ophthalmic.*

Liq. Carbonis Deterg. 3 drms.; water to 12 oz. *St. Mary's.*

Liq. Carbonis Detergens ½ to 1 fl. oz.; water to 20 oz. *Guy's.*

Liq. Carbonis Detergens ½ oz.: Glycerine ½ oz.; water to 20 oz. *Charing Cross.*

Lotio Carbonis Detergens cum Soda.

Liquor Carbonis Detergens 1 drm; Bicarbonate of Soda 2 drms.; water to 1 pint. *St. Thomas's.*

Lotio Chloroformi.

Chloroform 2 drms.; Almond Oil 2 oz. *Women.*

Lotio Conii.

Extract of Conium 120 grs.; Diluted Solution of Subacetate of Lead 8 oz. *St. George's.*

Lotio Cupri Sulphatis.

Sulphate of Copper 2 grs.; water to 1 oz. *St. Bartholomew's. St. Mary's.*

Sulphate of Copper 5 grs.; water to 1 oz. *Royal Free.*

Sulphate of Copper 3 grs.; water 1 oz. *British Skin.*

Lotio Evaporans.

Methylated Spirit 1 drm.; Solution of Acetate of Ammonium 1 drm.; water to 1 oz. *St. Mary's.*

Chloride of Ammonium ½ oz.; Spirit of Wine (methylated) 2 oz.; water to 20 oz. *Charing Cross.*

Methylated Spirit 5 oz.; water to 20 oz. *Lock.*

Methylated Spirit 1½ oz.; water to 20 oz. *Royal Free.*

Rectified Spirit 2 drms.; water to 1 oz. *University.*

Solution of Acetate of Ammonium 1 drm.; Rectified Spirit 2 drms.; water to 1 oz. *Westminster.*

Hydrochlorate of Ammonium 12 grs.; Spirit of Wine 36 mins.; water to 1 oz. *King's.*

Lotio Ferri Sulphatis.

Sulphate of Iron 3 grs.; water 1 oz. *St. Bartholomew's.*

Sulphate of Iron 5 grs.; water to 1 oz. *Middlesex. London Ophthalmic.*

Lotio Ferri Tartarati.

Tartarated Iron 10 grs.; water 1 oz. *St. Mary's.*
Tartarated Iron 20 grs.; Sedative Solution of Opium 10 mins.; water 1 oz. *Lock.*
Tartarated Iron 30 grs.; water 1 oz. *British Skin.*

Lotio Glauberi.

Sulphate of Sodium 2 oz.; water 10 oz. *Central Throat.*

Lotio Glycerini.

Glycerine 1 drm.; water to 1 oz. *British Skin.*

Lotio Glycerini Alkalina.

Glycerine 1 fl. drm.; Carbonate of Soda 5 grs.; water to 1 oz. *Guy's.*

Lotio Hamamelidis.

Tincture of Witch Hazel 20 mins.; Distilled Water to 1 oz. *Samaritan.*

Lotio Hydrargyri Biniodidi.

Red Iodide of Mercury $\frac{1}{4}$ gr.; Iodide of Sodium $\frac{1}{4}$ gr.; water 1 oz. *Central Throat.*

Lotio Hydr. Cinerea. *See* Lotio Nigra.

Lotio Hydr. Nigra. *See* Lotio Nigra.

Lotio Hydr. Oxyd. *See* Lotio Nigra.

Lotio Hydrarg. Perchlor.

Corrosive Sublimate $\frac{1}{8}$ gr.; water 1 oz. *London Ophthalmic.*
Corrosive Sublimate $\frac{1}{4}$ gr.; water 1 oz. *St. Bartholomew's. Central Throat.*
Corrosive Sublimate 1 gr.; water to 1 oz. *London. British Skin.*
Corrosive Sublimate 1 oz.; water to 500 oz.; dissolve. To be diluted with one to ten parts of water, as directed. *St. Thomas's.*
Corrosive Sublimate $\frac{1}{10}$ gr.; Tincture of Cochineal 3 mins.; water to 1 oz. (Eye Lotion No. 1.) *University.*
Corrosive Sublimate 9 grs.; Distilled Water 1 pint. *St. Mary's.*
Corrosive Sublimate 2 grs.; water 1 oz. *Guy's.*

Lotio Hydrarg. Perchlor. Hydrocyanica.

Corrosive Sublimato ½ gr.; Glycerine 2 drms.; Diluted Hydrocyanic Acid 8 mins.; water to 1 oz. *St. Bartholomew's.*

Lotio Hydr. Subchlor. *See* Lotio Nigra.

Lotio Inulæ.

Elecampane Root sliced 15 grs.; water 2 oz. Boil down to 1 oz. and strain. *British Skin.*

Lotio Iodi.

Tincture of Iodine 12 mins; water 1 oz. *Fever. Women.*

Tincture of Iodine 20 mins.; water to 1 oz. *Guy's. London.*

Tincture of Iodine 1 drm.; Glycerine 2 drms.; water to 1 oz. *Central Throat.*

Methylated Tincture of Iodine 1 oz.; water to 20 oz. *Royal Free.*

Lotio Menth. Pip. Alkalina.

Borax 1 drm.; Oil of Peppermint 5 mins.; water to 20 oz. *Samaritan.*

Lotio Naphthol.

Naphthol 10 grs.; Spirit of Lavender 20 mins.; Rectified Spirit 24 mins.; Distilled Water to 1 oz. *Royal Chest.*

Lotio Nigra.

Calomel 30 grs.; Mucilage of Acacia 2 drms.; Lime Water to 10 oz. *Middlesex.*

Calomel 15 grs.; Mucilage 7½ mins.; Lime Water 1 oz. *St. George's.*

Calomel 3 grs.; Lime Water to 1 oz. *Samaritan.*

Calomel 10 grs.; Mucilage of Tragacanth 1 drm.; Lime Water 1 oz. *British Skin.*

Lotio Opii.

Extract of Opium 4 grs.; water 1 oz. *London.*

Extract of Opium 5 grs.; water 1 oz. *Guy's.*

Liquid Extract of Opium 1 drm.; Distilled Water to 1 oz. *St. Bartholomew's.*

Lotio Picis Carbonis.

Solution of Coal Tar 12 mins.; Distilled Water to 1 oz. *London Ophthalmic.*

Lotio Picis Carbonis Comp.

Liq. Carbonis Deterg. 10 mins.; Solution of Subacetate of Lead 10 mins.; water to 1 oz. To be diluted with an equal quantity of warm water. *Samaritan.*

Lotio Picis Ligni Fossilis.

(Syn. Coal Tar Emulsion.)

Coal Tar Solution* 2 drms; water 1 oz. Mix to form an emulsion. Diluted most commonly with six or twelve times its quantity of water as a mild stimulant in cases of Chronic Eczema and of Seborrhœa. *British Skin.*

Lotio Plumbi.

Solution of Subacetate of Lead 2 drms.; Distilled Water to 3 oz. *Central Throat.*

The same as Liquor Plumbi Subacetatis Dilutus, Pharm. Brit. *Fever. London. Westminster.*

Solution of Subacetate of Lead 1 oz.; Distilled Water to 40 oz. *Royal Free.*

Solution of Subacetate of Lead 6 mins.; water to 1 oz. *St. Bartholomew's. Lock. King's.*

Acetate of Lead 16 grs.; Dil. Acetic Acid 16 mins.; Distilled Water 8 oz. *Westminster Ophthalmic.*

Lotio Plumbi Acetatis.

Acetate of Lead 2 grs.; Diluted Acetic Acid 2 mins.; water to 1 oz. *London Ophthalmic.*

Acetate of Lead 2 grs.; Acetic Acid 2 mins.; water 1 oz. *Westminster.*

Lotio Plumbi Acetatis c. Morphiâ.

Acetate of Lead 1 gr.; Acetate of Morphia 1 gr.; water to 1 oz. *Guy's.*

Lotio Plumbi et Carbonis Detergens.

Liquor Carbonis Detergens 4 drms.; Lead Lotion to 3 oz. *Central Throat.*

Lotio Plumbi Evaporans.

Solution of Subacetate of Lead 5 mins.; Methylated Spirit 5 mins.; water 1 oz. *Great Northern.*

Solution of Subacetate of Lead 6 mins.; Rectified Spirit 2 drms.; Distilled Water to 1 oz. *London.*

---

* *See* Pigmentum Picis Ligni Fossilis.

Solution of Subacetate of Lead 16 mins.; Rectified Spirit 16 mins.; Distilled Water to 1 oz. *London Ophthalmic.*

Solution of Subacetate of Lead 2 drms.; Rectified Spirit 4 oz.; water to 20 oz. *St. Thomas's.*

Lotio Plumbi Evaporans Fortior.

Solution of Subacetate of Lead 1 drm.; Rectified Spirit 4 drms.; Distilled Water to 1 oz. *London.*

Lotio Plumbi Fortior.

Solution of Subacetate of Lead ½ oz.; Rectified Spirit (Methylated) ½ oz.: water to 20 oz. *Charing Cross.*

Lotio Plumbi c. Opio.

Acetate of Lead 4 grs.; Opium in powder 4 grs.; warm water 1 oz. *Fever.*

Acetate of Lead 1 gr.; Tincture of Opium ½ drm.: Glycerine 1 drm.; water to 1 oz. *St. Mary's.*

Acetate of Lead 4 grs.; Extract of Opium 1 gr.: hot water 1 oz. *Women.*

Extract of Opium 1 gr.: Diluted Solution of Subacetate of Lead to 1 oz. *Westminster. Samaritan.*

Extract of Opium 1½ gr.; Solution of Subacetate of Lead 12 mins; water to 1 oz. *St. George's.*

Extract of Opium 4 grs.; Diluted Solution of Subacetate of Lead 1 oz. *London.*

Tincture of Opium 20 mins.; Lead Lotion to 1 oz. *Lock.*

Solution of Subacetate of Lead 5 mins.; Tincture of Opium 30 mins.; water to 1 oz. *King's.*

Methylated Tincture of Opium 1 oz.; Lead Lotion to 20 ozs. *Royal Free.*

Tincture of Opium 4 drms.; Lead Lotion to 3 oz. *Central Throat.*

Opium Lotion and Lead Lotion equal parts. *St. Bartholomew's. Guy's.*

Opium 15 grs.; Diluted Solution of Subacetate of Lead 10 oz. *Middlesex.*

Lotio Plumbi Subacetatis.

Solution of Subacetate of Lead 5 mins.; water 1 oz. *British Skin.*

Lotio Plumbi et Zinci.

Solution of Subacetate of Lead 1 drm.; Zinc Oxide 400 grs.; Glycerine 1¼ oz.; Water to 20 oz. *St. Thomas's.*

Lotio Potassii Chloratis.

Chlorate of Potash 10 grs.; water 1 oz. *Guy's. London.*

Chlorate of Potash 27 grs.; water 1 oz. *British Skin.*

Chlorate of Potassium 5 grs.; Diluted Hydrochloric Acid 2 mins.; water 1 oz. *London Ophthalmic.*

Lotio Potassæ Chloratis Alkalina.

Chlorate of Potash 6 grs.; Bicarbonate of Soda 6 grs.; water 1 oz. *Throat.*

Lotio Potassii Permanganatis.

Permanganate of Potassium 1 gr.; water 1 oz. *Central Throat.*

Permanganate of Potassium 8 grs.; Distilled Water 1 oz. *Lock.*

Permanganate of Potash 6 grs.; water to 20 ozs. *Charing Cross.*

Solution of Permanganate of Potassium 40 mins.; water 1 oz. *London. St. Mary's.*

"Condy's Fluid" 20 mins.; Distilled Water 1 oz. *Westminster Ophthalmic.*

Solution of Permanganate of Potassium 12 mins.; water 1 oz. *Fever. Middlesex. University. Westminster.* (*Women* same as Injection.)

Permanganate of Potassium 1 gr.; Chlorate of Potassium 120 grs.; Carbonate of Sodium 120 grs.; Distilled Water 10 oz. *St. George's.*

Solution of Permanganate of Potash 10 mins.; water 1 oz. *Guy's.*

Lotio Potassæ Sulphuratæ.

Sulphurated Potash 4 grs.; water 1 oz. *St. Bartholomew's.*

Sulphurated Potash 9 grs.; water to 1 oz. *Middlesex.*

Sulphurated Potash 10 grs.; water 1 oz. *British Skin.*

Lotio Quercûs Co.

Alum 4 grs.; Sulphate of Zinc 4 grs.; Decoction of Oak Bark to 1 oz. *St. Bartholomew's.*

Lotio Quininæ Sulphatis.

Sulphate of Quinine 4 grs.; Dil. Sulphuric Acid 2 mins.; or *q. s.* Distilled Water to 1 oz. *London Ophthalmic.*

Lotio Resorcini. (Syn. Andeers Lotion.)

Resorcin 40 grs.; water 1 oz. Dissolve. An antiseptic and stimulant in foul or syphilitic ulcerations and to allay irritation in chronic Eczema and Psoriasis. *British Skin.*

Lotio Rubra.

Sulphate of Zinc 1 gr.; Spirit of Rosemary 15 mins.; Compound Tincture of Lavender 15 mins.; water to 1 oz. *London Ophthalmic. Middlesex.*

Sulphate of Zinc 1 drm.; Colouring 10 drops; water to 20 oz. *Royal Free.*

Sulphate of Zinc 2 grs.; Comp. Tincture of Lavender 12 mins.; water to 1 oz. *University.*

Sulphate of Zinc 2 grs.; Compound Tincture of Lavender 10 mins.; water 1 oz. *London. St. Thomas's. Samaritan. Central Throat. Westminster.*

Sulphate of Zinc 1 gr.; Spirit of Rosemary 9 mins.; Comp. Spirit of Lavender 9 mins.; water to 1 oz. *King's.*

Sulphate of Zinc 1 drm.; Comp. Tincture of Lavender 2½ drms.; water to 20 oz. *Lock.*

Sulphate of Copper 75 grs.; Camphor 20 grs.; Armenian Bole 75 grs.; boiling water to 20 oz. *St. George's.*

Lotio "Sanitas."

Sanitas 2 oz.; water to 8 oz. *Central Throat.*

Lotio Sodii Bicarbonatis.

Bicarbonate of Sodium 10 grs.; water 1 oz. *Westminster Ophthalmic. London Ophthalmic.*

Lotio Sodii Bicarbonatis et Opii.

Bicarbonate of Sodium 8 grs.; Tincture of Opium 8 mins.; water 1 oz. *Westminster.*

Lotio Sodæ Carbonatis.

Carbonate of Soda 10 grs.; water 1 oz. *London.*

Lotio Sodæ Chloratæ.

Chlorinated Solution of Soda 30 mins.; water to 1 oz. *British Skin. St. Bartholomew's. Westminster.*

Chlorinated Solution of Soda 10 drms.; Chloride of Sodium 10 drms.; water 20 oz. *Lock.*

Chlorinated Solution of Soda 40 mins.; water to 1 oz. *London.*

Chlorinated Solution of Soda 48 mins.; water to 1 oz. *Fever.*

Chlorinated Solution of Soda 60 mins.; water 1 oz. *Guy's.*

Chlorinated Solution of Soda 60 mins.; water to 1 oz. *St. Thomas's.*

Lotio Sodii Comp.

Bicarbonate of Sodium 10 grs.; Carbolic Acid Lotion 1 oz. *Central Throat.*

Lotio Sodii Hyposulphitis.

Hyposulphite of Sodium 30 grs.; water 1 oz. *Westminster.*

Hyposulphite of Soda 1 drm.; water 1 oz. *Guy's.*

Hyposulphite of Sodium 2 drms.; water to 1 oz. *St. Mary's.*

Hyposulphite of Sodium 12 drms.; Glycerine 4 drms.; water to 10 oz. *Lock.*

Hyposulphite of Soda 3 oz.; Glycerine 1 oz.; water to 20 oz. *Charing Cross.*

Hyposulphite of Sodium 15 grs.; Sulphurous Acid 36 mins.; water to 1 oz. *Middlesex.*

Lotio Spirituosa.

Rectified Spirit 1 oz.; water to 10 oz. *Middlesex.*

Lotio Spiritus.

Rectified Spirit 2 drms.; water to 1 oz. *Guy's. London.*

Lotio Sulphuris.

Precipitated Sulphur 15 grs.; Glycerine 10 mins.; Rectified Spirit 15 mins.; Lime Water 2 drms; Distilled Water to 1 oz. *Westminster.*

Precipitated Sulphur 1 drm.; Rectified Spirit ½ oz.; water to 1 oz. *Middlesex.*

Lotio Sulphuris Co.

Precipitated Sulphur 10 drms.; Spirit of Camphor 5 drms.; Lime Water to 10 oz. *St. Bartholomew's.*

Lotio Tabaci c. Plumbo.
Solution of Subacetate of Lead 3 mins.; Infusion of Tobacco 1 oz. *Women.*

Lotio Thymol (1 in 1000).
Thymol 10 grs.; Hot Water 20 oz.; Dissolve. *Guy's. London.*

Lotio Zinci.
Sulphate of Zinc 2 grs.; Distilled Water 1 oz. *St. Mary's.*

Lotio Zinci et Acidi Carbolici.
Sulphate of Zinc 5 grs.; Liquefied Carbolic Acid 5 mins.; Glycerine 30 mins.; water to 1 oz. *Westminster.*

Lotio Zinci cum Alumine.
Sulphate of Zinc, Alum, of each equal parts. A teaspoonful to be dissolved in a pint of warm water. *Great Northern.*

Lotio Zinci Carbolata.
Sulphate of Zinc 5 grs.; Carbolic Acid 5 grs.; water 1 oz. To be used diluted with an equal quantity of hot water. *St. Mary's.*

Lotio Zinci Chlor.
Chloride of Zinc 2 grs.; water 1 oz. *St. Thomas's. Women.*
Chloride of Zinc 1 gr.; water 1 oz. *Charing Cross. Middlesex. London Ophthalmic.*
Chloride of Zinc 4 grs.; water 1 oz. *Westminster.*

Lotio Zinci Fortior.
Sulphate of Zinc 10 grs.; Glycerine 1 drm.; water to 1 oz. *St. Mary's.*

Lotio Zinci Media.
Sulphate of Zinc 2 grs.; Distilled Water to 1 oz. *St. Bartholomew's.*

Lotio Zinci Oxidi.
Oxide of Zinc 20 grs.; Glycerine 1 oz.; water to 10 oz. *Royal Free.*
Oxide of Zinc 24 grs.; Glycerine ½ drm.; water to 1 oz. *London.*
Oxide of Zinc 30 grs.; Glycerine 60 mins.; water to 1 oz. *Guy's.*

Oxide of Zinc 1 oz.; Lime Water 20 oz. *Charing Cross.*

Oxide of Zinc 30 grs.; Glycerine ½ drm.; Lime Water to 1 oz. *St. Bartholomew's.*

Oxide of Zinc 1 drm.; Calamine 1 drm.; Mucilage of Tragacanth 1 drm.; Lime Water 4 drms.; water to 1 oz. *Samaritan.*

Oxide of Zinc 60 grs.; Prepared Calamine 60 grs.; Glycerine 1 drm.; water 1 oz. *British Skin.*

Lotio Zinci Sulphatis.

Sulphate of Zinc 1 gr.; water to 1 oz. *London Ophthalmic. St. Bartholomew's.*

Sulphate of Zinc 2 grs.; Burnt Sugar 3 grs.; water 1 oz. *Charing Cross.*

Sulphate of Zinc 6 grs.; Carbolic Acid 1½ gr.; water 1 oz. *Throat.*

Sulphate of Zinc 3 grs.; water 1 oz. *Royal Free.*

Sulphate of Zinc 2 grs.; water 1 oz. *Guy's. St. Thomas's. King's.*

Sulphate of Zinc 1 gr.; Comp. Tincture of Lavender 18 mins.; water to 1 oz. *Fever.*

Sulphate of Zinc 5 grs.; water 1 oz. *London.*

Sulphate of Zinc 2 grs.; Compound Tincture of Lavender 25 mins.; water to 1 oz. *British Skin.*

Lotio Zinci Sulphatis et Acidi Carbolici.

Sulphate of Zinc 2 grs.; Carbolic Acid 10 grs.; water to 1 oz. *Guy's.*

Lotio Zinci Sulphatis Fortior.

Sulphate of Zinc 40 grs.; water 10 oz. *St. Bartholomew's.*

Lotio Zinci Sulphocarbolatis.

Sulphocarbolate of Zinc 40 grs.; water to 10 oz. *St. Bartholomew's.*

Sulphocarbolate of Zinc 50 grs.; water 10 oz. *London.*

MASSA PRO PESSIS. *See* Pessus.

MISTURÆ.

Mistura Acaciæ.

Acacia Gum 150 grs.; water to 1 oz. *Throat.*

Gum Acacia 40 grs.; water to 1 oz. *London.*

Mistura Acaciæ Opiata.

Comp. Tincture of Camphor ½ drm.; Chloric Ether 5 mins.; Mucilage 2 drms.; water to 1 oz. *Consumption.*

Mistura Acida.

Dil. Nitric Acid 10 mins.; Dil. Hydrochloric Acid 8 mins.; Comp Infusion of Gentian to 1 oz. *Royal Free.*

Dil. Nitro-Hydrochloric Acid 10 mins.; Infusion of Quassia 1 oz. *Gt. Northern.*

Mistura Acida Aromatica.

Dil. Hydrochloric Acid 15 mins; Comp. Spirit of Horseradish 10 mins.; Tincture of Ginger 5 mins.; Infusion of Calumba to 1 oz. *King's.*

Alcoholised Sulphuric Acid 12 mins.; water to 1 oz. *Throat.*

Mistura Acida c. Opio.

Dil. Sulphuric Acid 20 mins.; Tincture of Opium 5 mins.; Spirit of Chloroform 20 mins.; Cinnamon Water to 1 oz. *Charing Cross.*

Mistura Acida c. Quassiâ.

Dil. Nitro-Hydrochloric Acid 10 mins.; Infusion of Quassia 1 oz. *Consumption.*

Mistura Acidi Benzoici Ammoniata.

Benzoic Acid 5 grs.; Solution of Ammonia 5 mins.: water to 1 oz. *London.*

Mistura Acidi Composita.

Tincture of Nux Vomica 10 mins.: Comp. Tincture of Gentian 60 mins.; Mixture of Nitro-Hydrochloric Acid to 1 oz. *Guy's.*

Mistura Acidi Fluorici.

Diluted Fluoric Acid (½ per cent. solution of the re-distilled acid) 10 mins.; water 1 oz. *Throat.*

Mistura Acidi Gallici.

Gallic Acid 10 grs.; Tincture of Opium 3 mins.: Dil. Sulphuric Acid 15 mins.: water to 1 oz. *University.*

Gallic Acid 10 grs.; Comp. Tincture of Camphor 20 mins.; Dil. Sulphuric Acid 15 mins.; water to 1 oz. *Consumption.*

Gallic Acid 10 grs.; Glycerine 40 mins.; water to 1 oz. For a dose. *Throat.*

Gallic Acid 10 grs.; Dil. Sulphuric Acid 10 mins.; Distilled Water to 1 oz. *Royal Chest.*

Glycerine of Gallic Acid ½ drm.; Glycerine ½ drm.; water to 1 oz. *Royal Free.*

Mistura Acidi Gallici c. Opio.

Glycerine of Gallic Acid 1 drm.; Diluted Sulphuric Acid 10 mins.; Liquid Extract of Opium 5 mins.; water to 1 oz. *St. Mary's.*

Gallic Acid 10 grs.; Dil. Sulphuric Acid 10 mins.; Tincture of Opium 5 mins.; water to 1 oz. *London.*

Gallic Acid 10 grs.; Dil. Sulphuric Acid 20 mins.; Comp. Tincture of Camphor 20 mins.; water to 1 oz. *Charing Cross.*

Mistura Acidi Hydrobromici.

Diluted Hydrobromic Acid 15 to 30 mins.; water to ½ oz. *Central Throat.*

Diluted Hydrobromic Acid 15 mins.; water to 1 oz. *Throat.*

Mistura Acidi Hydrochlorici.

Dil. Hydrochloric Acid 15 mins.; Infusion of Quassia to 1 oz. *St. Mary's.*

Dil. Hydrochloric Acid 10 mins.; Infusion of Quassia to ½ oz. *Central Throat.*

Dil. Hydrochloric Acid 10 mins.; Simple Syrup 60 mins.; water to 1 oz. *Guy's.*

Dil Nitro-Hydrochloric Acid 10 mins.; Tincture of Chiretta 15 mins.; water to 1 oz. *London Ophthalmic.*

Mistura Acidi Hydrocyanici.

Dil. Hydrocyanic Acid 5 mins.; Bicarbonate of Soda 10 grs.; water 1 oz. *Gt. Northern.*

Dil. Hydrocyanic Acid 3 mins.; Caramel 5 mins.; water to 1 oz. *Royal Free.*

Dil. Hydrocyanic Acid 3 mins.; Red Mixture to 1 oz. *London.*

Dil. Hydrocyanic Acid 4 mins.; Bicarbonate of Sodium 20 grs.; Distilled Water to 1 oz. *St. Mary's.*

Dil. Hydrocyanic Acid 4 mins.; Bicarbonate of Soda 10 grs.; Distilled Water to 1 oz. *Royal Chest.*

Dil. Hydrocyanic Acid 3 mins.; Camphor Water to 1 oz. *Throat.*

Dil. Hydrocyanic Acid 3 mins.; Bicarbonate of Sodium 10 grs.; Tincture of Belladonna 6 mins.; Infusion of Calumba to 1 oz. *Samaritan.*

Mistura Acidi Hydrocyanici c. Sodio.

Dil. Hydrocyanic Acid 4 mins.; Bicarbonate of Sodium 15 grs.; water to 1 oz. *Consumption.*

Mistura Acidi Nitrici.

Dil. Nitric Acid 10 mins.; Simple Syrup 60 mins.; water to 1 oz. *Guy's.*

Dil. Nitric Acid 10 mins.; Acacia Mixture to 1 oz. *London.*

Dil. Nitric Acid 10 mins.; Infusion of Quassia to 1 oz. *Royal Free.*

Mistura Acidi Nitrici c. Calumbâ.

Dil. Nitric Acid 10 mins.; Tincture of Calumba ½ drm.; water to 1 oz. *Consumption.*

Mistura Acidi Nitrici c. Pareirâ.

Dil. Nitric Acid 10 mins.; Decoction of Pareira to 1 oz. *Royal Free.*

Mistura Acidi Nitrici c. Strychniâ.

Solution of Strychnia 5 mins.; Nitric Acid Mixture to 1 oz. *London.*

Mistura Acidi Nitro-Hydrochlorici.

Dil. Nitro-Hydrochloric Acid 10 mins.; Infusion of Quassia to ½ oz. *Central Throat.*

Dil. Nitro-Muriatic Acid 10 mins.; Simple Syrup 60 mins.; water to 1 oz. *Guy's.*

Dil. Nitro-Muriatic Acid 10 mins.; Red Mixture to 1 oz. *London.*

Dil. Nitro-Hydrochloric Acid 10 mins.; Infusion of Calumba to 1 oz. *St. Mary's.*

Dil. Nitro-Hydrochloric Acid 15 mins.; Syrup of Orange ½ drm.; water to 1 oz. *Consumption.*

Dil. Nitro-Hydrochloric Acid 10 mins; Infusion of Quassia to 1 oz. For a dose. *Throat.*

Dil. Nitric Acid 7 mins.; Dil. Hydrochloric Acid 8 mins.; Chloroform Water 2 drms.; Infusion of Gentian to 1 oz. *Charing Cross.*

Dil. Nitro-Hydrochloric Acid 15 mins.; Tincture of Orange ½ drm.; Spirit of Chloroform 10 mins; water to 1 oz. *Lock.*

Dil. Nitro-Hydrochloric Acid 15 mins., Caramel 5 grs.; water 1 oz. *British Skin.*

Dil. Nitro-Hydrochloric Acid 15 mins.; Infusion of Quassia to 1 oz. *Royal Free.*

Dil. Nitro-Hydrochloric Acid 15 mins.; Infusion of Chiretta to 1 oz. *King's.*

Dil. Nitro-Hydrochloric Acid 10 mins.; Spirit of Chloroform 8 mins.; Infusion of Quassia to 1 oz. *Royal Chest.*

Mistura Acidi Phosphorici.

Dil. Phosphoric Acid 15 mins.; Spirit of Chloroform 10 mins; Comp. Infusion of Gentian to 1 oz. *University.*

Mistura Acidi Phosphorici Co.

Dil. Phosphoric Acid 15 mins.; Solution of Strychnia (B. P.) 5 mins.; Chloroform Water 2 drms.; Infusion of Quassia to 1 oz. For a dose. *Throat.*

Mistura Acidi Phosph. c. Quassiâ.

Dil. Phosphoric Acid 15 mins; Tincture of Quassia 30 mins.; Syrup of Orange 20 mins.; water to 1 oz. *Consumption.*

Mistura Acidi Phosphorici cum Strychninâ.

Dil. Phosphoric Acid 15 mins.; Solution of Strychnine 3 mins.; Chloroform Water 2 drms.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Acidi Salycilici.

Salicylic Acid 20 grs.; Citrate of Potash 20 grs.; water to 1 oz. *London.*

Mistura Acidi Sulphurici.

Dil. Sulphuric Acid 12 mins.; Tincture of Catechu 15 mins.; water to 1 oz. *University.*

Dil. Sulphuric Acid 20 mins.; Chloroform Water ½ oz.; water to 1 oz. *Charing Cross.*

Mistura Acidi Sulphurici Aromatici.

Aromatic Sulphuric Acid 10 mins.; Red Mixture to 1 oz. *London.*

Mistura Acidi Sulphurici Co.

Dil. Sulphuric Acid 15 mins.; Sulphate of Magnesium 20 grs.; Alum 10 grs.; water to 1 oz. *Consumption.*

Mistura Acidi Sulphurici c. Magnesio.

Dil. Sulphuric Acid 10 mins.; Sulphate of Magnesium 60 grs.; Glycerine 30 mins.; Peppermint Water to 1 oz. For a dose. *London Ophthalmic.*

Mistura Acidi Sulphurici c. Opio.

Aromatic Sulphuric Acid 20 mins.; Tincture of Opium 5 mins.; Distilled Water to 1 oz. *Royal Free.*

Dil. Sulphuric Acid 20 mins.; Tincture of Opium 10 mins.; Spirit of Chloroform 20 mins.; Camphor Water to 1 oz. *St. Mary's. King's.*

Dil. Sulphuric Acid 15 mins.; Tincture of Opium 6 mins.; Tinct. of Capsicum 3 mins.; water to 1 oz. *University.*

Mistura Acidi Sulphurosi.

Sulphurous Acid 30 mins.; Spirit of Chloroform 10 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Aconiti.

Tincture of Aconite 5 mins.; Red Mixture to 1 oz. Dose 1 oz., repeated with caution. *London.*

Tincture of Aconite 8 mins.; water to 1 oz. Dose 1 drm. *Central Throat.*

Tincture of Aconite 1 min.; Caramel ½ min.; water to 1 oz. For a dose. *Throat.*

Mistura Ætheris c. Ammoniâ.

Aromatic Spirit of Ammonia 30 mins.; Spirit of Ether 30 mins.; water to 1 oz. *St. Thomas's.*

Aromatic Spirit of Ammonia 30 mins.; Spirit of Ether 30 mins.; Tincture of Orange 10 mins.; Camphor Water to 1 oz. *Consumption. Gt. Northern.*

Aromatic Spirit of Ammonia 30 mins.; Spirit of Ether 30 mins.; Spirit of Chloroform 20 mins.; water to 1 oz. *King's.*

Aromatic Spirit of Ammonia 20 mins.; Spirit of Ether 30 mins.; Tincture of Orange 10 mins.; Camphor Water to 1 oz. *Charing Cross.*

Mistura Ætheris Ammoniata.

Carbonate of Ammonia 3 grs.; Spirit of Ether 30 mins.; Spirit of Chloroform 10 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Æther. Chlor. c. Opio.

Chloric Ether 10 mins.; Tincture of Squill 20 mins.; Tincture of Opium 3 mins.; Honey 10 grs.; water to 1 oz. Dose ½ to 1 oz. *Consumption.*

Mistura Ætheris Co.

Spirit of Ether 30 mins.; Aromatic Spirit of Ammonia 30 mins.; Syrup of Tolu 1 drm.; water 1 oz. *London Ophthalmic.*

Mistura Ætheris c. Lobeliâ.

Spirit of Ether 30 mins.; Ethereal Tincture of Lobelia 20 mins.; Camphor Water to 1 oz. Dose ½ to 1 oz. *Consumption.*

Mistura Ætheris c. Sodâ.

Spirit of Ether 30 mins.; Bicarbonate of Sodium 10 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Mistura Ætheris Sulph. c. Ammon.

See Mistura Ætheris c. Ammon.

Mistura Alba.

(*See also* Mistura Magnesii Sulphatio.)

Carbonate of Magnesia 6 grs.; Sulphate of Magnesia 30 grs.; Peppermint Water to 1 oz. *Throat.*

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 60 grs.; Spearmint Water 1 oz. *Gt. Northern.*

Carbonate of Magnesium 10 grs.; Sulphate of Magnesium 60 grs.; Peppermint Water 1 oz. *British Skin. King's. Lock.*

Carbonate of Magnesium 10 grs.; Sulphate of Magnesium 1 drm.; Peppermint Water ½ oz. Dose ½ to 1 fl. oz. *Central Throat.*

Carbonate of Magnesium 10 grs.; Sulphate of Magnesium 1½ drm.; Peppermint Water to 1 oz. *Royal Free.*

Carbonate of Magnesium 10 grs.; Sulphate of Magnesium 1 drm.; Peppermint Water to 1 oz. *Samaritan.* For *St. Mary's* see Mist. Magn. Sulphatis. For *St. Thomas's* see Mist. Magnesiae c. Magnesii Sulphate.

Mistura Alkalina.

Carbonate of Ammonium 6 grs.; Bicarbonate of Sodium 12 grs.; Infusion of Quassia to 1 oz. *Royal Free.*

Mistura Alkalina Amara.

Carbonate of Ammonium 3 grs.; Bicarbonate of Sodium 10 grs.; Compound Infusion of Gentian 1 oz. *Lock.*

Bicarbonate of Sodium 10 grs.; Solution of Ammonia 5 mins.; Compound Infusion of Gentian to 1 oz. *St. Mary's.*

Mistura Alkalina Aperiens.

Bicarbonate of Sodium 20 grs.; Carbonate of Ammonium 5 grs.; Carbonate of Magnesium 30 grs.; water 1 oz. *Lock.*

Mistura Alkalina Effervescens.

Bicarbonate of Potassium 20 grs.; Distilled Water 1 oz. To be taken effervescing with 15 grs. of Tartaric Acid. *Royal Chest.*

Mistura Aloes cum Ferro.

Compound Decoction of Aloes (Hosp.) ½ oz.; Compound Mixture of Iron ½ oz. *Royal Free.*

Mistura Alterativa.

Iodide of Potassium 5 grs.; Solution of Potash 10 mins.; Infusion of Quassia to 1 oz. *Royal Free.*

Mistura Alterativa c. Cinchonâ.

Iodide of Potassium 2½ grs.; Solution of Potash 5 mins.; Infusion of Quassia ½ oz.; Decoction of Cinchona to 1 oz. *Royal Free.*

Mistura Aluminis Co.

Alum 8 grs.; Compound Tincture of Camphor 20 mins.; Camphor Water 4 drms; Ipecacuanha Wine 15 mins.; Dill Water to 1 oz. *Guy's.*

Mistura Amara.

Carbonate of Ammonium 3 grs.; Infusion of Quassia ½ oz. *Central Throat.*

Carbonate of Ammonia 5 grs.; Caramel 1 min.; Chloroform Water 2 drms.; Infusion of Quassia to 1 oz. *Throat.*

Mistura Ammon.

Carbonate of Ammonium 4 grs.; Treacle 20 mins.; Comp. Tincture of Lavender 20 mins.; Peppermint Water to 1 oz. *Guy's. King's.*

Mistura Ammon. Acetatis.

Solution of Acetate of Ammonium 2 drms.; water to 1 oz. *Gt. Northern. London Ophthalmic.*

Solution of Acetate of Ammonium 4 drms.; water to 1 oz. *Guy's. King's.*

Solution of Acetate of Ammonia 2 drms.; Nitrate of Potash 10 grs.; Camphor Water to 1 oz. *University.*

Mistura Ammon. Acetatis Co.

Solution of Acetate of Ammonium 4 drms.; Spirit of Nitrous Ether ½ drm.; Syrup of Lemons 1 drm.; Camphor Water to 1 oz. *Royal Chest.*

Mistura Ammon. Acet. c. Magnesio.

Sulphate of Magnesium 60 grs.; Mixture of Acetate of Ammonium 1 oz. *London Ophthalmic.*

Mistura Ammon. c. Æthere.

Spirit of Ether 20 mins.; Aromatic Spirit of Ammonia 20 mins.; Chloroform Water to 1 oz. *London.*

Spirit of Ether 15 mins.; Aromatic Spirit of Ammonia 15 mins.; Camphor Water to 1 oz. *University.*

Aromatic Spirit of Ammonia ½ drm.; Spirit of Ether ½ drm.; Chloroform Water to 1 oz. *St. Mary's.*

Ether 20 mins.; Spirit of Chloroform 20 mins.; Aromatic Spirit of Ammonia 20 mins.; Camphor Water to 1 oz. For a dose. *Throat.*

Mistura Ammon. Aromatica.

Aromatic Spirit of Ammonia 15 mins.; Tincture of Cinnamon 20 mins.; Infusion of Calumba to 1 oz. *Royal Free.*

Mistura Ammon. Carbonatis.

Carbonate of Ammonium 5 grs.; Comp. Tincture of Cardamoms ½ drm.; Infusion of Cloves to 1 oz. *St. Mary's.*

Carbonate of Ammonia 5 grs.; Red Mixture 1 oz. *London.*

Mistura Ammon. Carbonatis c. Senega.

See Mistura Ammon. c. Senega.

Mistura Ammon. Chloridi.

Chloride of Ammonium 10 grs. ; Carbonate of Ammonium 3 grs. ; Camphor Water to 1 oz. *Royal Chest.*

Chloride of Ammonium 20 grs. ; Liquid Extract of Liquorice 1 drm. ; water to 1 oz. *Consumption.*

Chloride of Ammonium 20 grs. ; Liquid Extract of Liquorice ½ drm. ; Infusion of Quassia to ½ oz. *Central Throat.*

Chloride of Ammonium 20 grs. ; Chloroform Water ½ oz. ; Liquorice Water to 1 oz. *London.*

Mistura Ammon. Chloridi c. Ferro.

Chloride of Ammonium 10 grs. ; Solution of Perchloride of Iron 10 mins. ; Chloroform Water to ½ oz. *Central Throat.*

Mistura Ammon. Chloridi et Sodii Iodidi.

Iodide of Sodium 3 grs. ; Chloride of Ammonium Mixture ½ oz. *Central Throat.*

Mistura Ammon. et Chloroformi.

Carbonate of Ammonium 4 grs. ; Spirit of Chloroform 20 mins. ; Mucilage of Acacia 2 drms. Distilled Water to 1 oz. *Royal Chest.*

Mistura Ammon. c. Cinchonâ.

Carbonate of Ammonium 5 grs. ; Comp. Tincture of Gentian 20 mins. ; Decoction of Cinchona to 1 oz. *Royal Free.*

Mistura Ammon. Comp.

Aromatic Spirit of Ammonia 20 mins. ; Compound Tincture of Lavender 20 mins.; Spirit of Chloroform 20 mins. ; water to 1 oz. *Samaritan.*

Mistura Ammon. Effervescens.

Carbonate of Ammonia 15 grs. ; water to 1 oz. ; with ½ oz. Tartaric Acid Solution effervescing. *London.*

Carbonate of Ammonium 15 grs. ; Citric Acid 15 grs. ; water to 1 oz. *Consumption.*

Carbonate of Ammonia 20 grs. ; water 1 oz. ; this with ½ oz. Lemon Juice. *Guy's.*

Carbonate of Ammonia 25 grs. ; water ½ oz. during effervescence with Citric Acid 20 grs. ; water ½ oz. *Charing Cross.*

Mistura Ammon. c. Ipecac.

Carbonate of Ammonium 3 grs.; Ipecac. Wine 10 mins.; Glycerine 30 mins.; water to 1 oz. *London Ophthalmic.*

Carbonate of Ammonia 4 grs.; Ipecac. Wine 9 mins.; Camphor Water to 1 oz. *University.*

Carbonate of Ammonia 4 grs.; Ipecac. Wine 16 mins.; Treacle ¼ oz.; water to 1 oz. *Throat.*

Mistura Ammon. c. Quassiâ.

Carbonate of Ammonium 5 grs.; Infusion of Quassia to 1 oz. *Royal Free.*

Mistura Ammon. c. Senegâ.

Carbonate of Ammonia 4 grs.; Spirit of Chloroform 9 mins.; Infusion of Senega to 1 oz. *University.*

Carbonate of Ammonium 4 grs.; Ipecacuanha Wine 10 mins.; Tincture of Senega 30 mins.; Chloroform Water to 1 oz. *St. Thomas's.*

Carbonate of Ammonia 5 grs.; Infusion of Senega 1 oz. *Gt. Northern.*

Mistura Ammoniaci Co.

Tincture of Squill 15 mins.; Compound Tincture of Camphor ½ drm.; Syrup of Tolu 1 drm.; Ammoniacum Mixture B.P. to 1 oz. *St. Mary's.*

Comp. Tincture of Camphor 30 mins.; Oxymel of Squill 30 mins.; Mixture of Ammoniacum to 1 oz. *Consumption.*

Mistura Ammoniaci et Lobeliæ Composita.

Ammoniacum Mixture ½ oz.; Ipecacuanha Wine 10 mins.; Ethereal Tincture of Lobelia 12 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Anodyna.

Spirit of Camphor 30 mins.; Tincture of Henbane 30 mins.; Mucilage of Tragacanth 30 mins.; water to 1 oz. *Guy's.*

Mistura Antimonialis.

Tartar Emetic ⅙ gr.; Nitre 10 grs.; water to 1 oz. Dose ½ to 1 oz. *Consumption.*

Mistura Antimonii Aperiens.

Sulphate Magnesia 2 drms.; Tartarated Antimony $\frac{1}{12}$ gr.; water to 1 oz. *University.*

Mistura Aromatica.

Compound Powder of Cinnamon 7½ grs.: Spirit of Chloroform 20 mins.; water to 1 oz. For a dose. *Throat.*

Compound Powder of Cinnamon 7½ grs.; Pimento Water 1 oz. *London.*

Aromatic Powder of Chalk 30 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Bicarbonate of Sodium 10 grs.; Carbonate of Ammonium 4 grs.; Compound Tincture of Cardamoms ½ drm.; Infusion of Cloves to 1 oz. *St. Mary's.*

Mistura Arsenicalis.

Arsenical Solution 4 mins.; Infusion of Calumba 1 oz. *St. Mary's.*

Arsenical Solution 4 mins.: Burnt Sugar 10 mins.; Tincture of Ginger 10 mins.; water to 1 oz. *Charing Cross.*

Arsenical Solution 5 mins.: water 1 oz. *British Skin.*

Arsenical Solution 5 mins.; Red Mixture to 1 oz. *London.*

Mistura Arsenici Composita.

Donovan's Solution 20 mins.; Red Mixture to 1 oz. *London.*

Mistura Arsenii Acida c. Ferro.

Hydrochloric Solution of Arsenic 2 mins.; Tincture of Perchloride of Iron 10 mins.: Spirit of Chloroform 10 mins.; Glycerine 20 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Arsenii Alkalina.

Arsenical Solution 2 mins.: Bicarbonate of Potassium 15 grs.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Assafœtidæ.

Assafœtida 5 grs.; water 1 oz. *British Skin.*

Tincture of Assafœtida 15 mins.; Acacia Mixture to 1 oz. *London.*

Tincture of Assafœtida ½ drm.: Tincture of Valerian 1 drm.; Carbonate of Ammonia 4 grs.; Mucilage of Tragacanth ½ oz.: water to 1 oz. *Charing Cross.*

Mistura Assafœtidæ c. Valerianâ.

Tincture of Assafœtida 30 mins.; Ammoniated Tincture of Valerian ½ drm.; Camphor Water to 1 oz. *London.*

Mistura Astringens.

Aromatic Sulphuric Acid 15 mins.; Spirit of Chloroform 20 mins.; Compound Tincture of Camphor 60 mins.; Decoction of Logwood to 1 oz. *London.*

Mistura Balsami Peruviani.

Peruvian Balsam 25 mins.; Unclarified Honey 90 grs.; water to 1 oz. *Guy's.*

Mistura Belladonnæ Composita.

Tincture of Belladonna 10 mins.; Dil. Hydrocyanic Acid 2 mins.; Bicarbonate of Soda 10 grs.; Simple Syrup 60 mins.; water to 1 oz. *Guy's.*

Mistura Belladonnæ c. Opio.

Tincture of Belladonna 5 mins.; Tincture of Opium 5 mins.; Camphor Water to ½ oz. *Central Throat.*

Mistura Benzoini Composita.

Comp. Tincture of Benzoin 20 mins.; Oxymel of Squill 30 mins.; Ipecacuanha Wine 5 mins.; Tincture of Tolu 5 mins.; water to 1 oz. *Consumption. Royal Chest.*

Mistura Bismuthi.

Subnitrate of Bismuth 15 grs.; Carbonate of Magnesium 10 grs.; Mucilage of Tragacanth 30 mins.; Anise Water to 1 oz. *King's.*

Carbonate of Bismuth 9 grs.; Mucilage of Tragacanth 1 drm.; water to 1 oz. *University.*

Subnitrate of Bismuth 10 grs.; Mucilage 1 drm.; Dill Water to 1 oz. *Royal Free.*

Subnitrate of Bismuth 15 grs.; Mucilage of Tragacanth 1 drm.; Peppermint Water to 1 oz. *Samaritan.*

Subnitrate of Bismuth 15 grs.; Bicarbonate of Sodium 15 grs.; Mucilage of Gum Acacia 1 drm.; water to 1 oz. *St. Thomas's.*

Carbonate of Bismuth 10 grs.; Light Carbonate of Magnesium 10 grs.; Spirit of Chloroform 10 mins.; Mucilage 1 drm.; Distilled Water to 1 oz. *Royal Chest.*

Subnitrate of Bismuth 10 grs. ; Bicarbonate of Soda 10 grs. ; Tragacanth 4 grs. ; Cinnamon Water 1 oz. *Charing Cross.*

Subnitrate of Bismuth 10 grs. ; Comp. Powder of Tragacanth 10 grs. ; water to 1 oz. *Guy's.*

Subnitrate of Bismuth 10 grs. ; Bicarbonate of Sodium 10 grs. ; Heavy Carbonate of Magnesium 5 grs. ; Peppermint Water ½ oz. *Central Throat.*

Subnitrate of Bismuth 10 grs. ; Powder of Tragacanth 3 grs. ; water 1 oz. *London Ophthalmic.*

Subnitrate of Bismuth 10 grs. ; Carbonate of Magnesium 10 grs. ; Mucilage of Gum Tragacanth 1 drm. ; water to 1 oz. *Gt. Northern.*

Subnitrate of Bismuth 15 grs. ; Comp. Tragacanth Powder 5 grs. ; water to 1 oz. For a dose. *Throat.*

Subnitrate of Bismuth 15 grs. ; Comp. Powder of Tragacanth 10 grs. ; Peppermint Water to 1 oz. *London.*

Subnitrate of Bismuth 20 grs ; Mucilage of Tragacanth 1 drm. ; Peppermint Water to 1 oz. *St. Mary's.*

Subnitrate of Bismuth 20 grs. ; Mucilage of Tragacanth ½ oz. ; Tincture of Cinnamon 10 mins. ; water to 1 oz. *Consumption.*

Solution of Citrate of Bismuth and Ammonia 1 drm. ; Diluted Hydrocyanic Acid 3 mins. ; Peppermint Water 1 oz. *British Skin.*

Mistura Bismuthi Acida.

Nitrate of Bismuth (in crystals) 5 grs. ; Glycerine 1 drm. ; water to 1 oz. *British Skin.*

Mistura Bismuthi c. Acido Hydrocyanico.

Solution of Citrate of Bismuth and Ammonia 30 mins. ; Dil. Hydrocyanic Acid 4 mins. ; Cinnamon Water to 1 oz. *Royal Chest.*

Subnitrate of Bismuth 5 grs. ; Dil. Hydrocyanic Acid 3 mins. ; Comp. Infusion of Gentian 1 oz. *Consumption.*

Mistura Bismuthi Alkalina.

Subnitrate of Bismuth 10 grs. ; Carbonate of Magnesia 15 grs. ; Solution of Potash 10 mins. ; Diluted Hydrocyanic Acid 4 mins. ; Peppermint Water to 1 oz. *Throat.*

Mistura Bismuthi Co.

Subnitrate of Bismuth 15 grs.; Carbonate of Magnesia 15 grs.; Comp. Powder of Tragacanth 10 grs.; Tincture of Calumba 10 mins.; Chloroform Water to 1 oz. *London.*

Mistura Bismuthi et Gentianæ.

Subnitrate of Bismuth 15 grs.; Bicarbonate of Soda 15 grs.; Comp. Tragacanth Powder 10 grs.; Comp. Infusion of Gentian to 1 oz. *London.*

Subnitrate of Bismuth 10 grs; Carbonate of Magnesium 5 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Bismuthi Opiata.

Carbonate of Bismuth 20 grs.; Tincture of Catechu 1 drm.; Tincture of Opium 5 mins.; Clove Water to 1 oz. *Consumption.*

Mistura Bismuthi Sedativa.

Subnitrate of Bismuth 10 grs.; Bicarbonate of Soda 10 grs.; Solution of Hydrochlorate of Morphia 10 mins.; Comp. Powd. of Tragac. 10 grs.; water to 1 oz. *Guy's.*

Mistura Bromidi Comp.

Bromide of Potassium 15 grs.; Solution of Strychnine 3 mins.; Tincture of Capsicum 2 mins.; Peppermint Water 1 oz. *King's.*

Mistura Bromidi c. Arsenico.

Bromide of Potassium 15 grs.; Solution of Arsenic 4 mins.; Syrup 1 drm.; Cinnamon Water to 1 oz. *King's.*

Mistura Buchu.

Citrate of Potassium 15 grs.; Tincture of Hyoscyamus 30 mins.; Mucilage of Tragacanth 1 drm.; Infusion of Buchu to 1 oz. *Samaritan.*

Mistura Buchu Co.

Bicarbonate of Potassium 15 grs; Tincture of Hyoscyamus 20 mins.; Spirit of Chloroform 10 mins.; Infusion of Buchu to 1 oz. *London. St. Mary's.*

Citrate of Potassium 20 grs.; Tincture of Henbane 15 mins.; Infusion of Buchu to 1 oz. *St. Thomas's.*

Mistura Buchu c. Hyoscyamo.

Tincture of Henbane 12 mins. ; Mucilage 2 drms. , Infusion of Buchu to 1 oz. *Royal Free.*

Mistura Calcii Hypophosphitis.

Hypophosphite of Lime 6 grs. ; Tincture of Quassia 10 mins. ; Chloric Ether 5 mins. ; water to 1 oz. *Consumption.*

Mistura Calcis et Sodæ Hypophosphitis.

Hypophosphite of Lime 5 grs. ; Hypophosphite of Soda 5 grs. ; Glycerine 15 mins. ; water to 1 oz. *London.*

Mistura Calcis Sulphocarbolatis.

Sulpho-carbolate of Lime 10 grs. ; Cassia water 1 oz. *London.*

Mistura Calumbæ Alkalina.

Bicarbonate of Sodium 10 grs. ; Spirit of Chloroform 10 mins. ; Infusion of Calumba to 1 oz. *Royal Chest.*

Mistura Calumbæ c. Sodio.

Bicarbonate of Sodium 15 grs. ; Infusion of Calumba to 1 oz. *Royal Free.*

Mistura Camphoræ c. Æthere.

Spirit of Ether 30 mins. ; Camphor Water to 1 oz. *London.*

Mistura Camphoræ Co.

See Mist. Tinct. Camph. Co.

Mistura Cannabis Comp.

Tincture of Indian Hemp. 12 mins. ; Compound Powder of Tragacanth 20 grs. ; Spirit of Ether 6 mins. ; Solution of Hydrochlorate of Morphine 10 mins. ; water to 1 oz. *King's.*

Mistura Carminativa.

Tincture of Ginger ½ drm. ; Spirit of Chloroform 15 mins. ; Essence of Cloves 6 mins. ; Tincture of Opium 5 mins. ; Peppermint Water to 1 oz. *Royal Free.*

Mistura Caryophylli Composita.

Bicarbonate of Sodium 10 grs. ; Aromatic Spirit of Ammonia 20 mins ; Spirit of Chloroform 10 mins. ; Infusion of Cloves to 1 oz. *Royal Chest.*

Mistura Cascaræ Sagradæ.

Liquid Extract of Cascara Sagrada 15 mins. ; Juice of Taraxacum to 1 drm. *Consumption.*

Liquid Extract of Cascara Sagrada 15 mins. ; Comp. Decoction of Aloes to 1 oz. *Samaritan.*

Mistura Cascaræ Comp.

Liquid Extract of Cascara Sagrada 20 mins. ; Tincture of Nux Vomica 10 mins. ; Tincture of Belladonna 6 mins. ; Chloroform 1 min. ; water to 1 oz. *Samaritan.*

Mistura Cascarillæ Acida.

Dil. Nitric Acid 15 mins. ; Tincture of Hops 30 mins. ; Infusion of Cascarilla to 1 oz. *University.*

Dil. Nitric Acid 15 mins. ; Comp. Mixture of Cascarilla to 1 oz. *London.*

Mistura Cascarillæ c. Acido Nitrico.

Dil. Nitric Acid 15 mins. ; Tincture of Hops 30 mins. ; *Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ c. Ammonio.

Carbonate of Ammonium 3 grs. ; Compound Spirit of Horseradish 10 mins. ; *Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Cascarillæ Co.

Oxymel of Squill 30 mins. ; Comp. Tincture of Camphor 15 mins. ; Infusion of Cascarilla to 1 oz. *St. Thomas's.*

Tincture of Squill 15 mins. ; Comp. Tincture of Camphor 60 mins. ; Infusion of Cascarilla to 1 oz. *Guy's.*

Tincture of Squill 15 mins. ; Compound Tincture of Camphor 30 mins. ; Infusion of Cascarilla to 1 oz. *King's.*

Tincture of Squill 15 mins. ; Compound Tincture of Camphor 15 mins. ; Infusion of Cascarilla to 1 oz. *Royal Free.*

Vinegar of Squill 15 mins. ; Comp. Tincture of Camphor 30 mins. ; Infusion of Cascarilla to 1 oz. *London.*

---

* This Infusion is made with an equivalent proportion (min. xxx) of a watery tincture containing 1 in 4 of spirit.

Mistura Catechu.

Tincture of Catechu 1 drm.; Bicarbonate of Potash 10 grs.; Cinnamon Water to 1 oz. *British Skin.*

Mistura Catechu et Cretæ.

Tincture of Catechu 30 mins.; Chalk Mixture to 1 oz. *University.*

Mistura Catechu Opiata.

Tincture of Opium 10 mins.; Tincture of Catechu 15 mins.; Solution of Ammonia 5 mins.; Comp. Tincture of Cardamoms ½ drm.; Peppermint Water to 1 oz. *St. Mary's.*

Mistura Cerulea.

Tincture of Litmus 5 mins.; Water 1 oz. *Royal Free.*

Mistura Cetacei.

Spermaceti 15 grs.; Chloric Ether 5 mins.; Comp. Tragacanth Powder 20 grs.; Pimento Water to 1 oz. *Consumption.*

Mistura Cetacei Opiata.

Spermaceti 15 grs.; Ipecacuanha Wine 10 mins.; Comp. Tincture of Camphor 30 mins.; Comp. Tragacanth Powder 20 grs.; water to 1 oz. *Consumption.*

Mistura Chalybeata.

Tincture of Perchloride of Iron 15 mins.; Syrup 30 mins.; Infusion of Quassia to 1 oz. *St. Thomas's.*

Mistura Chloral.

Hydrate of Chloral 10 grs.; Spirit of Lemon 3 mins.; Chloroform Water ½ oz.; water to 1 oz. *London.*

Mistura Chloral. Composita.

Chloral Hydrate 10 grs.; Bromide of Potassium 10 grs.; Syrup of Orange 30 mins.; water to 1 oz. *Consumption.*

Mistura Chloralis Hydratis.

Hydrate of Chloral 10 grs.; Syrup of Red Poppies 1 drm.; water to 1 oz. *British Skin.*

Hydrate of Chloral 20 grs.; Syrup of Orange Flower 40 mins.; Syrup of Tolu 40 mins.; water to 1 oz. *Throat.*

Mistura Chlori.

Solution of Chlorine 10 mins.; water to 1 oz. *London.*

Mistura Chloroformi.

Chloroform Water ½ oz.; water to 1 oz. *British Skin.*

Spirit of Chloroform 10 mins.; Mucilage of Tragacanth 1 oz. *King's.*

Mistura Chloroformi c. Ammonio.

Spirit of Chloroform 15 mins.; Carbonate of Ammonium 3 grs.; Infusion of Gentian to 1 oz, Dose 1 oz. *London Ophthalmic.*

Mistura Chloroformi Opiata.

Spirit of Chloroform 15 mins.; Compound Tincture of Camphor 20 mins.; Syrup of Squill 20 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Cinchonæ.

Carbonate of Ammonium 4 grs.; Tincture of Yellow Cinchona 1 drm.; water to ½ oz. *Central Throat.*

Mistura Cinchonæ Acida.

Liquid Extract of Cinchona 10 mins.; Diluted Nitric Acid 10 mins.; Syrup 1 drm.; water to 1 oz. *St. Thomas's.*

Diluted Sulphuric Acid 10 mins.; Comp. Tincture of Gentian ½ drm.; Decoction of Cinchona to 1 oz. *Royal Free.*

Diluted Nitro-hydrochloric Acid 10 mins.; Decoction of Cinchona to 1 oz. *London.*

Diluted Nitric Acid 10 mins.; Decoction of Yellow Cinchona ½ oz.; water to 1 oz. *Throat.*

Diluted Nitro-hydrochloric Acid 15 mins.; Decoction of Cinchona to 1 oz. *Lock.*

Mistura Cinchonæ c. Acid. Nitric.

Dil. Nitric Acid 15 mins.; Decoction of Red Bark to 1 oz. *Consumption.*

Mistura Cinchonæ c. Acid. Sulph.

Dil. Sulphuric Acid 15 mins.; Decoction of Red Bark to 1 oz. *Consumption.*

Mistura Cinchonæ Ammoniata.

Bicarbonate of Soda 10 grs.; Aromatic Spirit of Ammonia 20 mins.; Decoction of Yellow Cinchona ½ oz.; water to 1 oz. *Throat.*

Mistura Cinchonæ c. Ammonio.

Carbonate of Ammonium 3 grs.; Spirit of Chloroform 10 mins.; Decoction of Cinchona 1 oz. *St. Mary's.*

Carbonate of Ammonium 4 grs.; Spirit of Chloroform 10 mins.; Compound Tincture of Cinchona 1 drm.; Distilled Water to 1 oz. *Royal Chest.*

Carbonate of Ammonium 5 grs.; Spirit of Chloroform 5 mins.; Decoction of Cinchona to 1 oz. *London Ophthalmic.*

Carbonate of Ammonium 5 grs.; Decoction of Red Bark to 1 oz. *Consumption.*

Mistura Cinchonæ Co.

Carbonate of Ammonia 4 grs.; Decoction of Cinchona Bark 1 oz. *Charing Cross.*

Mistura Cinchonidinæ.

Sulphate of Chinchonidine 4 grs.; Compound Tincture of Cardamoms 10 mins.; Water to 1 oz. *St. Thomas's.*

Mistura Cinchonidinæ Sulphatis.

Sulphate of Cinchonidine 1 gr.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *Royal Free.*

Mistura Cinchonidinæ c. Ferro.

Sulphate of Chinchonidine 1 gr.; Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 3 mins.; Distilled water to 1 oz. *Royal Free.*

Mistura Cinchoninæ.

Sulphate of Cinchonine 2 grs.; Dil. Hydrochloric Acid 5 mins.; water to 1 oz. *St. Mary's.*

Hydrochlorate of Cinchonine 2 grs.; Dil. Sulphuric Acid 5 mins.; Chloroform Water to 1 oz. *Samaritan.*

Hydrochlorate of Cinchonia 2 grs.; Dil. Hydrochloric Acid 2 mins.; water 1 oz. *University.*

Sulphate of Cinchonine 2 grs.; Dil. Sulphuric Acid 2 mins.; water to 1 oz. *Royal Chest.*

Sulphate of Chinchonine 1 gr.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *London.*

Hydrochlorate of Chinchonine 2 grs.; Dil. Hydrochloric Acid 4 mins.; Tincture of Orange 10 mins.; Simple Syrup 30 mins.; water to 1 oz. *Guy's.*

Mistura Colchici.

Wine of Colchicum 15 mins.; Carbonate of Magnesium 10 grs.; Spirit of Nitrous Ether 30 mins.; water to 1 oz. *Royal Free.*

Wine of Colchicum 15 mins.; Bicarbonate of Potassium 20 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Wine of Colchicum 20 mins.; Carbonate of Magnesium 10 grs.; Pimento Water to 1 oz. Dose 1 oz. *London Ophthalmic.*

Tincture of Colchicum Seeds 15 mins.; Bicarbonate of Potash 10 grs.; Pimento Water to 1 oz. *London.*

Mistura Colchici Alkalini.

Tincture of Colchicum Seeds 6 mins.; Bicarbonate of Potash 5 grs.; Pimento Water 1 oz. *British Skin.*

Tincture of Colchicum Seeds 24 mins.; Bicarbonate of Soda 7½ grs.; water to 1 oz. *University.*

Mistura Colchici Aperiens.

Tincture of Colchicum Seeds 15 mins.; Carbonate of Magnesia 6 grs.; Sulphate of Magnesia 30 grs.; Peppermint Water to 1 oz. *University.*

Sulphate of Magnesia 60 grs.; Colchicum Mixture to 1 oz. *London.*

Mistura Conii Co.

Extract of Conium 5 grs.; Bicarbonate of Soda 5 grs.; Spirit of Nutmeg 30 mins.; Liquorice Water to 1 oz. *Guy's.*

Mistura Copaibæ.

Copaiba 20 mins.; Spirit of Nitrous Ether 30 mins.; Solution of Potash 15 mins.; Peppermint Water to 1 oz. *Royal Chest.*

Copaiba 15 mins.; Mucilage of Gum Acacia 30 mins.; water to 1 oz. *St. Thomas's.*

Copaiba 15 mins.; Solution of Potash 15 mins.; water to 1 oz. *Lock.*

Copaiba 20 mins.; Tincture of Quillaia 20 mins.; Spirit of Nitrous Ether 30 mins. Camphor Water to 1 oz. *London.*

Copaiba 20 mins.; Mucilage 2 drms.; Dil. Sulphuric Acid 10 mins.; water to 1 oz. *Royal Free.*

Copaiba 20 mins., Solution of Potash 20 mins.; Tincture of Opium 5 mins.; Peppermint Water to 1 oz. *Gt. Northern.*

Copaiba 20 mins.; Tincture of Quillaia 20 mins.; Tincture of Lemon Peel 20 mins.; Water to 1 oz. *Guy's.*

Copaiba 20 mins.; Solution of Potash 10 mins.; Pimento Water to 1 oz. *London Ophthalmic.*

Copaiba 30 mins.; Solution of Potash 20 mins.; Spirit of Nitrous Ether 20 mins.; Cinnamon Water to 1 oz. *St. Mary's.*

Copaiba 30 mins.; Solution of Potash 12 mins.; Cinnamon Water to 1 oz. *University.*

Mistura Copaibæ Acida.

Copaiba 20 mins.; Dil. Sulphuric Acid 10 mins.; Mucilage ½ oz.; water to 1 oz. *King's.*

Mistura Copaibæ Alkalina.

Copaiba 20 mins.; Solution of Potash 10 mins.; Mucilage ½ oz.; water to 1 oz. *King's.*

Mistura Copaibæ Co.

Oil of Cubebs 10 mins.; Copaiba Mixture to 1 oz. *London.*

Mistura Copaibæ Resinæ.

Resin of Copaiba 15 grs.; Rectified Spirit of Wine 20 mins.; Comp. Powder of Tragacanth 15 grs.; Syrup of Ginger 60 mins.; water to 1 oz. *Guy's.*

Resin of Copaiba 15 grs.; Almond Oil 40 mins.; Tincture of Quillaia 10 mins.; Syrup of Ginger 30 mins.; water to 1 oz. Mix the resin with the oil on a water-bath, then triturate them with the tincture, then add the water and syrup gradually. *London.*

Mistura Creasoti.

Creasote 1 min.; Comp. Powder of Tragacanth 5 grs.; Spirit of Juniper 20 mins.; Chloroform Water ½ oz.; water to 1 oz. *London.*

Mistura Creasoti c. Opio.

Creasote 1 min.; Tincture of Opium 3 mins.; Spirit of Chloroform 10 mins.; Glycerine 1 drm.; water to 1 oz. *Royal Chest.*

Creasote 1 min.; Tincture of Opium 3 mins.; Syrup of Orange 30 mins.; Mucilage 1 drm.; Cinnamon Water to 1 oz. *Consumption.*

Mistura Cretæ.

Prepared Chalk 15 grs.; Gum Acacia 15 grs.; Cassia Water to 1 oz. *London.*

Prepared Chalk 15 grs.; Gum Acacia 15 grs.; Cinnamon Water 1 oz. *Throat.*

Mistura Cretæ Aromatica.

Comp. Powder of Cinnamon 10 grs. Powdered Acacia 10 grs.; Prepared Chalk 10 grs.; water 1 oz. *London Ophthalmic.*

Comp. Powder of Cinnamon 7½ grs.; Chalk Mixture (Hosp.) 1 oz. *London.*

Mistura Cretæ Aromat. Anodyna.

Comp. Powder of Cinnamon 10 grs.; Powdered Acacia 10 grs.; Prepared Chalk 10 grs.; Tincture of Opium 5 mins.; water 1 oz. *London Ophthalmic.*

Mistura Cretæ c. Catechu.

Tincture of Catechu 30 mins.; Chalk Mixture to 1 oz. *Consumption.*

Mistura Cretæ Composita.

Glycerine of Carbolic Acid 5 mins.; Tincture of Catechu 1 drm.; Chalk Mixture B. P. to 1 oz. *St. Mary's.*

Aromatic Spirit of Ammonia 20 mins.; Tincture of Catechu 20 mins.; Mixture of Chalk to 1 oz. *Guy's*

Mistura Cretæ c. Hæmatoxylo.

Chalk Mixture ½ oz.; Tincture of Catechu 30 mins.; Decoction of Logwood ½ oz. for an adult. *Gt. Northern. King's.*

Extract of Logwood 10 grs.; Chalk Mixture (Hosp.) 1 oz. *London.*

Mistura Cretæ c. Opio.

Tincture of Opium 5 mins.; Chalk Mixture with Catechu to 1 oz. *Consumption.*

Tincture of Opium 5 mins.; Chalk Mixture (Hosp.) to 1 oz. *London.*

Tincture of Opium 10 mins.; Tincture of Rhatany 1 drm.; Chalk Mixture to 1 oz. *Charing Cross.*

Mistura Croton-Chloral.

Croton-Chloral Hydrate 4 grs.; Glycerine 15 mins.; water to 1 oz. *Throat.*

Croton-Chloral Hydrate 4 grs.; Glycerine 15 mins.; Chloroform Water ½ oz.; water to 1 oz. *London.*

Mistura Diaphoretica.

Ipecacuanha Wine 5 mins.; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *British Skin.*

Ipecacuanha Wine 8 mins.; Tincture of Opium 5 mins.; Bicarbonate of Potassium 20 grs.; Water to 1 oz. *Royal Free.*

Ipecacuanha Wine 15 mins.; Spirit of Nitrous Ether 30 mins.; Saline Mixture to 1 oz. *London.*

Vinegar of Ipecacuanha 15 mins.; Spirit of Nitrous Ether 30 mins.; Saline Mixture to 1 oz. *Throat.*

Mistura Digitalis Acida.

Tincture of Digitalis 10 mins.; Dil. Sulphuric Acid 10 mins.; Glycerine 20 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Diuretica. (*See also* Mist. Scoparii Co.)

Acetate of Potash 20 grs.; Vinegar of Squill 20 mins.; Decoction of Broom to 1 oz. *London. Throat.*

Acetate of Potash 20 grs.; Spirit of Nitrous Ether 30 mins.; Spirit of Juniper 30 mins.; Mucilage 1 drm.; Decoction of Broom to 1 oz. *St. Mary's.*

Acetate of Potash 20 grs.; Spirit of Nitrous Ether 30 mins.; Decoction of Broom to 1 oz. *Charing Cross.*

Acetate of Potash 20 grs.; Vinegar of Squill 20 mins.; Tincture of Digitalis 5 mins.; water to 1 oz. *British Skin.*

Acetate of Potassium 30 grs.; Tincture of Squill 15 mins.; Spirit of Nitrous Ether 30 mins.; Spirit of Juniper 30 mins.; Decoction of Broom to 1 oz. *Royal Free.*

Acetate of Potassium 30 grs.; Tincture of Squill 20 mins.; Sweet Spirits of Nitre 30 mins.; Decoction of Broom to 1 oz. *Gt. Northern.*

Nitrate of Potassium 5 grs; Acetate of Potassium 15 grs.; Carbonate of Ammonium 3 grs.; Solution of Acetate of Ammonium 2 drms.; Decoction of Broom to 1 oz. *Samaritan.*

Mistura Donovani.

Donovan's Solution 15 mins.; Bicarbonate of Sodium 10 grs.; Spirit of Chloroform 10 mins.; water to 1 oz. *Lock.*

Mistura Effervescens.

Bicarbonate of Potassium 15 grs. water 1 oz. (Citric Acid 10 grs.; water 1 oz.). *Gt. Northern.*

Bicarbonate of Potash 20 grs.; water to 1 oz. during effervescence with 15 grs. of Citric Acid. *Throat.*

Bicarbonate of Sodium 20 grs.; water 1 oz. (Citric Acid 17 grs.; water ½ oz.). *St. Mary's.*

Bicarbonate of Soda 20 grs.; Water 1 oz. with ½ oz. Citric Acid Solution in effervescence. *London.*

Bicarbonate of Sodium 20 grs.; water 1 oz. (Tartaric Acid 18 grs.; water ½ oz.). *King's. Royal Free.*

Mistura Ergotæ.

Fluid Extract of Ergot 30 mins.; Borax 4 grs.; Carbonate of Ammonium 4 grs.; Tincture of Capsicum 3 mins.; Cinnamon Water to 1 oz. *King's.*

Fluid Extract of Ergot 30 mins.; Glycerine 20 mins.; Tincture of Cinnamon 15 mins.; water to 1 oz. *Consumption.*

Fluid Extract of Ergot 30 mins.; Cinnamon Water to 1 oz. *Samaritan.*

Fluid Extract of Ergot 30 mins.; Glycerine 20 mins.; Cinnamon Water to 1 oz. *Charing Cross.*

Fluid Extract of Ergot 30 mins.; Sal Volatile 10 mins.; water 1 oz. *Gt. Northern.*

Liquid Extract of Ergot 30 mins.; Tincture of Orange Peel 30 mins.; water to 1 oz. *Guy's.*

Mistura Ergotæ Acida.

Liquid Extract of Ergot 30 mins.; Dil. Sulphuric Acid 20 mins.; Gallic Acid 10 grs.; Sulphate of Magnesium 20 grs.; Cinnamon Water to 1 oz. *Samaritan.*

Mistura Ergotæ Ammoniata.

Ammoniated Extract of Ergot 20 mins.; Spirit of Chloroform 15 mins.; Camphor Water to 1 oz. *University.*

Ammoniated Extract of Ergot 30 mins.; Cassia Water to 1 oz. *London.*

Mistura Ergotæ Co.

Liquid Extract of Ergot 20 mins.; Acetate of Lead 2 grs.; Distilled Water to ½ oz. *Central Throat.*

Liquid Extract of Ergot 25 mins.; Tincture of Witch Hazel 20 mins.; Glycerine 20 mins.; water to 1 oz. *Royal Chest.*

Liquid Extract of Ergot 40 mins.; Gallic Acid 10 grs.; Cassia Water to 1 oz. *London.*

Mistura Ergotæ c. Ferro.

Tincture of Perchloride of Iron 10 mins.; Liquid Extract of Ergot ½ drm.; Infusion of Quassia 1 oz. *Gt. Northern.*

Tincture of Perchloride of Iron 15 mins; Liquid Extract of Ergot 30 mins.; Spirit of Chloroform 10 mins.; Glycerine ½ drm.; Water to 1 oz. *St. Mary's.*

Solution of Perchloride of Iron 15 mins.; Liquid Extract of Ergot 20 mins.; Spirit of Chloroform 10 mins.; Infusion of Quassia to 1 oz. *London.*

Solution of Perchloride of Iron 10 mins.; Liquid Extract of Ergot 20 mins.; water to ½ oz. *Central Throat.*

Mistura Ergotæ Plumbea.

Acetate of Lead 2 grs.; Liquid Extract of Ergot 16 mins.; Distilled Water to 1 oz. *Throat.*

Mistura Expectorans.

Solution of Acetate of Ammonium 2 drms.; Oxymel of Squill 40 mins.; Vinegar of Ipecacuanha 24 mins.; Water to 1 oz. *St. Thomas's.*

Ipecacuanha Wine 10 mins.; Tincture of Squill 20 mins.; Spirit of Nitrous Ether 30 mins.; Chloroform Water 2 drms.; water to 1 oz. *Charing Cross.*

Tincture of Squill 10 mins.; Carbonate of Ammonium 5 grs.; Ipecacuanha Wine 10 mins.; Compound Tincture of Camphor 15 mins.; Syrup of Ginger 30 mins. Water to ½ oz. *Central Throat.*

Ipecacuanha Wine 15 mins.; Nitrate of Potassium 6 grs.; Compound Tincture of Camphor 30 mins.; Mucilage 1 drm.; water to 1 oz. *Royal Free.*

Tincture of Squill 20 mins.; Paregoric 30 mins.; Infusion of Cascarilla to 1 oz. *Gt. Northern.*

Mistura Febrifuga.

Nitrate of Potassium 7 grs.; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonia ½ oz.; water to 1 oz. *Royal Free.*

Mistura Ferri.

Solution of Perchloride of Iron 15 mins., water to 1 oz. *Lock.*

Mistura Ferri Acida.

Solution of Perchloride of Iron 15 mins.; Diluted Nitro-Hydrochloric Acid 10 mins.; water to 1 oz. *Consumption.*

Mistura Ferri Ætherea.

See Mist. Ferri c. Æther. Chlor.

Mistura Ferri c. Æther. Chlor.

Solution of Perchloride of Iron 20 mins.; Spirit of Chloroform 10 mins.; Infusion of Quassia to 1 oz. Dose ½ to 1 oz. *Consumption. Royal Chest.*

Mistura Ferri c. Aloe.

Comp. Mixture of Iron P. B. 6 drms.; Comp. Decoction of Aloes to 1 oz. *Consumption.*

Comp. Iron Mixture 4 drms.; Comp. Decoction of Aloes to 1 oz. *London.*

Mistura Ferri Alkalina.

Ammonio-Citrate of Iron 10 grs.; Carbonate of Ammonium 3 grs.; Spirit of Chloroform 10 mins.; Infusion of Quassia to 1 oz. *Samaritan.*

Mistura Ferri Amara.

Solution of Perchloride of Iron 20 mins.; Spirit of Chloroform 5 mins.; Infusion of Quassia to 1 oz. *Lock.*

Solution of Perchloride of Iron 30 mins.; Spirit of Chloroform 5 mins.; Infusion of Quassia to 1 oz. *University.*

Mistura Ferri c. Ammon.

Ammonio-Citrate of Iron 7 grs.; Aromatic Spirit of Ammonia 30 mins.; Infusion of Calumba to 1 oz. *King's.*

Mistura Ferri Ammon. Citrat.

Ammonio-Citrate of Iron 5 grs.; Aromatic Spirit of Ammonia 10 mins.; Spirit of Chloroform 5 mins. Infusion of Quassia to 1 oz. *Royal Chest.*

Ammonio-Citrate of Iron 5 grs. ; Pimento Water 1 oz. *London.*

Ammonio-Citrate of Iron 5 grs. ; Camphor Water 1 oz. *Throat.*

Ammonio-Citrate of Iron 5 grs. ; Water to 1 oz. *Royal Free.*

Mistura Ferri Aperiens.

Sulphate of Iron 2 grs. ; Sulphate of Magnesium ½ drm. ; Dil. Sulphuric Acid 5 mins. Chloroform Water to ½ oz. *Central Throat.*

Sulphate of Iron 2 grs. ; Sulphate of Magnesia 30 grs. ; Dil. Sulphuric Acid 9 mins. ; Peppermint Water to 1 oz. *University.*

Sulphate of Iron 2 grs. ; Sulphate of Magnesium 30 grs. ; Dil. Sulphuric Acid 5 mins. ; Peppermint Water to 1 oz. *Throat. Samaritan.*

Mistura Ferri Arsenicalis.

Ammonio-Citrate of Iron 5 grs. ; Solution of Arsenic 4 mins. ; Infusion of Quassia 1 oz. *King's.*

Ammonio-Citrate of Iron 5 grs. ; Solution of Arsenic 3 mins. ; Solution of Citrate of Ammonium 1 drm. ; Spirit of Chloroform 10 mins. ; Infusion of Quassia to 1 oz. *Samaritan.*

Ammonio-Citrate of Iron 7½ grs. ; Arsenical Solution 5 mins. ; Tincture of Calumba 24 mins. ; water to 1 oz. *University.*

Solution of Arsenic 3 mins. ; Ammonio-Citrate of Iron 3 grs. ; Tincture of Calumba 10 mins. ; Distilled Water to 1 oz. *London Ophthalmic.*

Solution of Arsenic 5 mins. ; Citrate of Iron and Cinchonine 5 grs. ; Distilled Water to 1 oz. *London*

Mistura Ferri c. Calumbâ.

Ammonio-Citrate of Iron 10 grs. ; Solution of Ammonia 5 mins. ; Infusion of Calumba to 1 oz. *St. Mary's.*

Ammonio-Citrate of Iron 5 grs. ; Stronger Solution of Ammonia 1½ mins. ; Spirit of Nutmeg 6 mins. ; Infusion of Calumba to 1 oz. *Consumption.*

Mistura Ferri Cathartica.

Sulphate of Iron 1 gr. ; Sulphate of Magnesium 30 grs. ; Dil. Sulphuric Acid 5 mins. ; Distilled Water 1 oz. *London Ophthalmic.*

Sulphate of Iron 3 grs. ; Sulphate of Magnesia 60 grs. ; Dil Sulphuric Acid 10 mins. ; Peppermint Water to 1 oz. *London.*

Mistura Ferri et Cinchoninæ Citratis.

Citrate of Iron and Cinchonine 5 grs. ; water 1 oz. *London.*

Mistura Ferri Citratis c. Ammoniâ.

Ammonio-Citrate of Iron 5 grs. ; Aromatic Spirit of Ammonia 15 mins. ; Chloroform Water 2 drms. ; Infusion of Chiretta to 1 oz. *Charing Cross.*

Mistura Ferri Co.

Sulphate of Iron 2 grs. ; Myrrh 5 grs. ; Carbonate of Potash 2½ grs. ; Sugar 5 grs. ; Essence of Cassia 5 mins. ; water to 1 oz. *London.*

Sulphate of Iron 2½ grs. ; Myrrh 6 grs. ; Carbonate of Potash 3 grs. ; Sugar 6 grs. ; Spirit of Nutmeg 24 mins. ; water to 1 oz. *London Ophthalmic.*

Sulphate of Iron 2½ grs. ; Myrrh 5 grs. ; Carbonate of Potash 3 grs. ; White Sugar 6 grs. ; Cinnamon Water 1 oz. *Charing Cross.*

Mistura Ferri Dialysati.

Dialysed Iron 10 mins. ; Distilled Water to 1 oz. *London.*

Mistura Ferri et Ergotæ.

See "Mist. Ergota cum Ferro."

Mistura Ferri c. Hydrargyro.

Solution of Perchloride of Iron 10 mins. ; Solution of Perchloride of Mercury P. B. ½ drm. ; Infusion of Quassia to 1 oz. *Samaritan.*

Mistura Ferri Laxans.

Sulphate of Iron 1 gr. ; Sulphate of Magnesium 1 drm. ; Dil. Sulphuric Acid 4 mins. ; water to 1 oz. *Lock.*

Sulphate of Iron 3 grs. ; Sulphate of Magnesium 60 grs. ; Dil. Sulphuric Acid 10 mins. ; Peppermint Water to 1 oz. *St. Mary's.*

Mistura Ferri c. Magnesii Sulphate.

Sulphate of Magnesium 20 grs. ; Solution of Perchloride of Iron 15 mins. ; Infusion of Quassia to 1 oz. *St. Thomas's.*

Sulphate of Iron 2 grs. ; Sulphate of Magnesium 20 grs. ; water 1 oz. *King's.*

Sulphate of Iron 2 grs.; Sulphate of Magnesium 30 grs.; Dil. Sulphuric Acid 10 mins.; Peppermint Water to 1 oz. *Charing Cross.*

Sulphate of Iron 2 grs; Sulphate of Magnesium 30 grs.; Dil. Sulphuric Acid 10 mins.; Tincture of Quassia 20 mins.; water to 1 oz. *Consumption.*

Mistura Ferri Opiata.

Solution of Perchloride of Iron 20 mins.; Tincture of Opium 1½ min.; Chloroform Water 2 drms.; water to 1 oz. *Throat.*

Mistura Ferri c. Opio.

Ammonio-Citrate of Iron 5 grs.; Tincture of Opium 4 mins.; water 1 oz. *British Skin.*

Mistura Ferri Perchloridi.

Solution of Perchloride of Iron 15 mins.; Infusion of Quassia to 1 oz. *Royal Free. King's.*

Solution of Perchloride of Iron 15 mins.; Glycerine 18 mins.; Spirit of Chloroform 9 mins.; water to 1 oz. *University.*

Solution of Perchloride of Iron 15 mins.; Spirit of Chloroform 15 mins.; water to 1 oz. *St. Mary's.*

Solution of Perchloride of Iron 15 mins.; Red Mixture to 1 oz. *London.*

Solution of Perchloride of Iron 15 mins.; Sulphate of Magnesia 15 grs.; water 1 oz. *British Skin.*

Solution of Perchloride of Iron 15 mins.; Chloroform Water 3 drms.; Infusion of Quassia to 1 oz. *Charing Cross.*

Solution of Perchloride of Iron 10 mins.; Infusion of Quassia to 1 oz. *Samaritan.*

Solution of Perchloride of Iron 10 mins.; Glycerine 15 mins.; water to 1 oz. Dose 1 oz. *London Ophthalmic.*

Mistura Ferri c. Potassii Chlorate.

Chlorate of Potassium 5 grs.; Tincture of Perchloride of Iron 15 mins.; Chloric Ether 5 mins.; water to 1 oz. *Consumption.*

Mistura Ferri Perchlor. c. Quassiâ.

Solution of Perchloride of Iron 20 mins.; Chloroform Water 2 drms.; Infusion of Quassia to 1 oz. Dose 1 oz. *Throat.*

Mistura Ferri c. Potassii Iodido.

Tartarated Iron 5 grs.; Iodide of Potassium 2½ grs.; Pimento Water to 1 oz. *London.*

Tartarated Iron 8 grs.; Iodide of Potassium 4 grs.; water 1 oz. *Lock.*

Ammonio-Citrate of Iron 10 grs.; Aromatic Spirit of Ammonia 20 mins.; Iodide of Potassium 5 grs.; water to 1 oz. *University.*

Mistura Ferri c. Quassiâ.

Solution of Perchloride of Iron 10 mins.; Infusion of Quassia to 1 oz. *Central Throat.*

Solution of Perchloride of Iron 15 mins.; Spirit of Cinnamon 20 mins.; Infusion of Quassia to 1 oz. *Consumption.*

Tincture of Perchloride of Iron 15 mins.; Spirit of Chloroform 10 mins.; Glycerine ½ drm.; Infusion of Quassia to 1 oz. *St. Mary's.*

Tincture of Perchloride of Iron 15 mins.; Infusion of Quassia to 1 oz. *Guy's.*

Solution of Perchloride of Iron 15 mins.; Infusion of Quassia to 1 oz. *Lock.*

Ammonio-Citrate of Iron 10 grs.; Infusion of Quassia 1 oz. *Charing Cross.*

Mistura Ferri c. Quininæ.

Tincture of Perchloride of Iron 20 mins.; Sulphate of Quinine 1 gr.; Tincture of Nux Vomica 10 mins.; Sulphate of Magnesium 20 grs.; Infusion of Calumba to 1 oz. *King's.*

Mistura Ferri et Quininæ Effervescens.

Ammonio-Citrate of Iron 5 grs.; Sulphate of Quinine 1 gr.; Citric Acid 10 grs.; water 1 oz. To be taken with 10 grs. of Bicarbonate of Sodium. *Consumption.*

Mistura Ferri Salina.

Solution of Perchloride of Iron 24 mins.; Citrate of Potash 22 grs.; Spirit of Chloroform 9 mins.; water to 1 oz. *University.*

Ammonio-Citrate of Iron 5 grs.; Citrate of Potash 20 grs.; Chloroform Water to 1 oz. *London.*

Mistura Ferri c. Strychniâ.

Solution of Strychnia 5 mins.; Mixture of Perchloride of Iron to 1 oz. *London.*

Mistura Ferri Sulph.

Sulphate of Iron 1 gr.; Dil. Sulphuric Acid 5 mins.; Infusion of Quassia 1 oz. *Gt. Northern.*

Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *London.*

Sulphate of Iron 2 grs.; Dil Sulphuric Acid 5 mins.; Infusion of Quassia to 1 oz. *Royal Free.*

Sulphate of Iron 3 grs.; Dil Sulphuric Acid 10 mins.; Pimento Water to 1 oz. *Royal Chest.*

Mistura Ferri Tartarati.

Tartarated Iron 10 grs.; Rectified Spirit of Wine 30 mins.; Simple Syrup 60 mins.; water to 1 oz. *Guy's.*

Mistura Ferri et Valerianæ.

Tincture of Valerian 20 mins.; Ammonio-Citrate of Iron 5 grs.; Pimento Water to 1 oz. *London.*

Mistura Filicis vel Haustus Filicis.

Liquid Extract of Male Fern 30 mins.; Powdered Tragacanth 10 grs.; Peppermint Water to 1 oz. *London Ophthalmic.*

Liquid Extract of Male Fern 60 mins.; Syrup of Ginger 30 mins.; Tincture of Quillaia 30 mins.; water to 1 oz. *Guy's.*

Liquid Extract of Male Fern 1 drm.; Syrup of Ginger ½ drm.; Mucilage of Acacia 1 drm.; Peppermint Water to 1 oz. *St. Mary's.*

Mistura Flava.

Caramel *q.s.*; water 1 oz. *University.*

Tincture of Turmeric 5 mins.; water to 1 oz. *Royal Free.*

Mistura Gelsemini.

Tincture of Gelsemium 10 mins.; Red Mixture to 1 oz. *London.*

Mistura Gentianæ Acida.

Aromatic Sulphuric Acid 10 mins.; Spirit of Chloroform 5 mins.; Compound Infusion of Gentian to 1 oz. *Royal Chest.*

Dil. Hydrochloric Acid 10 mins.; Comp. Tincture of Gentian 30 mins.; Spirit of Chloroform 10 mins.; water to 1 oz. *Samaritan.*

Dil. Hydrochloric Acid 10 mins.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Dil. Sulphuric Acid 10 mins.; Comp. Infusion of Gentian to 1 oz. *London.*

Diluted Nitro-Hydrochloric Acid 12 mins.; Spirit of Chloroform 10 mins.; Comp. Infusion of Gentian 1 oz. *University.*

Mistura Gentianæ c. Acido Nitrico.

Diluted Nitric Acid 10 mins.; Comp. Infusion of Gentian 1 oz. *Gt. Northern.*

Mistura Gentianæ Alkalina.

Bicarbonate of Potassium 10 grs.; Tincture of Ginger 1 min.; Infusion of Rhubarb 1 drm.; Compound Infusion of Gentian to 1 oz. *Royal Chest.*

Bicarbonate of Sodium 10 grs.; Comp. Tincture of Gentian 30 mins.; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *Samaritan.*

Bicarbonate of Sodium 10 grs.; Diluted Hydrocyanic Acid 2½ mins.; Compound Infusion of Gentian 1 oz. *King's.*

Bicarbonate of Sodium 20 grs.; Carbonate of Ammonium 3 grs.; Compound Infusion of Gentian ½ oz. *Central Throat.*

Dil. Hydrocyanic Acid 3 mins.; Bicarbonate of Sodium 15 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Bicarbonate of Soda 15 grs.; Infusion of Gentian 1 oz. *Charing Cross.*

Mistura Gentianæ c. Ammonio.

Carbonate of Ammonium 4 grs.; Bicarbonate of Sodium 10 grs.; Comp. Infusion of Gentian 1 oz. *London Ophthalmic.*

Carbonate of Ammonia 5 grs.; Comp. Infusion of Gentian 1 oz. *Gt. Northern.*

Aromatic Spirit of Ammonia 20 mins.; Bicarbonate of Sodium 10 grs.; Comp. Infusion of Gentian to 1 oz. *Consumption.*

Mistura Gentianæ Cathartica.

Sulphate of Magnesium 60 grs.; Comp. Infusion of Gentian 1 oz. *London. London Ophthalmic.*

Mistura Gentianæ Composita.

Comp. Tincture of Cardamoms 80 mins.; Comp. Infusion of Gentian 4 drms.; Infusion of Senna 4 drms. *Guy's.*

Mistura Gentianæ Comp. c. Nuce Vomica.

Alkaline Gentian Mixture ½ oz.; Tincture of Nux Vomica 5 mins. *Central Throat.*

Mistura Gentianæ c. Rheo.

Infusion of Rhubarb 4 drms.; Comp. Tincture of Gentian 30 mins.; Bicarbonate of Sodium 10 grs.; Spirit of Chloroform 10 mins.; Peppermint Water to 1 oz. *Samaritan.*

Bicarbonate of Sodium 10 grs.; Spirit of Chloroform 10 mins.; Essence of Peppermint 5 mins.; Infusion of Rhubarb ½ oz.; Infusion of Gentian ½ oz. *Gt. Northern.*

Gentian Root 90 grs.; Bitter Orange Peel 30 grs.; Rhubarb Root 20 grs.; Ginger Root 15 grs.; Boiling Water 20 oz. Infuse 2 hours and strain. Dose 1 to 2 oz. *London.*

Mistura Gentianæ c. Sodâ.

Bicarbonate of Sodium 15 grs.; Compound Infusion of Gentian to 1 oz. *St. Thomas's.*

Bicarbonate of Soda 10 grs.; Spirit of Chloroform 15 mins.; Comp. Infusion of Gentian to 1 oz. *Throat.*

Comp. Infusion of Gentian 1 oz.; Bicarbonate of Soda 18 grs. *University.*

Comp. Infusion of Gentian 1 oz.; Bicarbonate of Soda 10 grs. *London.*

Mistura Guaiaci.

Ammoniated Tincture of Guaiacum 30 mins.; Acacia Mixture to 1 oz. *London.*

Mistura Guaiaci Ammoniata.

Ammoniated Tincture of Guaiacum 30 mins.; Mucilage of Acacia 30 mins.; water 1 oz. *Throat.*

Mistura Guaiaci Comp.

Ammoniated Tincture of Guaiacum 30 mins.; Mucilage of Acacia 1 drm.; water to 1 oz. *London Ophthalmic.*

Mistura Gummi Acaciæ.

Nitrate of Potassium 8 grs.; Powdered Gum Acacia 20 grs.; Bicarbonate of Sodium 20 grs.; Cinnamon Water to 1 oz. *Lock.*

Mistura Hæmatoxyli. *See also* Children's.

Lime Water 3 drms.; Decoction of Logwood to 1 oz. *Consumption.*

Mistura Hæmatoxyli c. Catechu.

Tincture of Catechu 40 mins.; Diluted Sulphuric Acid 15 mins.; Decoction of Logwood to 1 oz. *St. Thomas's.*

Mistura Hæmatoxyli Co.

Solution of Lime 3 drms.; Tincture of Catechu 25 mins.; Decoction of Logwood to 1 oz. *Royal Chest.*

Extract of Logwood 10 grs.; Wine of Opium 5 mins.; Ipecacuanha Wine 10 mins.; Chalk Mixture to 1 oz. *Guy's.*

Mistura Hydrargyri Amara.

Solution of Perchloride of Mercury 1 drm.; Comp. Infusion of Gentian to 1 oz. *St. Mary's.*

Mistura Hydrargyri Biniodidi.

Perchloride of Mercury $\frac{1}{16}$ gr.; Iodide of Potassium 3 grs.; Infusion of Quassia to 1 oz. *Lock.*

Mistura Hydrargyri c. Cinchonâ.

Solution of Perchloride of Mercury 1 drm.; Infusion of Yellow Bark to 1 oz. *Samaritan.*

Mistura Hydrargyri c. Ferro.

Solution of Perchloride of Mercury 1 drm.; Solution of Perchloride of Iron 15 mins.; water to 1 oz. *Lock.*

Mistura Hydrargyri Iodidi.

Red Iodide of Mercury $\frac{1}{8}$ gr.; Iodide of Potassium $\frac{1}{2}$ gr.; water 1 oz. *British Skin.*

Corrosive Sublimate $\frac{1}{16}$ gr.; Iodide of Potassium 4 grs.; water to 1 oz. *University.*

Solution of Perchloride of Mercury 1 drm.; Iodide of Potassium 5 grs.; Glycerine 10 mins.; water to 1 oz. *St. Mary's.*

Solution of Perchloride of Mercury 1 drm.; Compound Mixture of Iodine to 1 oz. *Charing Cross.*

Solution of Perchloride of Mercury 1 drm.; Iodide of Potassium 3 grs.; water to 1 oz. *London Ophthalmic.*

Mistura Hydrargyri Perchloridi.

Solution of Perchloride of Mercury 1 drm.; Compound Tincture of Cinchona 30 mins.; Distilled Water to 1 oz. *Royal Chest.*

Perchloride of Mercury $\frac{1}{16}$ gr.; Glycerine 10 mins.; water to 1 oz. *London Ophthalmic.*

Perchloride of Mercury $\frac{1}{12}$ gr.; Rectified Spirit 10 mins.; water to 1 oz. *London.*

Solution of Perchloride of Mercury 1 drm.; Decoction of Cinchona to 1 oz. *King's.*

Solution of Perchloride of Mercury 80 mins.; Infusion of Quassia to 1 oz. *Guy's.*

Solution of Perchloride of Mercury 20 mins. to 1 drm.; Infusion of Quassia to $\frac{1}{2}$ oz. *Central Throat.*

Mistura Hydrargyri Perchloridi Composita.

Iodide of Potassium 5 grs.; Perchloride of Mercury Mixture to 1 oz. *London.*

Mistura Hydrargyri c. Pot. Iod.

Solution of Perchloride of Mercury 1 drm.; Iodide of Potassium 5 grs.; Infusion of Yellow Bark to 1 oz. *Samaritan.*

Mistura Hyoscyami c. Sodio.

Tincture of Henbane 20 mins.; Bicarbonate of Sodium 10 grs.; Mucilage 1 drm.; Chloric Ether 5 mins.; water to 1 oz. *Consumption.*

Mistura Hypophosphitum Composita.

Hypophosphite of Sodium 5 grs.; Hypophosphite of Calcium 5 grs.; Infusion of Quassia $\frac{1}{2}$ oz. *Central Throat.*

Mistura Iodi.

Iodine $\frac{1}{8}$ gr.; Iodide of Potassium 3 grs.; Peppermint Water to 1 oz. *Guy's.*

Tincture of Iodine 5 mins.; Iodide of Potassium $2\frac{1}{2}$ grs.; Peppermint Water to 1 oz. *London.*

Tincture of Iodine 5 mins.; Bicarbonate of Sodium 10 grs.; water 1 oz. *Central Throat.*

Mistura Iodi Co.

Tincture of Iodine 8 mins.; Iodide of Potassium 5 grs.; Cinnamon Water to 1 oz. *Charing Cross.*

Mistura Ipecacuanhæ Ammoniata.

Ipecacuanha Wine 12 mins.; Carbonate of Ammonium 5 grs.; Peppermint Water to 1 oz. *St. Mary's.*

Ipecacuanha Wine 10 mins.; Carbonate of Ammonia 5 grs.; Acacia Mixture to 1 oz. *London.*

Mistura Ipecacuanhæ c. Ammonio.

Ipecacuanha Wine 5 mins.; Carbonate of Ammonium 5 grs.; Camphor Water to 1 oz. *Consumption.*

Mistura Ipecacuanhæ Co.

Ipecacuanha Wine 8 mins.; Solution of Acetate of Ammonium 2 drms.; Camphor Mixture to 1 oz. *Samaritan.*

Ipecacuanha Wine 10 mins.; Compound Tincture of Camphor 20 mins.; Solution of Acetate of Ammonium 3 drms.; Distilled Water to 1 oz. *Royal Chest.*

Ipecacuanha Wine 10 mins.; Carbonate of Ammonia 4 grs.; Bicarbonate of Soda 15 grs.; Compound Tincture of Camphor 15 mins.; Chloroform Water 2 drms.; water to 1 oz. *Charing Cross.*

Wine of Ipecacuanha 15 mins.; Tincture of Squill 7½ mins.; Tincture of Opium 4 mins.; Glycerine 18 mins.; water to 1 oz. *University.*

Mistura Ipecacuanhæ c. Hyoscyamo.

Tincture of Henbane 20 mins.; Spirit of Chloroform 10 mins.; Mixture of Ipecacuanha with Ammonium to 1 oz. *Consumption.*

Mistura Ipecacuanhæ Opiata.

Compound Tincture of Camphor 30 mins.; Wine of Ipecacuanha 10 mins.; Dill Water to 1 oz. *Consumption.*

Mistura Ipecacuanhæ c. Opio.

Ipecacuanha Wine 10 mins.; Tincture of Opium 4 mins.; water to 1 oz. *British Skin.*

Mistura Ipecacuanhæ Salina.

Ipecacuanha Wine 12 mins.; Spirit of Nitrous Ether ½ drm.; Compound Tincture of Camphor 15 mins.; Solution of Acetate of Ammonium 2 drms.; Syrup of Tolu ½ drm.; water to 1 oz. *St. Mary's.*

Mistura Ipecacuanhæ c. Sodio.

Bicarbonate of Sodium 2 grs.; Aromatic Spirit of Ammonia 2 mins.; Ipecacuanha Wine 5 mins.; Peppermint Water to 1 drm. *Consumption.*

Bicarbonate of Sodium 10 grs.; Ipecacuanha Wine 20 mins.; Spirit of Nitrous Ether 15 mins.; Syrup 1 drm.; water to 1 oz. *Gt. Northern.*

Mistura Jalapæ c. Potassæ Nitrate.

Jalap in powder ½ oz.; Nitrate of Potassium in powder ½ oz.; mix. Direction: "To be mixed in a pint-and-a-half bottle of water. Shake well, and take two tablespoonfuls three times a day." *Royal Free.*

Mistura Krameriæ.

Ipecacuanha Wine 20 mins.; Tincture of Catechu 20 mins.; Infusion of Rhatany Root to 1 oz. *Guy's.*

Mistura Liquoris Potassæ.

Solution of Potash 20 mins.; water 1 oz. *British Skin.*

Mistura Lobeliæ.

Ethereal Tincture of Lobelia 15 mins.; Camphor Water to 1 oz. *London.*

Mistura Lobeliæ c. Potassii Iodido.

Iodide of Potassium 5 grs.; Ethereal Tincture of Lobelia 15 mins.; Spirit of Chloroform 10 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Magnes.

Carbonate of Magnesia 15 grs.; water 1 oz. *Guy's.*

Carbonate of Magnesia 15 grs.; Acacia Mixture to 1 oz. *London.*

Mistura Magnes. Composita.

Sulphate of Magnesium 60 grs.; Carbonate of Magnesium 20 grs.; Peppermint Water 1 oz. *Charing Cross. Consumption.*

Mistura Magnes. et Magnes. Sulph.

Carbonate of Magnesia 10 grs.; Sulphate of Magnesia 60 grs.; Peppermint Water 1 oz. *Guy's.*

Carbonate of Magnesium 15 grs.; Sulphate of Magnesium 30 grs.; Peppermint Water 1 oz. *St. Thomas's.*

Mistura Magnes. c. Rheo.

Rhubarb 5 grs.; Carbonate of Magnesia 15 grs.; Peppermint Water to 1 oz. *London.*

Rhubarb 5 grs.; Carbonate of Magnesium 15 grs.; Cinnamon Water 1 oz. *London Ophthalmic.*

Mistura Magnes. c. Sennâ.

Sulphate of Magnesia 120 grs.: Strong Tincture of Ginger 5 mins.; Infusion of Senna to 1 oz. *Charing Cross.*

Mistura Magnes. Sulphatis (Mistura Alba).

Sulphate of Magnesium 60 grs.; Carbonate of Magnesium 15 grs; Peppermint Water 1 oz. *St. Mary's.*

Sulphate of Magnesia 60 grs.; Peppermint Water to 1 oz. *London.*

Mistura Magnes. Sulphatis Acida.

Sulphate of Magnesium 1 drm.; Dil. Sulphuric Acid 10 mins.; Oil of Cloves ½ min.; Distilled Water to 1 oz. *Royal Chest.*

Sulphate of Magnesium 1 drm.; Dil. Sulphuric Acid 10 mins.; Syrup of Red Poppies 30 mins.; Peppermint Water to 1 oz. *Samaritan.*

Mistura Magnes. Sulphatis Comp.

Sulphate of Magnesia 60 grs.; Carbonate of Magnesia 15 grs.; Peppermint Water to 1 oz. *London.*

Mistura Menthæ Sulphurica.

Dil. Sulphuric Acid 15 mins.; Sulphate of Magnesium 1 drm.; Spearmint Water to 1 oz. *Royal Free.*

Mistura Morphinæ c. Acido Hydrocyan. vel Mistura Sedativa.

Hydrochlorate of Morphia ⅙ gr.; Dil. Hydrocyanic Acid 4 mins.; Syrup 1 drm.; Mucilage to 1 oz. Dose ½ to 1 oz. *Consumption.*

Mistura Mucilaginosa.

Almond Oil 10 mins.; Syrup 30 mins.; Mucilage of Acacia 2½ drms.; water to 1 oz. *Guy's.*

Mistura Nucis Vomicæ.

Tincture of Nux Vomica 10 mins.; Comp. Infusion of Gentian 1 oz. *London Ophthalmic.*

Tincture of Nux Vomica 20 mins.; water to 1 oz. *British Skin.*

Mistura Nucis Vomicæ Acida.

Tincture of Nux Vomica $7\frac{1}{2}$ mins.; Diluted Nitric Acid 10 mins.; water to 1 oz. *University.*

Mistura Nucis Vomicæ c. Ammonio.

Tincture of Nux Vomica 5 mins.; Carbonate of Ammonium 1 grs.; Chloric Ether 5 mins.; Infusion of Quassia to 1 oz. *Consumption.*

Tincture of Nux Vomica 5 mins.; Carbonate of Ammonia 1 grs.; Chloroform Water 120 mins.; Infusion of Quassia to 1 oz. *Charing Cross.*

Mistura Olei.

Olive Oil 1 drm.; Mucilage $\frac{1}{2}$ drm. Water to 1 oz. *King's.*

Olive Oil 1 drm.; Solution of Potash 4 mins.; water to 1 oz. *Guy's.*

Mistura Olei Morrhuæ.

Cod-Liver Oil $3\frac{1}{2}$ drms.; Glycerine $\frac{1}{2}$ drm.; Spirit of Ether $\frac{1}{2}$ drm.; Lime Water to 1 oz. *St. Mary's.*

Cod-Liver Oil 30 mins.; Compound Tincture of Gentian 5 mins.; Lime Water to 1 drm. *University.*

Mistura Olei Morrhuæ c. Æthere.

Ether 20 mins.; Cod-Liver Oil to 2 drms. *Charing Cross. Consumption.*

Mistura Olei Morrhuæ et Ferri.

Cod-Liver Oil $\frac{1}{2}$ oz.; Wine of Iron to 1 oz. *St. Mary's.*

Cod-Liver Oil 4 drms.; Tartarated Iron 10 grs.; Solution of Potash 3 mins.; water to 1 oz. *Guy's.*

Mistura Olei Morrhuæ Præparata.

Cod-Liver Oil 6 drms.; Stronger Solution of Ammonia 2 mins.; Oil of Cassia 1 min.; Syrup 2 drms. Dose 2 drms. *Consumption.*

Mistura Olei Ricini. *See also* Children's.

Castor Oil 80 mins.; Oil of Cinnamon 1 min.; Mucilage of Gum Acacia 120 mins.; Syrup 80 mins.; water to 1 oz. *St. Thomas's.*

Castor Oil 40 mins.; Mucilage 2 drms.; Syrup 160 mins.; water to 1 oz. *Gt. Northern.*

Castor Oil 60 mins.; Tincture of Rhubarb 60 mins.; Tincture of Quillaia 20 mins.; Pimento Water to 1 oz. *Guy's.*

Mistura Olei Santali.

Oil of Sandal Wood 15 mins.; Mucilage of Gum Acacia 30 mins.; water to 1 oz. *St. Thomas's.*

Bicarbonate of Potassium 40 grs.; Oil of Sandal Wood 2 drms.; Powdered Acacia 80 grs.; Tincture of Orange 2 drms.; Cinnamon Water to 2 oz. Dose—1 drm.—2 drms. *Lock.*

Mistura Oleosa.

Oil of Almonds 40 mins.; Solution of Potash 5 mins.; Oil of Caraway $\frac{1}{6}$ min.; water to 1 oz. *London.*

Mistura Olibani.

Olibanum 20 grs.; Honey 30 mins.; Barley Water to 1 oz. *Guy's.*

Mistura Opii Acida.

Tincture of Opium 5 mins.; Aromatic Sulphuric Acid 10 mins.; Syrup of Tolu 60 mins.; water to 1 oz. *Guy's.*

Mistura Oxymellis.

Oxymel 3 fl. drms.; Nitrate of Potash 7 grs.; water to 1 oz. *Guy's.*

Mistura Oxymellis Co.

Ipecacuanha Wine 5 mins.; Comp. Tincture of Camphor 20 mins.; Oxymel Mixture to 1 oz. *Guy's.*

Mistura Pareira Composita.

Bicarbonate of Potash 20 grs.; Tincture of Hyoscyamus 30 mins.; Decoction of Pareira to 1 oz. *Guy's.*

Mistura Pectoralis.

Ipecacuanha Wine 15 mins.; Tincture of Opium 3 mins.; Mucilage 2 drms.; water to 1 oz. *Royal Free.*

Mistura Pectoralis Acida.

Vinegar of Squill 10 mins.; Dil. Sulphuric Acid 10 mins.; Spirit of Chloroform 10 mins.; Simple Syrup 1 drm.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Phosphorica.

Hypophosphite of lime 10 grs.; Syrup of Phosphate of Iron ½ drm.; Spirit of Chloroform 10 mins.; Compound Infusion of Gentian to 1 oz. *Royal Chest.*

Mistura Plumbi Acetatis.

Acetate of Lead 2 grs.; Dil. Acetic Acid 15 mins.; water to 1 oz. *Royal Free.*

Acetate of Lead 2 grs.; Vinegar 20 mins.; water to 1 oz. *Consumption.*

Mistura Potassæ.

Solution of Potash 15 mins.; Acacia Mixture to 1 oz. *London.*

Mistura Potass. Acetatis Co.

Acetate of Potassium 15 grs.; Spirit of Juniper 9 mins.; Decoction of Broom to 1 oz. *University.*

Acetate of Potassium 20 grs.; Nitrate of Potassium 5 grs.; Spirit of Nitrous Ether ½ drm.; Vinegar of Squill 10 mins.; Solution of Acetate of Ammonia 2 drms.; Camphor Water to 1 oz. *Royal Chest.*

Acetate of Potash 20 grs.; Tincture of Squill 15 mins.; Spirit of Nitrous Ether 30 mins.; Scoparium Juice 60 mins; water to 1 oz. *Guy's.*

Acetate of Potassium 30 grs.; Spirit of Nitrous Ether 30 mins.; Camphor Water to 1 oz. *Consumption.*

Mistura Potass. Bicarbonatis.

Bicarbonate of Potassium 10 grs.; Nitrate of Potassium 5 grs.; water 1 oz. *Lock.*

Bicarbonate of Potassium 15 grs.; Cinnamon Water to 1 oz. *Royal Free.*

Bicarbonate of Potash 20 grs.; Tincture of Henbane 20 mins.; Camphor Water to 1 oz. *University.*

Bicarbonate of Potash 20 grs.; water 1 oz. *King's.*

Bicarbonate of Potash 20 grs.; Spirit of Chloroform 10 mins.; Red Mixture to 1 oz. *London.*

Bicarbonate of Potash 30 grs.; Peppermint Water 1 oz. *Charing Cross.*

Mistura Potass. Bromidi.

Bromide of Potassium 10 grs.; Syrup of Orange Peel 30 mins.; Cinnamon Water to 1 oz. *Royal Chest.*

Bromide of Potassium 10 grs.; Aromatic Spirit of Ammonia 20 mins.; Camphor Water to 1 oz. *Throat.*

Bromide of Potassium 10 grs.; Camphor Water to 1 oz. *Lock.*

Bromide of Potassium 10 grs.; Spirit of Chloroform 10 mins.; water to 1 oz. *Royal Free.*

Bromide of Potassium 10 grs.; Camphor Water ½ oz. *Central Throat.*

Bromide of Potassium 10 grs.; Camphor Water 3 drms.; water to 1 oz. *British Skin.*

Bromide of Potassium 10 grs.; Carbonate of Ammonium 3 grs.; Peppermint Water to 1 oz. *London Ophthalmic.*

Bromide of Potassium 10 grs.; Red Mixture to 1 oz. *London.*

Bromide of Potassium 15 grs.; Chloride of Ammonium 15 grs.; Solution of Strychnine 3 mins.; Comp. Infusion of Gentian to 1 oz. *Samaritan.*

Bromide of Potassium 20 grs.; Compound Tincture of Cardamoms 10 mins.; Cinnamon Water to 1 oz. *Consumption.*

Bromide of Potassium 20 grs.; Peppermint Water 1 oz. *Charing Cross*

Bromide of Potassium 20 grs.; water 1 oz. *King's.*

Mistura Potass. Bromidi et Iodidi.

Bromide of Potassium 10 grs.; Iodide of Potassium 5 grs.; water to 1 oz. *London.*

Mistura Potassæ c. Calumbâ.

Bicarbonate of Potash 20 grs.; Aromatic Spirit of Ammonia 20 mins.; Spirit of Chloroform 10 mins.; Infusion of Calumba to 1 oz. *London.*

Mistura Potass. Carbonatis c. Hyoscyamo.

Bicarbonate of Potassium 15 grs.; Sulphate of Magnesium 20 grs.; Tincture of Henbane 15 mins.; Mucilage 1 drm.; water to 1 oz. *Great Northern.*

Mistura Potass. Chloratis.

Chlorate of Potassium 10 grs.; Hydrochloric Acid 2 mins.; water 1 oz. *St. Thomas's.*

Chlorate of Potassium 10 grs.; water 1 oz. *Charing Cross. Lock.*

Chlorate of Potash 10 grs.; Decoction of Cinchona 1 oz. *Guy's.*

Chlorate of Potassium 10 grs.; Dil. Hydrochloric Acid 10 mins.; Glycerine 1 drm.; Distilled Water to 1 oz. *Royal Chest.*

Chlorate of Potash 10 grs.; Red Mixture 1 oz. *London.*

Chlorate of Potassium 15 grs.; Dil. Hydrochloric Acid 10 mins.; water to 1 oz. *Royal Free.*

Mistura Potass. Citratis. *See also* Children's.

Citrate of Potassium 20 grs.; water to 1 oz. *St. Thomas's.*

Bicarbonate of Potash 22 grs.; Citric Acid 15 grs.; water to 1 oz. *University.*

Citrate of Potassium 20 grs.; water 1 oz. *London. Guy's. Lock.*

Citrate of Potassium 30 grs.; water to 1 oz. *Royal Free.*

Citrate of Potash 30 grs.; Syrup 30 mins.; water to 1 oz. *Throat.*

Mistura Potass. Citratis Effervescens.

Bicarbonate of Potash 20 grs.; Citric Acid 15 grs.; water 1½ oz. in effervescence. *St. Thomas's.*

Bicarbonate of Potash 20 grs.; water to 1 oz., with ½ oz. Citric Acid Solution in effervescence. *London.*

Mistura Potass. Citratis c. Hyoscyamo.

Citrate of Potassium 15 grs.; Tincture of Hyoscyamus 30 mins.; water to 1 oz. *Lock.*

Mistura Potass. Co.

Acetate of Potash 10 grs.; Bicarbonate of Potash 10 grs.; Nitrate of Potash 5 grs.; water to 1 oz. *London.*

Mistura Potass. Effervescens.

Bicarbonate of Potassium 20 grs.; Citric Acid 15 grs.; water to 1 oz. *Consumption.*

Bicarbonate of Potash 22 grs.; water 1 oz.; Citric Acid 15 grs.; water 1 oz.; dissolve and mix. *University.*

Bicarbonate of Potash 22 grs.; water to 1 oz.; effervescing with 4 drms. Lemon Juice. *Guy's.*

Mistura Potass. c. Hyoscyamo.

Solution of Potash 15 mins.; Tincture of Hyoscyamus 15 mins.; water to 1 oz. *Lock.*

Mistura Potass. Iodidi.

Iodide of Potassium 5 grs.; Comp. Infusion of Gentian 1 oz. *St. Thomas's.*

Iodide of Potassium 10 grs.; Bicarbonate of Potassium 5 grs.; Pimento Water to 1 oz. *Consumption.*

Iodide of Potassium 3 grs.; Infusion of Quassia 1 oz. *University.*

Iodide of Potassium 3 to 20 grs.; Carbonate of Ammonium 3 grs.; Infusion of Quassia ½ oz. *Central Throat.*

Iodide of Potassium 3 grs.; Carbonate of Ammonia 5 grs.; Burnt Sugar 1 min.; Chloroform Water 2 drms.; Infusion of Quassia to 1 oz. *Throat.*

Iodide of Potassium 5 grs.; Red Mixture 1 oz. *London.*

Iodide of Potassium 5 grs.; water 1 oz. *British Skin.*

Iodide of Potassium 5 grs.; Aromatic Spirit of Ammonia 15 mins; Infusion of Quassia 1 oz. *King's.*

Iodide of Potassium 5 grs.; Aromatic Spirit of Ammonia 15 mins.; water 1 oz. *Gt. Northern.*

Iodide of Potassium 5 grs.; Aromatic Spirit of Ammonia 20 mins.; water to 1 oz. *Lock.*

Iodide of Potassium 5 grs.; Carbonate of Ammonium 3 grs.; Comp. Infusion of Gentian to 1 oz. *Samaritan.*

Iodide of Potassium 5 grs.; Carbonate of Ammonium 3 grs.; Compound Tincture of Cinchona 20 mins.; Distilled Water to 1 oz. *Royal Chest.*

Iodide of Potassium 5 grs.; Aromatic Spirit of Ammonia 20 mins.; Comp. Infusion of Gentian 4 drms.; water to 1 oz. *Guy's.*

Iodide of Potassium 5 grs.; Carbonate of Ammonia 3 grs.; Peppermint Water 1 oz. *Charing Cross.*

Iodide of Potassium 5 grs.; Carbonate of Ammonium 3 grs.; Peppermint Water 1 oz. *London Ophthalmic.*

Mistura Potass. Iodidi Alkalina.

Bicarbonate of Potassium 15 grs.; Carbonate of Ammonium 3 grs.; Iodide of Potassium 3 grs.; Camphor Water to 1 oz. *Consumption.*

Mistura Potass. Iodidi Ammoniata.

Iodide of Potassium 5 grs.; Carbonate of Ammonia 4 grs.; Decoction of Cinchona to 1 oz. *London.*

Mistura Potass. Iodidi c. Ferro.

Iodide of Potassium 3 grs.; Bicarbonate of Potassium 15 grs.; Ammonio-Citrate of Iron 15 grs.; Pimento Water to 1 oz. *Consumption.*

Iodide of Potassium 5 grs.; Ammonio-Citrate of Iron 5 grs.; water to 1 oz. *Royal Free.*

Iodide of Potassium 5 grs.; Tartarated Iron 10 grs.; Infusion of Quassia 1 oz. *Gt. Northern.*

Mistura Potass. Iodidi c. Hydrargyro.

Iodide of Potassium 5 grs.; Solution of Perchloride of Mercury 1 drm.; Infusion of Quassia to 1 oz. *Royal Free.*

Mistura Potass. Iodidi c. Stramonio.

Iodide of Potassium 3 grs.; Extract of Stramonium $\frac{1}{4}$ gr.; Extract of Liquorice 2 grs.; Chloric Ether 5 mins.; water to 1 oz. *Consumption.*

Mistura Potass. Liquoris.

Solution of Potash 20 mins.; Compound Tincture of Cardamoms 20 mins.; Caraway Water 4 drms.; water to 1 oz. *Consumption.*

Mistura Potass. Nitratis.

Nitrate of Potash 10 grs.; Camphor Water 1 oz. *Charing Cross.*

Nitrate of Potash 15 grs.; Spirit of Nitrous Ether 15 mins.; Syrup of Lemons 40 mins.; Peppermint Water to 1 oz. *Guy's.*

Mistura Potass. Salicylatis.

Salicylate of Potassium 20 grs.; Peppermint Water 1 oz. *St. Mary's.*

Mistura Potass. Tartratis Effervescens.

Bicarbonate of Potassium 15 grs.; water to $\frac{1}{2}$ oz. (taken whilst effervescing with Tartaric Acid 12 grs., in $\frac{1}{2}$ oz. of water). *London Ophthalmic.*

Bicarbonate of Potash 20 grs.; water to 1 oz. (with $\frac{1}{2}$ oz. Tartaric Acid Solution in effervescence). *London.*

Mistura Quassiæ Acida.

Dil. Nitro-Hydrochloric Acid 10 mins. ; Spirit of Chloroform 10 mins. ; Infusion of Quassia to 1 oz. *Samaritan.*

Mistura Quassiæ c. Ferro.

Ammonio-Citrate of Iron 12 grs. ; Infusion of Quassia 1 oz. *University.*

Tinct. of Perchloride of Iron 10 mins. ; Infusion of Quassia 1 oz. *Gt. Northern.*

Solution of Perchloride of Iron 15 mins. ; Spirit of Chloroform 10 mins. ; Infusion of Quassia to 1 oz. *London.*

Mistura Quininæ.

Sulphate of Quinine 1 gr. ; Dil. Sulphuric Acid 2 mins. ; water to 1 oz. *British Skin. Royal Chest.*

Sulphate of Quinine 2 grs. ; Dil. Sulphuric Acid 5 mins. ; Chloroform Water to 1 oz. *Samaritan.*

Sulphate of Quinia 1 gr. ; Dil. Sulphuric Acid 2½ mins. ; water 1 oz. *London. Throat.*

Sulphate of Quinine 1 to 5 grs. ; Diluted Sulphuric Acid 2 to 10 mins. ; Chloroform Water to ½ oz. *Central Throat.*

Sulphate of Quinine 1 gr. ; Dil. Sulphuric Acid 5 mins. ; water 1 oz. *King's. London Ophthalmic. Royal Free.*

Sulphate of Quinia 2 grs. ; Dil. Sulphuric Acid 2 mins. ; Comp. Tincture of Cardamoms 10 mins. ; water to 1 oz. *St. Thomas's.*

Sulphate of Quinine 2 grs. ; Dil. Sulphuric Acid 2 mins. ; water 1 oz. *University. Lock.*

Sulphate of Quinine 2 grs. ; Dil. Sulphuric Acid 5 mins. ; water to 1 oz. *Consumption.*

Sulphate of Quinia 2 grs. ; Dil. Sulphuric Acid 4 mins. ; Tincture of Orange Peel 10 mins. ; Simple Syrup 30 mins. ; water to 1 oz. *Guy's.*

Sulphate of Quinine 1 gr. ; Dil. Sulphuric Acid 5 mins. ; water 1 oz. *Gt. Northern.*

Mistura Quininæ Acida.

Sulphate of Quinine 1 gr. ; Dil. Nitro-Hydrochloric Acid 10 mins. ; Cinnamon Water 4 drms. ; water to 1 oz. *Consumption.*

Mistura Quininæ Alkalina.

Sulphate of Quinine 1 gr.; Carbonate of Ammonium 2 grs.; Bicarbonate of Potassium 20 grs.; Tragacanth 4 grs.; Chloroform Water 1 oz. *King's.*

Sulphate of Quinia 1 gr.; Carbonate of Ammonia 2 grs.; Bicarbonate of Potash 20 grs.; Tragacanth 4 grs.; Chloroform Water 2 drms.; water to 1 oz. *Charing Cross.*

Mistura Quininæ c. Acido Hydrobromico.

Sulphate of Quinia 1 gr.; Hydrobromic Acid, medicinal, 30 mins.; water to 1 oz. *London.*

Mistura Quininæ c. Cascarillâ.

Quinine Mixture ½ oz.; Infusion of Cascarilla to 1 oz. *Consumption.*

Mistura Quininæ Cathartica.

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid 5 mins.; Sulphate of Magnesium 60 grs.; water 1 oz. For a dose. *London Ophthalmic.*

Sulphate of Magnesia 60 grs.; Quinine Mixture to 1 oz. *London.*

Mistura Quininæ c. Ferro.

Sulphate of Quinine 1 gr.; Dil. Sulphuric Acid 5 mins.; Sulphate of Iron 1 gr.; water to 1 oz. *London Ophthalmic. Gt. Northern.*

Sulphate of Quinine 1 gr.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 5 mins.; water to 1 oz. *Royal Chest.*

Sulphate of Quinine 1 gr.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 3 mins.; Distilled Water to 1 oz. *Royal Free.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 5 mins.; Chloroform Water 3 drms.; water to 1 oz. *Charing Cross.*

Sulphate of Quinia 1 gr.; Sulphate of Iron 2 grs.; Dil. Sulphuric Acid 1 min.; water to 1 oz. *University.*

Quinine Mixture ½ oz.; Sulphate of Iron 1 gr.; water to 1 oz. *Consumption.*

Sulphate of Quinine 2 grs; Iron Mixture to 1 oz. *Lock.*

Sulphate of Quinia 2 grs.; Dil. Sulphuric Acid 2 mins.; Sulphate of Iron 2 grs.; water 1 oz. *St. Thomas's.*

Mistura Quininæ c. Potassii Iodido.

Sulphate of Quinine 1 gr. ; Iodide of Potassium 5 grs. ; Dil. Sulphuric Acid $1\frac{1}{2}$ min. ; Distilled Water to 1 oz. *Royal Chest.*

Mistura Quininæ Sulphatis. *See* Mist. Quininæ.

Mistura Quininæ c. Valerianâ.

Tincture of Valerian 30 mins. ; Chloric Ether 10 mins. ; Quinine Mixture to 1 oz. *Consumption.*

Mistura Rhei Ammoniata.

Rhubarb 4 grs. ; Carbonate of Ammonia 2 grs. ; Infusion of Quassia $\frac{1}{2}$ oz. ; Peppermint Water to 1 oz. *King's.*

Mistura Rhei Ammoniata c. Sodâ.

Rhubarb 4 grs. ; Carbonate of Ammonium 3 grs. ; Bicarbonate of Sodium 10 grs. ; Peppermint Water to 1 oz. *Royal Chest.*

Mistura Rhei Aromatica.

Rhubarb Root, in powder, 5 grs. ; Compound Cinnamon Powder 8 grs. ; water to 1 oz. *Royal Free.*

Mistura Rhei c. Calumbâ.

Rhubarb 5 grs. ; Bicarbonate of Soda 10 grs. ; Aromatic Spirit of Ammonia 30 mins. ; Infusion of Calumba to 1 oz. *London.*

Mistura Rhei Co.

Rhubarb 3 grs. ; Bicarbonate of Sodium 10 grs. ; Carbonate of Ammonium 3 grs. ; Ginger 3 grs. ; Sulphate of Magnesium 10 grs. ; Peppermint Water to $\frac{1}{2}$ oz. *Central Throat.*

Rhubarb Powder 5 grs. ; Calumba 10 grs. ; Bicarbonate of Soda 10 grs. ; Peppermint Water 1 oz. *Guy's.*

Rhubarb 8 grs. ; Carbonate of Magnesia 15 grs. ; Bicarbonate of Soda 10 grs. ; Ipecacuanha $\frac{1}{4}$ gr. ; Peppermint Water 1 oz. *Charing Cross.*

Mistura Rhei c. Magnesio.

Rhubarb 15 grs. ; Carbonate of Magnesium 30 grs. ; Aromatic Spirit of Ammonia 30 mins. ; Pimento Water to 1 oz. *Consumption.*

Rhubarb $7\frac{1}{2}$ grs. ; Carbonate of Magnesia 15 grs. ; Tincture of Ginger 30 min. ; Peppermint Water to 1 oz. *University.*

Mistura Rhei et Magnesiæ.

Tincture of Rhubarb 1 drm.; Carbonate of Magnesium 15 grs.; Solution of Ammonia 6 mins.; Caraway Water to 1 oz. *St. Mary's.*

Mistura Rhei c. Potassâ.

Carbonate of Ammonia 3 grs.; Comp. Rhubarb Mixture ½ oz.; Bicarbonate of Potash Mixture to 1 oz. *Charing Cross.*

Mistura Rhei c. Sodâ.

Tincture of Rhubarb 30 mins.; Bicarbonate of Sodium 15 grs.; Peppermint Water to 1 oz. *St. Thomas's.*

Rhubarb 10 grs.; Bicarbonate of Sodium 15 grs.; Tincture of Ginger 10 mins.; Strong Solution of Ammonia 2 mins.; Peppermint Water to 1 oz. *Consumption.*

Mistura Rosæ Laxativa.

Sulphate of Magnesia 40 grs.; Pimento Water 2 drms.; Acid Infusion of Roses to 1 oz. *Guy's.*

Mistura Rubra.

Red Solution 20 mins.; Acacia Mixture to 1 oz. *London.*

Caramel 3 grs.; water to 1oz. *Royal Free.*

Mistura Salina.

Solution of Acetate of Ammonium ½ oz.; water ½ oz. *Royal Free.*

Solution of Acetate of Ammonia 2 drms.; water to 1 oz. *London.*

Solution of Acetate of Ammonia 2 drms.; Caramel 1 min.; water 1 oz. *Throat.*

Solution of Acetate of Ammonium 3 drms.; Nitrate of Potassium 10 grs.; Spirit of Nitrous Ether 30 mins.; water to 1 oz. *St. Thomas's.*

Nitrate of Potassium 10 grs.; Spirit of Nitrous Ether 20 mins.; Burnt Sugar 5 min.; Camphor Water to ½ oz. *Central Throat.*

Citrate of Potassium ½ drm.; Spirit of Nitrous Ether ½ drm.; Solution of Acetate of Ammonium 2 drms.; Camphor Water to 1 oz. *St. Mary's.*

Bicarbonate of Sodium 10 grs.; Tartarated Soda 20 grs.; water 1 oz. *Gt. Northern.*

Nitrate of Potash 10 grs.; Treacle 10 grs.; water 1 oz. *British Skin.*

Mistura Salina Anodyna.

Saline Mixture 1 oz.; Tincture of Opium 10 mins. *St. Thomas's.*

Saline Mixture 1 oz.; Tincture of Opium 5 mins. *London.*

Mistura Salina Antimonialis.

Antimonial Wine, 5 to 15 mins.; Saline Mixture to ½ oz. *Central Throat.*

Antimonial Wine 20 mins.; Spirit of Nitrous Ether 30 mins.; Saline Mixture to 1 oz. *London.*

Mistura Salina Aperiens.

Sulphate of Magnesia 1 drm.; Carbonate of Magnesia 9 grs.; Peppermint Water to 1 oz. *University.*

Sulphate of Magnesium 1 drm.; Compound Mixture of Senna ½ oz.; water ½ oz. *Lock.*

Sulphate of Magnesium 1 drm.; Solution of Acetate of Ammonium ½ oz.; Citric Acid 2 grs.; Distilled Water to 1 oz. *Royal Free.*

Sulphate of Magnesia 20 grs.; Saline Mixture to 1 oz. *London.*

Sulphate of Magnesium ½ drm.; Saline Mixture ½ oz. *Central Throat.*

Sulphate of Magnesia 30 grs.; Caramel 1 min.; water to 1 oz. *Throat.*

Mistura Salina Aperiens Fortior.

Sulphate of Magnesia 3 drms.; Carbonate of Magnesia 30 grs.; Peppermint Water to 1 oz. *University.*

Mistura Salina Aromatica.

Aromatic Spirit of Ammonia 15 mins.; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonium ½ oz.; water to 1 oz. *Royal Free.*

Mistura Salina Co.

Solution of Acetate of Ammonium 2 drms.; Nitrate of Potassium 5 grs.; Spirit of Nitrous Ether 30 mins.; water to 1 oz. *Consumption.*

Nitrate of Potash 5 grs.; Compound Tincture of Camphor 10 mins.; Spirit of Chloroform 10 mins.; Red Mixture to 1 oz. *London.*

Mistura Salina c. Ferro.

Solution of Perchloride of Iron 10 mins. Saline Mixture to ½ oz. *Central Throat.*

Mistura Salina Laxans.

Sulphate of Magnesium 30 grs.; Citrate of Potassium 20 grs.; Tincture of Henbane 15 mins.; water to 1 oz. *St. Thomas's*

Mistura Salina Pot. Tart.

Tartrate of Potash 30 grs.; Comp. Tragacanth Powder 5 grs.; water to 1 oz. *London.*

Mistura Sanguinis Exsicatti.

Defibrinated Bullock's Blood Desiccated 60 grs.; Brandy 80 mins.; Glycerine 80 mins.; Distilled Water at 100° F. to 1 oz. *London.*

Mistura Sarsæ.

Liquid Extract of Sarsaparilla 2 drms.; water to 1 oz. *British Skin.*

Mistura Scillæ.

Vinegar of Squill 40 mins.; Pimento Water to 1 oz. *London.*

Tincture of Squill 15 mins; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonium 2 drms; Syrup of Lemons 20 mins.; Distilled Water to 1 oz. *Royal Chest.*

Mistura Scillæ Co

Oxymel of Squill 30 mins.; Comp. Tincture of Camphor 15 mins.; Spirit of Nitrous Ether 20 mins.; Camphor Water to 1 oz. *St. Mary's.*

Tincture of Squill 10 mins.; Comp. Tincture of Camphor 20 mins.; Syrup of Tolu 20 mins.; Infusion of Cascarilla to 1 oz. *Samaritan.*

Tincture of Squill 15 mins.; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonium 1 drm.; water to 1 oz. *London Ophthalmic.*

Tincture of Squill 20 mins.; Comp. Tincture of Camphor 30 mins.; Spirit of Nitrous Ether 30 mins.; Solution of Acetate of Ammonium 2 drms.; Camphor Water to 1 oz. *Consumption.*

Vinegar of Squill 15 mins.; Vinegar of Ipecacuanha 5 mins; Compound Tincture of Camphor 20 mins.; water to 1 oz. *Throat.*

Mistura Scillæ c. Conio.

Tincture of Squill 10 mins.; Solution of Potash 15 mins.; Juice of Hemlock 30 mins.; Camphor Water to 1 oz. *Consumption.*

Tincture of Squill 5 mins.; Solution of Potash 15 mins.; Juice of Hemlock 30 mins.; water to 1 oz. *British Skin.*

Mistura Scillæ Fort. c. Ferro.

Tincture of Perchloride of Iron 15 mins.; Compound Tincture of Camphor 30 mins.; Oxymel of Squill ½ drm.; Spirit of Nitrous Ether 20 mins; Camphor Water to 1 oz. *St. Mary's.*

Mistura Scillæ c Ipecacuanhâ.

Citrate of Potassium 15 grs.; Solution of Acetate of Ammonium 2 drms.; Tincture of Squill 20 mins.; Ipecacuanha Wine 5 mins.; Anise Water to 1 oz. *Consumption.*

Mistura Scoparii Co. (*See also* Mistura Diuretica).

Acetate of Potassium 20 grs.; Tincture of Squill 15 mins.; Spirit of Nitrous Ether 30 mins.; Spirit of Chloroform 10 mins.; Decoction of Broom to 1 oz. *Royal Chest.*

Acetate of Potassium 20 grs.; Nitrate of Potassium 10 grs.; Spirit of Nitrous Ether 30 mins.; Spirit of Juniper 30 mins.; Decoction of Broom to 1 oz. *Consumption.*

Tartrate of Potassium 1 drm.; Nitrate of Potassium 5 grs.; Tincture of Henbane 15 mins.; Decoction of Broom to 1 oz. *St. Thomas's.*

Acid Tartrate of Potash 30 grs.; Spirit of Nitrous Ether 30 mins.; Spirit of Juniper 30 mins.; Decoction of Broom to 1 oz. *London.*

Mistura Senegæ.

Carbonate of Ammonia 5 grs.; Tincture of Senega 30 mins.; Infusion of Senega ½ oz.; water to 1 oz. *Guy's.*

Mistura Senegæ Acida c. Æthere.

Dil. Sulphuric Acid 5 mins.; Spirit of Ether 30 mins.; Vinegar of Squill 20 mins.; Infusion of Senega to 1 oz. *Royal Chest.*

Mistura Senegæ c. Ammoniâ.

Carbonate of Ammonia 4 grs.; Spirit of Ether 10 mins.; Infusion of Senega 1 oz. *Throat.*

Mistura Senegæ Ammoniata.

Carbonate of Ammonium 5 grs.; Tincture of Squill 20 mins.; Infusion of Senega to 1 oz. *Royal Chest.*

Mistura Senegæ Co.

Carbonate of Ammonium 3 grs.; Ipecacuanha Wine 8 mins.; Syrup of Tolu 20 mins.; Solution of Acetate of Ammonium 2 drms.; Infusion of Senega to 1 oz. *Samaritan.*

Carbonate of Ammonia 4 grs.; Tincture of Squill 20 mins.; Spirit of Chloroform 8 mins.; Infusion of Senega to 1 oz. *Charing Cross.*

Carbonate of Ammonium 5 grs.; Tincture of Squill 20 mins.; Infusion of Senega to 1 oz. *Consumption.*

Carbonate of Ammonia 5 grs.; Spirit of Ether 15 mins.; Tincture of Squill 20 mins.; Infusion of Senega to 1 oz. *London.*

Carbonate of Ammonium 5 grs.; Spirit of Chloroform 10 mins.; Spirit of Ether 15 mins.; Infusion of Senega to 1 oz. *St. Mary's.*

Mistura Sennæ vel Haustus Niger.

Sulphate of Magnesia 1 drm.; Infusion of Senna 1 oz. *Guy's.*

Mistura Sennæ Co. (Nigra).

Sulphate of Magnesium 120 grs.; Tincture of Senna 2 drms.; Compound Tincture of Cardamoms 30 mins.; Infusion of Senna to 1 oz. *London Ophthalmic.*

Mistura Sevi.

Mutton Suet in slices 1 oz.; water 4 oz.: boil 10 minutes, and strain; then add bruised Cinnamon 1 drm., Sugar 1 oz., New Milk 16 oz.; boil again for 10 minutes, and strain. Dose 4 to 8 oz. *Guy's.*

Mistura Sodii e. Æthere Chlorico.

Bicarbonate of Sodium 10 grs.; Chloride of Sodium 3 grs.; Chloric Æther 5 mins.; Anise Water to 1 oz. *Consumption.*

Mistura Sodii Bicarbonatis et Calumbæ.

Bicarbonate of Soda 10 grs.; Infusion of Calumba 1 oz. *Gt. Northern.*

Mistura Sodæ Composita.

Gentian Root 5 grs.; Rhubarb Root 1 gr.; Ginger 1 gr.; Bicarbonate of Sodium 10 grs.; Water to 1 oz. Macerate for 24 hours, and make up with water to 1 oz. *St. Thomas's.*

Mistura Sodii Effervescens.

Bicarbonate of Sodium 18 grs.; Water to 1 oz.; Citric Acid 15 grs. *Samaritan.*

Bicarbonate of Sodium 20 grs.; Citric Acid 15 grs.; water to 1 oz. *Consumption.*

Mistura Sodæ Hypophosphitis.

Hypophosphite of Soda 5 grs.; water 1 oz. *Throat.*

Mistura Sodii et Pot. Tart.

Tartarated Soda 90 grs.; Tartrate of Potassium 60 grs.; Tincture of Senna 1 drm.; water to 1 oz. Dose 1 to 1½ oz. *Consumption.*

Mistura Sodæ e. Rheo.

Bicarbonate of Soda 10 grs.; Tincture of Nux Vomica 10 mins.; Chloroform 1 min.; Infusion of Rhubarb ½ oz.; Compound Infusion of Gentian to 1 oz. *Throat.*

Mistura Sodii Salicylatis.

Salicylate of Sodium 10 grs.; Peppermint Water 1 oz. *Gt. Northern. London.*

Salicylate of Sodium 15 grs.; Peppermint Water 1 oz. *London Ophthalmic.*

Salicylate of Sodium 15 grs.; Spirit of Chloroform 10 mins.; Solution of Acetate of Ammonium 2 drms.; water to 1 oz. *Samaritan.*

Salicylate of Sodium 15 grs.; water 1 oz. *Charing Cross.*

Salicylate of Sodium 20 grs.; Peppermint Water 1 oz. *Consumption.*

Salicylate of Sodium 20 grs.; Glycerine 20 mins.; water to 1 oz. *St. Mary's.*

Mistura Sodii Salicylatis Composita.

Salicylate of Sodium 7 grs.; Chlorate of Potassium 5 grs.; Tincture of Cinchona 1 drm.; water to ½ oz. *Central Throat.*

Mistura Sodii Sulphitis.

Sulphite of Sodium 20 grs.; Spirit of Chloroform 10 mins.; Infusion of Calumba to 1 oz. *Royal Chest.*

Sulphite of Soda 20 grs.; Cassia Water to 1 oz. *London.*

Mistura Sodii Sulphocarbolatis.

Sulphocarbolate of Sodium 15 grs.; Compound Tincture of Cardamoms 20 mins.; Camphor Water to 1 oz. *Royal Chest.*

Sulphocarbolate of Soda 20 grs.; Cassia Water to 1 oz. *London.*

Mistura Solvens.

Chloride of Ammonium 30 grs.; Liquid Extract of Liquorice 30 mins.; water to 1 oz. *Throat.*

Mistura Spiritus Vini Gallici.

Brandy 2 oz.; Water 2 oz.; Yolk of 1 Egg; Sugar ½ oz. *London.*

Mistura Stomachica.

Rhubarb 1¼ gr.; Ginger ¾ gr.; Gentian 4½ grs.; Bicarbonate of Sodium 9 grs.; cold water 1 oz.; macerate for 24 hours. *City Chest.*

Rhubarb 20 grs.; Gentian 90 grs.; Bitter Orange Peel 30 grs.; Ginger 15 grs. (all bruised); boiling water 20 oz.; Infuse 2 hours, when cold add Chloroform 20 mins. *Throat.*

Rhubarb Root sliced 40 grs.; Gentian Root sliced 3 drms.; Ginger sliced ½ drm.; boiling water 20 oz.; macerate for 4 hours, strain, and add Bicarbonate of Sodium ½ oz. Dose 1 to 2 oz. *Royal Free.*

Rhubarb sliced 1½ oz.; Gentian sliced 6 oz.; Ginger bruised 1 oz.; Bicarbonate of Sodium 8 oz.; boiling water 4 gals.; macerate for 4 hours and strain. Dose 1 to 1½ oz. *Gt. Northern.*

Mistura Stramonii Ætheris et Opii.

Tincture of Stramonium ½ drm.; Spirit of Ether 20 mins.; Tincture of Opium 3 mins.; Camphor Water to 1 oz. *Royal Chest.*

Mistura Strychninæ Acida.

Solution of Hydrochlorate of Strychnine 3 mins.; Diluted Nitro-hydrochloric Acid 15 mins; Compound Infusion of Gentian to 1 oz. *St. Thomas's.*

Mistura Strychninæ.

Liquor Strychninæ 1 mins. ; Infusion of Gentian to 1 oz. *St. Mary's.*

Liquor Strychninæ 3 mins. ; Diluted Phosphoric Acid 10 mins. ; Syrup of Ginger ½ drm. ; water to 1 oz. *Royal Chest.*

Liquor Strychninæ 5 mins. ; Dil. Hydrochloric Acid 10 mins, ; Infusion of Chiretta to 1 oz. *Charing Cross.*

Mistura Strychninæ c. Ferro.

Citrate of Iron and Quinine 5 grs. ; Liquor Strychninæ 3 mins. ; Spirit of Chloroform 10 mins. ; Infusion of Calumba to 1 oz. *Royal Chest.*

Liquor Strychninæ 5 mins. ; Dil. Nitro-hydrochloric Acid 10 mins. ; Liquor Ferri Perchloridi 10 mins. ; Chloroform Water ½ oz. ; water to 1 oz. *Charing Cross.*

Mistura Taraxaci.

Juice of Taraxacum 1 drm. ; Dil. Nitro-hydrochloric Acid 10 mins. ; Tincture of Hop 30 mins. ; water to 1 oz. *Consumption.*

Juice of Taraxacum 1 drm. ; Dil. Nitro-hydrochloric Acid 5 mins. ; water to 1 oz. *British Skin.*

Mistura Taraxaci Acida.

Juice of Dandelion 1 drm. ; Dil. Nitro-hydrochloric Acid 10 mins. ; Tincture of Calumba 24 mins. ; Infusion of Calumba to 1 oz. *University.*

Mistura Terebenæ.

Pure Terebine 5 mins. ; Tincture of Quillaia 5 mins. ; Chloroform Water ½ oz. *Central Throat.*

Mistura Terebinthinæ.

Oil of Turpentine 10 mins. ; Tincture of Quillaia 10 mins. ; Cassia Water to 1 oz. *London.*

Oil of Turpentine 10 mins. ; Mucilage 60 mins. ; Peppermint Water to 1 oz. *St. Mary's.*

Oil of Turpentine 20 mins. ; Mucilage of Acacia 2 drms. ; Cinnamon Water to 1 oz. *Royal Chest.*

Oil of Turpentine 20 mins. ; Mucilage 3 drms. ; Cinnamon Water to 1 oz. *Consumption.*

Oil of Turpentine 20 mins. Tincture of Quillaia 20 mins. ; Tincture of Lemon Peel 30 mins. ; water to 1 oz. *Guy's.*

Mistura Terebinthinæ Chiæ.

Etherial Solution of Chian Turpentine 15 mins.; Comp. Powder of Tragacanth 10 grs.; Sublimed Sulphur 2½ grs.; Syrup 30 mins.; water to 1 oz. *London.*

Mistura Terebinthinæ et Guaiaci.

Compound Tincture of Benzoin 15 mins.; Guaiacum Mixture ½ oz.; Turpentine Mixture to 1 oz. *London.*

Mistura Tinct. Camph. Co.

Comp. Tincture of Camphor 15 mins.; Ipecacuanha Wine 3 mins.; Tincture of Henbane 12 mins.; water to 1 oz. *University.*

Mistura Tolutana.

Tincture of Tolu 10 mins.; Comp. Tincture of Camphor 30 mins.; Mucilage 30 mins.; Anise Water to 1 oz. *Consumption.*

Tincture of Tolu 10 mins.; Comp. Tincture of Camphor 20 mins.; Mucilage of Acacia 30 mins; Anise Water to 1 oz. *Charing Cross.*

Mistura Tragacanthæ Co.

Comp. Powder of Tragacanth 15 grs.; Chloric Ether 10 mins.; water to 1 oz. *Consumption.*

Mistura pro Tussi.

Nitrate of Potassium 4 grs.; Spirit of Nitrous Ether ½ drm.; Tincture of Opium 4 mins.; Vinegar of Squill 15 mins.; Treacle 15 grs.; water to 1 oz. *Royal Free.*

Mistura Uvæ-Ursi.

Powdered Bearberry Leaves 10 grs.; Bicarbonate of Soda 10 grs.; Acacia Mixture to 1 oz. *London.*

Mistura Valerianæ.

Ammoniated Tincture of Valerian 30 mins.; Tincture of Hyoscyamus 30 mins.; Spirit of Chloroform 15 mins.; Camphor Mixture to 1 oz. *Samaritan.*

Ammoniated Tincture of Valerian 30 mins.; Camphor Water to 1 oz. *London.*

Mistura Valerianæ Co.

Ammoniated Tincture of Valerian 30 mins., Fetid Spirit of Ammonia 20 mins.; Camphor Water to 1 oz. *Royal Chest.*

Ammoniated Tincture of Valerian 30 mins.; Oil of Cajeput 2 mins.; Camphor Water to 1 oz. *Consumption.*

Mistura Zinci Sulphatis.

Sulphate of Zinc 1 gr.; water 1 oz. *British Skin.*

NEBULÆ.—(Spray Solutions.)

Aqua Acidi Carbolici Pulverisata.

(Carbolic Acid Spray.)

Carbolic Acid, No. 2 Calvert, 3 grs.; hot water 2 fl. drms. Dissolve and add water to 1 fl. oz. Mix. To be used with a Siegle's Spray Producer. *London. Royal Chest.*

Aqua Acidi Sulphurosi Pulverisata.

(Sulphurous Acid Spray.)

Sulphurous Acid 10 min.; water to 1 fl. oz. Mix. To be used with a Siegle's Spray Producer. *London.*

Aqua Acidi Tannici Pulverisata.

(Tannic Acid Spray.)

Tannic Acid 10 grs.; water 1 fl. oz. Mix. To be used with a Siegle's Spray Producer. *London. Royal Chest.*

Aqua Ammonii Chloridi Pulverisata.

(Chloride of Ammonium Spray.)

Chloride of Ammonium 10 grs.; Distilled Water 1 fl. oz. Mix. To be used with a Siegle's Spray Producer. *London.*

Aqua Ferri Perchloridi Pulverisata.

(Perchloride of Iron Spray.)

Perchloride of Iron, Crystallised, 3 grs.; water 1 fl. oz. Mix. To be used with a Siegle's Spray Producer. *London.*

Aqua Thymol Pulverisata.

(Thymol Spray.)

The same as the Thymol Lotion 1 in 1,000. To be used with a Siegle's Spray Producer. *London.*

Aqua Zinci Chloridi Pulverisata.

(Chloride of Zinc Spray.)

Chloride of Zinc 2 grs.; Distilled water 1 fl. oz. Mix. To be used with a Siegle's Spray Producer. *London.*

Nebula Acidi Carbolici.

Carbolic Acid 3 grs.; Distilled Water 1 oz. Stimulant and antiseptic. *Throat. Central Throat. Royal Chest.*

Nebula Acidi Hydrocyanici.

Diluted Hydrocyanic Acid ½ drm.; Distilled Water to 1 oz. *Central Throat.*

Nebula Acidi Lactici.

Lactic Acid 1 to 2 drms.; Distilled Water to 1 oz. *Central Throat.*

Lactic Acid U.S.P. 30 mins.; Distilled Water to 1 oz. This remedy has been found of great service in diphtheria; it appears to have the effect of dissolving the membranous exudation. *Throat.*

Nebula Acidi Sulphurosi.

Sulphurous Acid ½ drm.; water 1 drm. *St. Mary's.*

Sulphurous Acid 40 to 60 mins. to be used at a time. Stimulant and antiseptic. *Throat.*

Note.—It should be inhaled very slowly.

Nebula Acidi Tannici.

Tannic Acid 5 grs.; water 1 oz. *St. Mary's.*

Tannic Acid 3 grs.; water 1 oz. *Westminster.*

Tannic Acid 5 grs.; Distilled Water 1 oz. Astringent. *Throat.*

Nebula Alkalina.

Bicarbonate of Sodium 15 grs.; Borax 15 grs.; Carbolic Acid 1 grs.; Glycerine 1 drm.; water 1 oz. *St. Mary's.*

Bicarbonate of Sodium 8 grs.; Borax 8 grs.; Distilled Water 1 oz. *Central Throat.*

Bicarbonate of Soda 15 grs.; Borax 15 grs.; Carbolic Acid 4 grs.; Glycerine 45 mins.; water to 1 oz. For use as a nasal spray. *Throat.*

Nebula Aluminii Chloridi.

Solution of Chloride of Aluminium 3 mins.; Distilled Water to 1 oz. Astringent and antiseptic. *Throat.*

Nebula Aluminis.

Alum 10 grs.; Distilled Water 1 oz. *Royal Chest.*

Alum 8 grs.; Distilled Water 1 oz. Astringent. *Throat.*

Nebula Calcis.

Lime Water, a sufficient quantity. A resolvent in cases of diphtheria. *Throat. Central Throat.*

Nebula Cocainæ.

Hydrochlorate of Cocaine 48 grs.; Saturated Solution of Boracic Acid 1 oz. *Central Throat.*

Nebula Cupri Sulphatis.

Sulphate of Copper 10 grs.; Distilled Water 1 oz. *Central Throat.*

Nebula Ferro-Aluminis.

Iron Alum 3 grs.; Distilled Water 1 oz. Astringent. *Throat.*

Nebula Ferri Perchloridi.

Perchloride of Iron 3 grs.; Distilled Water 1 oz. Astringent. *Royal Chest. Throat. Westminster.*

Nebula Ferri Sulphatis.

Sulphate of Iron 4 grs.; Distilled Water 1 oz. *Royal Chest.*

Sulphate of Iron 2 grs.; Distilled Water 1 oz. Astringent. *Throat.*

Nebula Iodi c. Acido Tannico.

Tincture of Iodine 3 mins.; Glycerine of Tannic Acid 12 mins.; Distilled Water to 1 oz. For a nasal spray, to be used night and morning. *Throat.*

Nebula Iodi Composita.

Tincture of Iodine 4 mins.; Glycerine of Tannic Acid 12 mins.; water to 1 oz. *St. Mary's.*

Nebula Iodoformi.

Iodoform 40 grs.; Ether, S.G. ·735 1 oz. Strongly antiseptic and detergent. *Throat.*

Nebula Menthol.

Menthol 3 drms.; Olive Oil 2 oz. *Central Throat.*

Nebula Morphinæ.

Solution of Bimeconate of Morphine, 20 mins.; water 1 oz. *Central Throat.*

Nebula Potassii Bromidi.

Bromide of Potassium 20 grs.; Water 1 oz. Sedative. *Throat.*

Nebula Potassii Chloratis.

Chlorate of Potassium 10 grs.; water 1 oz. *Central Throat.*

Chlorate of Potassium 20 grs.; Water 1 oz. Detergent. *Throat. St. Mary's.*

Nebula Potassii Permanganatis.

Permanganate of Potassium 5 grs.; Distilled Water 1 oz. Antiseptic. *Throat. Royal Chest.*

Nebula Sodæ Benzoatis.

Benzoate of Soda 20 grs.; Water 1 oz. Antiseptic. *Throat.*

Nebula Sodii Chloridi.

Chloride of Sodium 5 grs.; Distilled Water 1 oz. Stimulant. *Throat.*

Nebula Sodii Salicylatis.

Salicylate of Sodium 20 grs.; Water 1 oz. Useful in diphtheria. *Throat. Central Throat.*

Nebula Terebenæ Puræ.

Pure Terebene 1 drm.; Oil of Cubebs 1 drm.; Sandal Wood Oil 1 drm.; Olei Petrolinæ (*i.e.* Olei Deelinæ) 3 drs. *Westminster.*

Nebula Zinci Chloridi.

Chloride of Zinc 10 grs.; Hydrochloric Acid 1 min.; Distilled Water 1 oz. *Central Throat.*

Chloride of Zinc 2 grs.; Distilled Water 1 oz. Astringent. *Royal Chest. Throat.*

Chloride of Zinc 2 grs.; Diluted Hydrochloric Acid 2½ mins.; Distilled Water 1 oz. *Westminster.*

Nebula Zinci Chloridi c. Morphinâ.
Hydrochlorate of Morphine 5 grs.; Chloride of Zinc Spray 1 oz. *Central Throat.*

Nebula Zinci Iodati.
Iodated Zinc Caustic 2 mins., or more if prescribed; Distilled Water to 1 oz. To be used with a spray producer. *Throat.*

Nebula Zinci Iodidi.
Iodide of Zinc 10 grs.; Distilled Water 1 oz. *Central Throat.*

Nebula Zinci Sozoiodol.
Sozoiodol Zinc 24 grs.; Distilled Water 1 oz. *Central Throat.*

Nebula Zinci Sulphatis.
Sulphate of Zinc 5 grs.; Distilled Water 1 oz. Astringent. *Royal Chest. Throat.*

Nebula Zinci Sulphocarbolatis.
Sulphocarbolate of Zinc 5 grs.; Distilled Water 1 oz. *Throat. Royal Chest. Central Throat.*

NITRE PAPER. *See* CHARTA, *also* FUMI.

OLEATA.

Oleatum Hydrargyri. (5, 10, and 20 per cent.)
Yellow Oxide of Mercury, 24, 48 or 96 grs.; Oleic Acid to 1 oz. *Westminster.*

Oleatum Hydrargyri et Morphinæ.
Morphine 4 grs.; Oleate of Mercury 1 oz. *St. Thomas's.*

OLEA.

Oleum Acidi Carbolici.
Carbolic Acid liquefied 12 mins.; Olive Oil to 1 oz. *St. Bartholomew's.*
Carbolic Acid (No. 2 Calvert) 1 fl. oz.; Olive Oil to 10, 20, or 40 fl. oz. *London.*
Carbolic Acid 8 drms.; Olive Oil 10 oz.; strength 1 in 10. *St. George's.*
Carbolic Acid 24 grs.; Olive Oil 1 oz. *Guy's.*

Oleum Carbolatum.

Carbolic Acid 1 oz.; Olive Oil to 10 oz. *Lock.*
Carbolic Acid 12 grs.; Olive Oil 1 oz. *Middlesex.*
Carbolic Acid 12 grs.; Olive Oil, 1 drm. *Westminster.*

Oleum Eucalypti Compositum.

Oil of Eucalyptus, Castor Oil, of each equal parts. *Lock.*

Oleum Homatropinæ c. Cocaina.

Homatropine, pure, 10 grs.; Cocaine (alkaloid) 10 grs.; Castor Oil, 1 oz. Heat together till dissolved. *London Ophthalmic.*

Lunds Oil.

Almond Oil 2½ oz.; Castor Oil ½ oz.; Carbolic Acid, 1 drm. *Lock.*

PASTA.

Pasta Acidi Arseniosi.

Arsenious Acid 20 grs.; Vermilion 100 grs.; Burnt Sponge 45 grs. Mix thoroughly. To be made into a thick paste with Glycerine when required for use. *London.*

Pasta Amyli Iodidi.

Starch Powder 1 oz.; Glycerine 2 fl. oz.; Water 6 oz. Boil together, and when nearly cold add Liquoris Iodi P. B. 1 fl. oz. *Middlesex.*

Pasta Caustica.

Extract of Sanguinaria ½ oz.; Extract of Stramonium 1 oz.; mix, add when wanted Chloride of Zinc ½ oz. *Guy's.*

Pasta Caustica c. Opio.

Fused Chloride of Zinc 480 grs.; Flour 180 grs.; Battley's Solution of Opium 1 fl. oz. *Guy's.*

Pasta Iodi et Amyli.

Starch 1 oz.; Glycerine 2 oz.; water 6 oz.; boil together, and when nearly cold add Solution of Iodine 1 oz. *London Ophthalmic. University. Westminster.*

Pasta Iodi c. Amylo.

Solution of Iodine ½ oz.; Starch 2 oz.; Hot Water 6 oz. *St. Mary's.*

Pasta Iodi c. Creasoto.

Iodine 120 grs.; Creasote to 1 oz. *St. Bartholomew's.*

Pasta Londinensis.

Caustic Soda, Unslaked Lime, equal parts reduced to a fine powder, and kept in a well-stopped bottle. To be made into a paste with water when required. *London. Throat.*

Pasta Ricordi. *See* Caustica.

Pasta pro Tactu.

Soft Soap 2 oz.; Glycerine 2 oz.; Carbolic Acid 1 drm.; Oil of Cloves 12 drops; mix, and add (if necessary) Rectified Spirit 3 drms. *Women.*

Pasta Zinci Chloridi.

Chloride of Zinc ½ oz.; Starch ½ oz.: Distilled Water *q. s. Westminster.*

Chloride of Zinc 1, 2, or 4 parts; Starch in Powder 6 parts; Prepared Lard 1 part: Glycerine of Starch a sufficiency. *University.*

Liquor Zinci Chloridi c. Opio 1 oz.; Wheat Flour 2 drms. *Middlesex.*

Chloride of Zinc and Flour equal parts: Glycerine *q. s.* Rub the first into a thin paste with water, then add the flour; mix well and make into a thick paste with Glycerine. *London.*

Pasta Zinci Chloridi c. Opio.

Chloride of Zinc Paste to 8 drms.; Powdered Opium 20 grs. *Westminster.*

Chloride of Zinc Paste 1 oz.; Extract of Opium 20 grs. Rub the Extract smooth with a few drops of water, and then mix thoroughly with the paste. *London.*

Pasta Zinci Chloridi Co.

Chloride of Zinc Paste (1, 2, or 4 pts.) 1 oz.; Extract of Opium 20 grs.; water 10 mins. *University.*

PASTILLI.

Glyco-Gelatine.

Refined Gelatine 1 oz.; Glycerine (by weight) 2½ oz.; Ammoniacal Solution of Carmine, a sufficient quantity; Orange-flower Water 2½ oz.

The process to be pursued in making the basis is as follows:—Soak the Gelatine in the water for two hours, then heat in a water-bath till dissolved; add the Glycerine, and stir well together. Let the mixture cool, and when nearly cold add the Carmine solution, mix till uniformly coloured, and set aside to solidify. After medicating, as directed in the following formulæ, it is cooled by pouring into an oiled tray, and when solidified, cut into the required number of pastils. In these formulæ directions are given for making one pastil. 1 oz. of the mass will make twenty-four. *Throat.*

Pastillus Acidi Boracici.

Boracic Acid in fine powder 2 grs.; Glycerine 2 mins.; rub together and add the mixture to the Glyco-gelatine (melted in a water-bath) 18 grs. Mix and set aside to cool, and make one pastil. In aphthous affections of the mouth and throat. *Throat.*

Pastillus Acidi Carbolici.

Carbolic Acid $\frac{1}{2}$ gr.; Glyco-gelatine 18 grs.; melt the Glyco-gelatine in a water-bath, add the Carbolic Acid and dissolve; then set aside to cool, and make one pastil. Antiseptic and stimulant. *Throat.*

Pastillus Ammonii Chloridi.

Chloride of Ammonium 2 grs.; rub together and add the mixture to the Glyco-gelatine (melted in a water-bath) 18 grs.; mix and set aside to cool, and make one pastil. Let one dissolve slowly at the back of the tongue every half-hour, every hour, or every two hours. In chronic pharyngeal catarrh. *Throat.*

Pastillus Bismuthi.

Carbonate of Bismuth 3 grs.; Glycerine 3 mins.; rub together and add the mixture to Glyco-gelatine (melted in a water bath) 18 grs. Mix and set aside to cool, and make 1 pastil. One every two or three hours. In congestion of the pharynx with insufficient secretion. *Throat.*

Pastillus Bismuthi et Morphiæ.

Carbonate of Bismuth 3 grs.; Acetate of Morphia $\frac{1}{16}$ gr.; Glycerine 3 mins.; rub together and

add the mixture to the Glyco-gelatine (melted in a water-bath) 18 grs. Mix and set aside to cool, and make one pastil. Let one pastil slowly dissolve at the back of the tongue at intervals of one or two hours, to relieve dryness of the throat and tickling cough. In subacute catarrh of the pharynx and larynx; and is a useful sedative in laryngeal phthisis. *Throat.*

Pastillus Bismuthi et Potassæ Chloratis.

Carbonate of Bismuth 3 grs.; Chlorate of Potash 2 grs.; Glycerine 3 mins. Rub together, and add the mixture to the Glyco-gelatine (melted in a water-bath) 18 grs. Mix and set aside to cool, and make one pastil. Let one dissolve slowly at the back of the tongue every hour or two. In granular pharyngitis with follicular ulcerations of the tonsils, and in aphthæ of the mouth. *Throat.*

Pastillus Iodoformi.

Iodoform in fine powder 1 gr. (more or less if prescribed); Glycerine 1 min. Rub together, and add the mixture to the Glyco-gelatine (melted in a water-bath) 18 grs. Mix and set aside to cool, and make one pastil. Let one dissolve slowly on the tongue every two, three, or four hours. In syphilitic eruptions of the tongue, mouth, and throat, and in chronic pharyngitis. *Throat.*

PEPTONISED FOODS.

Peptonised Beef Tea.

Mix half a pound of finely minced lean Beef with a pint of water, and 20 grs. of Bicarbonate of Soda, and simmer gently for one hour and a half. When it has cooled down to 140° F.* add 4 fl. drms. of Pancreatic Solution, and

* *This temperature can be estimated with sufficient accuracy, should no suitable thermometer be at hand, by tasting. If too hot to sip without burning the mouth, it would entirely destroy the activity of the Liquor Pancreaticus, and must be allowed to cool before such addition is made. London. Middlesex.*

keep the mixture in a warm situation for two hours, agitating it occasionally. Then strain without pressure, and boil the strained liquor for five minutes. *London. Middlesex.*

Peptonised Gruel.

To a pint of well-boiled Gruel, made thick and strong, and allowed to cool to 140° F.,* add 4 fl. drms. of Pancreatic Solution, and mix well together; pour the mixture into a jug provided with a cover, and set aside in a warm situation for two hours; then boil the product for three minutes, and finally strain. *Middlesex.*

Peptonised Milk.

Take a pint of milk, dilute it with a quarter of a pint of water, and divide the mixture into two equal portions; heat one portion to the boiling point, and then mix it with the cold portion in a jug provided with a cover; add to this 3 fl. drms. of Pancreatic Solution, and 20 grs. of Bicarbonate of Soda, and mix well together; set the covered jug aside in a warm situation for two hours and a half, and then boil the contents for three minutes. *London. Middlesex.*

Peptonised Milk-Gruel.

Gruel, while still boiling hot, is added to an equal quantity of cold Milk, in a jug provided with a cover. To each pint of this mixture 3 fl. drms. of Pancreatic Solution, together with 20 grs. of Bicarbonate of Soda, are added, and the whole well stirred. The covered jug is then set aside in a warm situation for two hours, the contents boiled for three minutes, and then strained. *London. Middlesex.*

PESSI.

(*See* also SUPPOSITORIA.)

Basis pro Pesariis.

Oil of Theobroma 1 oz.; Olive Oil 2 drms.; mix together with a gentle heat. *London.*

Gelatine Pessary Mass.

Take of pure gelatine in thin strips 1 oz.; Distilled Water 1 oz.; Glycerine 3½ oz. Soften

---

* See *ante.*

the gelatine by soaking it in the water until all of the water has (within a few minutes) become absorbed by the gelatine. Dissolve the softened gelatine in the glycerine previously heated on a water-bath, and allow the solution to solidify. Keep the stiff jelly in a covered pot for use. *British Skin.*

Massa pro Pessis.

Gelatine 1, softened by steeping in water; Glycerine 4; melt together in a water-bath. *Women.*

Pessus Acidi Carbolici.

Carbolic Acid (No. 2 Calvert) 1 or 2 grs.; Basis 70 grs. *London.*

Pessus Acidi Tannici.

Tannic Acid 10 grs.; Oil of Theobroma to 2 drms. *Samaritan.*

Tannic Acid 10 grs.; Basis 60 grs. *London.*

Tannic Acid 10 or 20 grs.; Oil of Theobroma *q. s.*; mix. *Women.*

Tannic Acid 30 grs.; Oil of Theobroma 60 grs. *British Skin.*

Pessus Aluminis.

Alum 15 grs.; Oil of Theobroma 2 drms. *Westminster.*

Dried Alum 6 grs.; Oil of Theobroma 20 grs. *Women.*

Pessus Aluminis et Zinci.

Dried Alum 5 grs.; Sulphate of Zinc 5 grs.; Opium in powder 1 gr.; Basis 60 grs. *London.*

Pessus Atropiæ.

Atropine $\frac{1}{25}$ gr.; Conine 1 min.; Oil of Theobroma to 2 drms. *Samaritan.*

Atropia $\frac{1}{25}$ gr.; Oil of Theobroma 60 grs. *Charing Cross.*

Pessus Atropiæ et Morphiæ.

Sulphate of Atropia $\frac{1}{40}$ gr.; Acetate of Morphia $\frac{1}{2}$ gr.; Mass 25 grs.; mix. *Women.*

Pessus Belladonnæ.

Extract of Belladonna 2 grs.; Mass 20 grs.; mix. *Women.*

Extract of Belladonna 3 grs.; Basis 70 grs. Rub the Extract into a thin paste with a few drops of water, and mix it with the Basis previously melted. *London.*

Pessus Cocainæ.
Hydrochlorate of Cocaine 1 gr.; Oil of Theobroma to 2 drms. *Samaritan.*

Pessus Coniæ.
Conia ½ min.; Mass 20 grs.; mix. *Women.*

Pessus Glycerini.
Glycerine 1½ drm.; Gelatine to 2 drms. *Samaritan.*

Pessus Hydrargyri.
Mercurial Ointment 30 grs.; Oil of Theobroma to 2 drms. *Westminster.*
Mercurial Ointment 3 grs.; Mass 20 grs.; mix. *Women.*
Mercurial Ointment 10 grs.; Basis 60 grs. *London.*

Pessus Hydrargyri et Belladonnæ.
Ointment of Mercury 5 grs.; Extract of Belladonna 3 grs.; Basis 60 grs. *London.*

Pessus Iodoformi.
Iodoform 10 grs.; Oil of Theobroma to 2 drms. *Samaritan.*
Iodoform 1 drm.; Oil of Theobroma to 2 drms. *Westminster.*

Pessus Morphiæ.
Hydrochlorate of Morphia ½ gr.; Basis 70 grs. *London.*
Hydrochlorate of Morphia 1 gr.; Oil of Theobroma 60 grs. *Charing Cross.*
Acetate of Morphia ⅓ gr.; Gelatine Pessary Mass 90 grs. *British Skin.*
Acetate of Morphia ⅓ or ½ gr.; Mass 20 grs. *Women.*

Pessus Plumbi Iodidi et Atropiæ.
Iodide of Lead 10 grs.; Sulphate of Atropia $\frac{1}{15}$ gr.; Basis 60 grs. *London.*

Pessus Plumbi c. Iodo.
Acetate of Lead 6 grs.; Iodine 1 gr.; Mass 20 grs.; mix. *Women.*

Pessus Potassii Bromidi et Belladonnæ.
Bromide of Potassium 10 grs.; Extract of Belladonna 1 gr.; Theobroma Oil *q. s.* *Women.*

Pessus Zinci.
Oxide of Zinc 15 grs.; Mass 20 grs.; mix. *Women.*

Pessus Zinci et Atropiæ.

Dried Sulphate of Zinc 10 grs.; Sulphate of Atropia $\frac{1}{18}$ gr.; Basis 60 grs. *London.*

PHENOL IODATUM.

Iodine 40 grs.; Liquefied Carbolic Acid 1 oz. *Women.*

PIGMENTA.

Pigmentum Acidi Carbolici.

Carbolic Acid 1 drm.; Olive Oil to 10 drms. *Royal Free*

Carbolic Acid 15 to 30 grs.; Distilled Water 1 oz. *Central Throat.*

Carbolic Acid $\frac{1}{2}$ oz.; Glycerine $\frac{1}{2}$ oz. *British Skin.*

Carbolic Acid 30 grs.; water to 1 oz. *Throat.*

Pigmentum Acidi Carbolici Mitius.

Carbolic Acid 1 drm.; Glycerine to 1 oz. *King's.*

Pigmentum Acidi Chromici.

Chromic Acid 45 grs.; water 1 oz. *Central Throat.*

Pigmentum Acidi Lactici.

Lactic Acid $\frac{1}{2}$ oz.; Distilled Water to 1 oz. *Central Throat.*

Pigmentum Acidi Salicylici.

Salicylic Acid 4 drms.; Glycerine 4 drms. *King's.*

Pigmentum Acidi Tannici.

Tannic Acid 180 grs; Glycerine 6 drms. Dissolve by aid of heat. *British Skin.*

Tannic Acid $\frac{1}{2}$ oz.; Rectified Spirit $\frac{1}{2}$ oz.; water $\frac{1}{2}$ oz. *London.*

Pigmentum Aloes.

Extract of Barbadoes Aloes 180 grs.; Glycerine 6 drms. *British Skin.*

Pigmentum Aluminii Acetatis.

Potash Alum 34 grs.; Distilled Water 2 drms.; dissolve. Acetate of Lead 40 grs.; Distilled Water 2 drms.; dissolve. Mix the two solutions and filter, adding more Distilled Water over the filter till 1 oz. of filtrate is obtained. *Throat.*

This pigment may be diluted with an equal quantity of water for use as a gargle, nasal douche, or spray inhalation.

Pigmentum Aluminii Chloridi.

Solution of Chloride of Aluminium 10 to 30 mins.; Distilled Water 1 oz. *Central Throat.*

15 mins. of a Solution sp. g. 1250; water to 1 oz. *Throat.*

Pigmentum Argenti Nitratis.

Nitrate of Silver 10 to 60 grs.; Distilled Water 1 oz. *Central Throat.*

Pigmentum Argenti Nitratis Æthereum.

Nitrate of Silver 20 grs.; Distilled Water 1 drm.; Spirit of Nitrous Ether to 1 oz. *London.*

Pigmentum Argenti Nitratis Dilutum.

Nitrate of Silver 10 grs.; Distilled Water 1 oz. *Royal Chest.*

Nitrate of Silver 30 grs.; water to 1 oz. *Throat.*

Pigmentum Argenti Nitratis Forte.

Nitrate of Silver 20 grs.; Distilled Water 1 oz. *Royal Chest.*

Nitrate of Silver 60 grs.; water to 1 oz. *Throat.*

Pigmentum Belladonnæ.

Extract of Belladonna 2 drms.; Glycerine 2 drms.; water 1 drm. *Westminster.*

Pigmentum Benzolis.

(Benzine.) *British Skin.*

Pigmentum Calcis Sulphuratæ.

Synonym.—Vleminckx's Solution.

Slaked Lime 60 grs.; Sublimed Sulphur 90 grs.; Distilled Water 1 fl. oz. and 5 fl. drms. Heat the Sulphur and Lime (previously well mixed) in the water, stirring diligently with a slip of wood; boil until the mixture measures only 1 fl. oz., then filter. *Caution.*—This mixture needs to be used with some discretion, and on occasion should be diluted. *British Skin.*

Pigmentum Cassuvii.

Cashew-nut Oil. The oil expressed from the pericarp of the fruit of Anacardium Occidentale, or from the corresponding part of the Semecarpus Anacardium. *British Skin.*

Pigmentum Chloral et Camphoræ.

Hydrate of Chloral, Camphor equal parts. Rub together in a warm mortar until completely liquefied, and filter. *Throat. Westminster.*

As an Anæsthetic applied externally in neuralgic affections of the throat.

Pigmentum Chloralo-Camphoratum.

Hydrate of Chloral, Camphor equal parts. Rub together till liquefied. *London.*

Pigmentum Chloral Compositum.

Hydrate of Chloral 1 drm.; Menthol 1 drm.; Thymol 1 drm.; Camphor 3 drms. *Westminster.* Rub together till liquefied.

Pigmentum Cocainæ.

Hydrochlorate of Cocaine 48 grs.; Saturated Solution of Boracic Acid 1 oz. *Central Throat.*

Pigmentum Cupri Sulphatis.

Sulphate of Copper 10 to 20 grs.; Distilled Water 1 oz. *Central Throat.*

Crystals of Sulphate of Copper 15 grs.; water to 1 oz. *Throat.*

Pigmentum Ferri Perchloridi.

Perchloride of Iron 1 drm.; Distilled Water 1 oz. *Royal Chest.*

Perchloride of Iron 2 drms.; Distilled Water 1 oz. *Central Throat.*

Solution of Perchloride of Iron ½ oz.; Glycerine to 1 oz. *King's. Samaritan.*

Perchloride of Iron crystallized ¼ oz.; Glycerine ½ oz.; water to 1 oz. *London.*

Pigmentum Ferri Perchloridi Dilutum.

Crystallized Perchloride of Iron 60 grs.; water to 1 oz. *Throat.*

Pigmentum Ferri Perchloridi Forte.

Crystallized Perchloride of Iron 120 grs.; water to 1 oz. *Throat.*

Crystallized Perchloride of Iron ½ oz.; Glycerine ½ oz.; water to 1 oz. *London.*

Pigmentum Ferri Sulphatis.

Sulphate of Iron 60 grs.; water to 1 oz. *Throat.*

Pigmentum Ferro-Aluminis.

Iron Alum 60 grs.; water to 1 oz. *Throat.*

Pigmentum Glycerini.

Glycerine ½ oz.; Rectified Spirit ½ oz. *British Skin.*

Pigmentum Guttæ Perchæ.

Gutta Percha 90 grs.; Chloroform 1 oz. *Fever.*

Pigmentum Hydrargyri.

Blue Pill 1 drm.; Glycerine sufficient. *Westminster.*

Pigmentum Hydrargyri Perchloridi.

Perchloride of Mercury 2 grs.; Glycerine 2 drms.; Rectified Spirit 1 oz. *British Skin.*

Pigmentum Iodi.

Iodine 100 grs.; Iodide of Potassium 100 grs.; water 1 oz. *St. Thomas's.*

Iodine 30 grs.; Iodide of Potassium 30 grs.; Rectified Spirit 1 oz. *Middlesex.*

Iodine 40 grs.; Iodide of Potassium 20 grs.; Rectified Spirit to 1 oz. *London.*

Iodine 1 drm.; Iodide of Potassium 1 drm.; Rectified Spirit 1 drm.; Distilled Water to 4 drms. *Samaritan.*

Iodine 1 drm.; Iodide of Potassium 20 grs.; Rectified Spirit 1 oz. *King's.*

Iodine 80 grs.; Iodide of Potassium 40 grs.; Rectified Spirit 1 oz. *Fever.*

Tincture of Iodine ½ oz.; Liniment of Iodine ½ oz. *St. Mary's.*

Iodine 2 drms.; Iodide of Potassium 2 drms.; Methylated Spirit 4 drms.; water to 1 oz. *Royal Free.*

Tincture of Iodine 2 drms.; Liniment of Iodine 6 drms. *Central Throat.*

Iodine ½ oz.; Iodide of Potassium 120 grs.; Glycerine 1 oz. *British Skin.*

Liniment of Iodine 1 drm.; Tincture of Iodine 5 drms. *Westminster.*

Linimentum Iodo P. B. *Throat.*

Pigmentum Iodi Carbolizati.

Iodine 4 grs.; Iodide of Potassium 4 grs.; Carbolic Acid 4 grs.; Glycerine ½ oz.; water to 1 oz. *Central Throat.*

(Sometimes employed at half strength.)

Pigmentum Iodi et Catechu.
Tincture of Iodine 2 drms.; Tincture of Catechu 2 drms.; Glycerine 2 drms. *Westminster.*

Pigmentum Iodi et Olei Picis.
Iodine 2 drms; Light Oil of Wood Tar 1 oz.; mix carefully, apply heat if necessary; after ebullition preserve for use. *University. Westminster.*

Pigmentum Iodoformi.
Iodoform 1 drm.; Ether 1 oz. *Central Throat.*

Pigmentum Iodoformi c. Eucalyptol.
Iodoform ½ drm.; Eucalyptol 1 drm.; Glycerine to 1 oz. *King's.*

Pigmentum Iodol.
Iodol 1 drm.; Ether 1 oz. *Central Throat.*

Pigmentum Iodol et Acidi Carbolici.
Carbolic Acid 4 grs.; Iodol Paint 1 oz. *Central Throat.*

Pigmentum Menthol.
Menthol 96 grs.; Olive Oil 1 oz. *Central Throat.*

Pigmentum Morphinæ et Cocainæ.
Solution of Hydrochlorate of Morphine 1 drm.; Cocaine 4 grs.; water to 1 oz. *Royal Chest.*

Pigmentum Naphthol.
Naphthol 1 drm.; Precipitated Sulphur 5 drms.; Soft Soap 1 drm.; Soft Paraffin 1 drm. To be applied 30 to 60 minutes once daily for 3 or 4 days until the skin peels. *King's.*

Pigmentum Olei Cadi.
Juniper Tar (Huile de Cade) *q. s.* *British Skin.*

Pigmentum Olei Ricini.
Castor Oil 3 drms.; Rectified Spirit 6 drms. *British Skin.*

Pigmentum Olei Ricini c. Collodio.
Collodion 4 drms.; Castor Oil to 1½ oz. *Fever.*
Collodion 4 drms.; Castor Oil to 1 oz. *King's.*

Pigmentum Ovi.
The Whites of 2 eggs; Rectified Spirit 1 oz. *Fever.*

Pigmentum Ovi Vitelli.

Tincture of Belladonna 1 drm., Compound Tincture of Camphor 1 oz ; Compound Tincture of Benzoin 1 oz. Mix thoroughly, and then add slowly the yolk of 1 egg previously whipped. *Central Throat.*

Pigmentum Phenol Iodati.

Iodine 40 grs. ; Liquefied Carbolic Acid to 1 oz. *Samaritan.*

Pigmentum Picis.

Tar 1 fl. oz. ; Methylated Spirit 1 oz. *Royal Free.*

Pigmentum Picis Fortius.

Tar ½ oz. ; Rectified Spirit to 1 oz. *King's.*

Pigmentum Picis c. Iodo. (*Coster's Paste.*)

Iodine 120 grs. ; Rectified Oil of Tar* 1 oz. Dissolve cautiously. *British Skin.*

Pigmentum Picis Ligni Fossilis. (Coal-tar Solution.)

Soap Bark bruised 4 oz ; Coal Tar 5 oz. ; Proof Spirit 20 oz.

Percolate the Soap Bark with the Proof Spirit, press, filter, and make up to 20 fl. oz.

Heat the Tincture of Soap Bark and the Coal-tar together for an hour, in a covered vessel placed in a water-bath, agitating occasionally. Then remove the vessel and stir till cold—finally strain. *British Skin.*

Pigmentum Picis Liquidæ.

Tar ½ oz. ; Rectified Spirit ½ oz. *British Skin.*

Pigmentum Picis Mitius.

Tar 1 drm. ; Rectified Spirits 7 drms. *King's.*

Pigmentum Plumbi. (Glycerole of Subacetate of Lead).

Acetate of Lead 120 grs. ; Litharge in powder 84 grs. ; Glycerine 1 fl. oz. Digest the Acetate of Lead and the Litharge in the Glycerine (heated to 300° in an oil-bath) for half an hour, constantly

* A colourless volatile liquid distilled from Tar S. G. ·86.

stirring. Then filter in a chamber heated to 300°. (Diluted to a varying extent with Glycerine, most commonly with seven times, or with three times its quantity of Glycerine) as an astringent and sedative in cases of Chronic Eczema. *British Skin.*

Pigmentum Sulphuris.

Precipitated Sulphur, Carbonate of Potassium, Glycerine, Rectified Spirit, equal parts. *King's.*

Pigmentum Tolutanum.

Balsam of Tolu 96 grs.; Ether (S. G. ·735) 1 oz. Dissolve. *Throat.*

Pigmentum Zinci Chloridi.

Chloride of Zinc 10 to 30 grs.; Hydrochloric Acid 1 min.; Distilled Water 1 oz. *Central Throat.*

Pigmentum Zinci Chloridi Dilutum.

Chloride of Zinc 10 grs.; Distilled Water 1 oz. *Royal Chest.*

Chloride of Zinc 15 grs; water to 1 oz. *Throat.*

Pigmentum Zinci Chloridi Forte.

Chloride of Zinc 30 grs.; water to 1 oz. *Throat. Royal Chest.*

Pigmentum Zinci Chloridi cum Morphinâ.

Hydrochlorate of Morphine 8 grs.; Chloride of Zinc Paint 1 oz. *Central Throat.*

Pigmentum Zinci Sulphatis.

Sulphate of Zinc 60 grs.; water to 1 oz. *Throat.*

PILULÆ.

Pilula Acidi Arseniosi.

(Asiatic Pill.)

Arsenious Acid $\frac{1}{12}$ gr.; Black Pepper $\frac{1}{2}$ gr.; Extract of Gentian 2 grs. *British Skin.*

Pilula Acidi Carbolici.

Carbolic Acid 1 gr.; Powdered Rhubarb $1\frac{1}{2}$ grs.; Compound Powder of Tragacanth $\frac{1}{2}$ gr.; water *q. s.* *Royal Chest.*

Carbolic Acid (No. 1 Calvert) $\frac{1}{4}$, $\frac{1}{3}$, $\frac{1}{2}$, or 1 gr.; Liquorice Root powdered 2 grs.; Confection of Hips, *q. s.* in one pill, varnish. *London.*

Pilula Acidi Carbolici Composita.

Carbolic Acid 1 gr.; Guaiacum Resin 1 gr.; Powdered Rhubarb 2 grs. *Guy's*

Pilula Acidi Gallici.

Gallic Acid 5 grs.; Glycerine 1 min.: in one pill. *London.*

Pilula Acidi Gallici c. Morphinâ.

Gallic Acid 3½ grs.; Hydrochlorate of Morphine ⅛ gr.; Extract of Gentian *q. s.*: in one pill. Dose 1 or 2. *Consumption.*

Pilula Acidi Gallici et Opii.

Gallic Acid 4 grs.; Extract of Opium ¼ gr.; Confection of Roses *q. s.*: in one pill. *City Chest.*

Gallic Acid Pill 5 grs.; Opium in Powder ½ gr.: in one pill. *London.*

Pilula Acidi Tannici c. Opio.

Tannic Acid 5 grs.; Powder of Opium ¼ gr.; Glycerine, a sufficiency to form one pill. *St. Thomas's.*

Pilula Aconiti et Belladonnæ.

Extract of Aconite ⅙ gr.; Extract of Belladonna ⅙ gr.; Sugar of Milk 2 grs.; Treacle *q. s.* *London Ophthalmic.*

Pilula Aloes et Assafœtidæ c. Ferro.

Sulphate of Iron 1 gr.; Pill of Aloes and Assafœtida 4 grs. *British Skin. Women.*

Pilula Aloes c. Belladonnâ.

Extract of Aloes 1 gr.; Extract of Belladonna ⅓ gr.; Soap to 5 grs. *St Mary's.*

Extract of Socotrine Aloes 1 gr.; Extract of Belladonna ⅙ gr. *Charing Cross.*

Extract of Barbadoes Aloes 1 gr.; Resin of Jalap ½ gr.; Extract of Belladonna ⅛ gr.; Confection of Roses to 3 grs. *Middlesex.*

Extract of Socotrine Aloes 1½ grs.; Extract of Belladonna ¼ gr.; Confection of Roses *q. s.* *Royal Chest.*

Socotrine Aloes 1½ gr.; Extract of Belladonna ¼ gr. *Consumption.*

Extract of Socotrine Aloes 1½ gr.; Extract of Nux Vomica ½ gr.; Extract of Belladonna ¼ gr. *Throat.*

Pilula Aloes Composita.

Socotrine Aloes 1 gr.; Ginger 1 gr.; Extract of Gentian 2 grs.: in one pill. *London.*

Pilula Aloes c. Ferro.

Extract of Socotrine Aloes $\frac{1}{2}$ gr.: Dried Sulphate of Iron $1\frac{1}{2}$ gr.; Extract of Gentian 2 grs.: in one pill. *London.*

Aloes 1 gr.; Dried Sulphate of Iron 1 gr.; Extract of Gentian 2 grs.: in one pill. *Throat.*

Socotrine Aloes 2 grs.; Sulphate of Iron 1 gr.; Hard Soap 2 grs. *Gt. Northern.*

Pill of Aloes and Assafœtida 4 grs.; Sulphate of Iron 1 gr. *Fever.*

Pilula Aloes et Ferri c. Quiniâ.

Sulphate of Quinine 1 gr.; Aloes with Iron pill 4 grs.: in one pill. *London.*

Pilula Aloes et Hyoscyami.

Extract of Barbadoes Aloes 1 gr.; Extract of Henbane 3 grs. *Westminster.*

Pilula Aloes c. Ipecacuanhâ.

Extract of Socotrine Aloes 1 gr.; Ipecacuanha $\frac{1}{2}$ gr.; Extract of Gentian $1\frac{1}{2}$ gr.: in one pill. Dose 1 or 2. *Consumption.*

Pilula Aloes c. Nuce Vomicâ.

Extract of Aloes 1 gr.; Extract of Nux Vomica $\frac{1}{4}$ gr.; Capsicum $\frac{1}{4}$ gr.; Extract of Hyoscyamus 2 grs. *Samaritan.*

Extract of Socotrine Aloes 1 gr.; Extract of Nux Vomica $\frac{1}{4}$ gr. *Charing Cross.*

Extract of Aloes 1 gr.; Extract of Nux Vomica $\frac{1}{4}$ gr.; Myrrh 2 grs.; Soap *q. s.*: in one pill. *City Chest.*

Extract of Aloes 1 gr.; Extract of Nux Vomica $\frac{1}{3}$ gr.; Soap to 5 grs. *St. Mary's.*

Extract of Socotrine Aloes 1 gr.; Extract of Henbane 2 grs.; Extract of Nux Vomica $\frac{1}{4}$ gr. *Middlesex. Women.*

Extract of Aloes 1 gr.; Extract of Henbane 1 gr.; Extract of Nux Vomica $\frac{1}{2}$ gr.; Hard Soap, a sufficiency to make one pill. *St. Thomas's.*

Extract of Aloes $1\frac{1}{2}$ gr.; Extract of Nux Vomica $\frac{1}{2}$ gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Powdered Liquorice 2 grs.; Glycerine of Tragacanth *q. s.* for one pill. *University.*

Extract of Socotrine Aloes 2 grs. ; Extract of Nux Vomica $\frac{1}{4}$ gr. *Consumption.*

Extract of Barbadoes Aloes 2 grs. ; Extract of Belladonna $\frac{1}{6}$ gr. ; Extract of Nux Vomica $\frac{1}{2}$ gr. *Westminster.*

Extract of Socotrine Aloes $1\frac{1}{2}$ gr. ; Extract of Nux Vomica $\frac{1}{4}$ gr. ; Extract of Hyoscyamus 1 gr. *Royal Chest.*

Pill of Barbadoes Aloes $4\frac{1}{2}$ grs. ; Extract of Nux Vomica $\frac{1}{4}$ gr. ; Treacle *q. s.* for one pill. *St. Bartholomew's.*

Pilula Aloes et Nucis Vomicæ c. Ferro.

Dried Sulphate of Iron 1 gr. ; Pill of Aloes and Nux Vomica to 5 grs. *St. Mary's.*

Pilula Aloes c. Podophyllo.

Resin of Podophyllin $\frac{1}{4}$ gr. ; Extract of Barbadoes Aloes $2\frac{1}{2}$ grs. ; Extract of Belladonna $\frac{1}{4}$ gr. *Consumption.*

Pilula Aloes c. Sapone.

Cape Aloes 2 grs. ; Hard Soap 2 grs. ; water *q. s.* ; in one pill. *St. Bartholomew's.*

Pilula Aloes et Scammonii.

Barbadoes Aloes 1 gr. ; Powdered Scammony 1 gr. ; Powdered Jalap 1 gr. ; Ginger 1 gr. ; Treacle to 5 grs. *St. Mary's.*

Pilula Aloin c. Hydrargyro.

Aloin 1 gr. ; Calomel 1 gr. ; Confection of Roses *q. s.* for one pill. *City Chest.*

Pilula Alterativa.

Blue Pill 2 grs. ; Comp. Rhubarb Pill 3 grs. *Samaritan.*

Pilula Antimonii Opiata.

Tartar Emetic $\frac{1}{4}$ gr. ; Opium $\frac{1}{2}$ gr. ; Treacle *q. s.* ; in one pill. *Guy's.*

Pilula Antispasmodica.

Compound Pill of Assafœtida 2 grs. ; Compound Pill of Colocynth 2 grs. ; Powdered Capsicum $\frac{1}{2}$ gr. *City Chest.*

Pilula Aperiens.

Compound Extract of Colocynth $1\frac{1}{4}$ grs. ; Extract of Henbane $1\frac{1}{4}$ grs. ; Compound Rhubarb Pill $1\frac{1}{4}$ grs. ; Extract of Nux Vomica $\frac{1}{4}$ gr. *Central Throat*

Barbadoes Aloes, Scammony, Jalap, Ginger, of each 1 gr.; Treacle sufficient to make one pill. *London Ophthalmic.*

Gamboge 120 grs.; Soft Soap 1 oz.; Barbadoes Aloes 4 oz; Jalap 4 oz.; Colocynth $1\frac{1}{2}$ oz.; Ginger 60 grs.: Olive Oil 2 drms.; Oil of Cloves 1 drm.: Treacle *q. s.*: mix. Dose 5 to 10 grs. *Gt. Northern.*

Pilula Aperiens Fortior.

Socotrine Aloes 2 grs.; Colocynth 1 gr.; Gamboge 1 gr.; Oil of Cassia $\frac{1}{2}$ min.; Compound Decoction of Aloes *q. s.*: in one pill. *City Chest.*

Pilula Argenti Nitratis.

Nitrate of Silver $\frac{1}{6}$ gr.; Dover's Powder 2 grs.; Mucilage *q. s.*: in one pill. *City Chest.*

Nitrate of Silver $\frac{1}{2}$ gr.; Extract of Gentian $1\frac{2}{3}$ gr.; Liquorice Root in powder $1\frac{2}{3}$ gr.: in one pill. *London.*

Nitrate of Silver $\frac{1}{2}$ gr.; Dried Carbonate of Sodium 3 grs.; Kaolin Ointment *q. s.* *Westminster.*

Nitrate of Silver $\frac{1}{2}$ gr.: Opium $\frac{1}{4}$ gr.: Extract of Henbane 1 gr. *Fever.*

Pilula Argenti Oxidi.

Oxide of Silver $\frac{1}{2}$ gr.: Extract of Hops 2 grs.: in one pill. *City Chest.*

Oxide of Silver $\frac{1}{2}$ gr.: Powdered Ginger $\frac{1}{2}$ gr.: Liquorice Root in Powder 2 grs.: Treacle *q. s.*: in one pill. *London.*

Pilula Argenti Oxidi et Opii.

Oxide of Silver $\frac{1}{2}$ gr.; Opium $\frac{1}{2}$ gr.; Mucilage *q. s.* *City Chest.*

Pilula Arsenicalis Composita.

Arseniate of Sodium $\frac{1}{16}$ gr.; Reduced Iron 2 grs.; Liquorice Powder 1 gr.: Mucilage of Tragacanth *q. s.* *Royal Chest.*

Pilula Assafœtidæ c. Ferro.

Comp. Assafœtida Pill 4 grs.; Dried Sulphate of Iron 1 gr.: in one pill. *London.*

Pilula Atropinæ.

Sulphate of Atropine $\frac{1}{100}$ gr.; Confection of Roses a sufficiency; Dose:—1 or 2. *Central Throat.*

Atropine $\frac{1}{200}$ gr.; Sugar of Milk 1 gr.; Glycerine of Tragacanth *q. s.* *Royal Chest.*

Atropia $\frac{1}{200}$ gr.; Rectified Spirit $\frac{1}{20}$ min.; Liquorice Root 2 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Atropinæ et Morphinæ.

Sulphate of Atropine $\frac{1}{60}$ gr.; Acetate of Morphine $\frac{1}{6}$ gr.; Ext. of Gentian 2 grs. *Consumption.*

Sulphate of Atropine $\frac{1}{60}$ gr.; Hydrochlorate of Morphine $\frac{1}{4}$ gr.; Capsicum 1 gr.; Pill of Aloes and Myrrh 3 grs. *City Chest.*

Pilula Atropinæ Sulphatis.

Sulphate of Atropine $\frac{1}{50}$, $\frac{1}{75}$, $\frac{1}{100}$ gr.; in one pill. *City Chest.*

Pilula Belladonnæ.

Extract of Belladonna $\frac{1}{4}$ or $\frac{1}{2}$ gr.; Extract of Gentian $1\frac{1}{2}$ gr.; Cinnamon Powder *q. s.* *Consumption.*

Extract of Belladonna $\frac{1}{3}$ gr.; Liquorice Root 2 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Belladonnæ c. Ipecacuanhâ.

Extract of Belladonna $\frac{1}{4}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Extract of Taraxacum 3 grs.: in one pill. *Consumption.*

Pilula Belladonnæ et Rhei.

Extract of Belladonna $\frac{1}{4}$ gr.; Compound Rhubarb Pill 4 grs. *City Chest.*

Pilula Belladonnæ et Zinci Sulph.

Extract of Belladonna $\frac{1}{4}$ gr.; Sulphate of Zinc 1 gr.; Sugar of Milk 1 gr.; Treacle *q. s.* *London Ophthalmic.*

Pilula Bismuthi.

Subnitrate of Bismuth 5 grs.; Mucilage *q. s.*: in one pill. *City Chest.*

Pilula Bismuthi et Creasoti Composita.

Subnitrate of Bismuth 5 grs.; Opium in powder $\frac{1}{4}$ gr.; Creasote $\frac{1}{2}$ min.; Glycerine of Tragacanth *q. s.*: in one pill. *London.*

Pilula Bismuthi et Hyoscyami.

Subnitrate of Bismuth 4 grs.; Extract of Henbane 2 grs.: in one pill. *City Chest.*

Pilula Butyl Chloral.

See also Pilula Croton-Chloral.

Butyl Chloral Hydrate 3 grs.; Comp. Powder of Tragacanth 1 gr.; Glycerine *q. s.* *Westminster.*

Pilula Caffeinæ.

Caffeine 3 grs.; Glycerine of Tragacanth *q. s.* *Royal Chest.*

Pilula Calcii Sulphidi.

Sulphide of Calcium $\frac{1}{10}$, $\frac{1}{6}$, $\frac{1}{4}$, $\frac{1}{2}$ gr.; Sugar of Milk 2 grs.; Glycerine of Tragacanth *q. s.*, coated. *Westminster.*

Sulphide of Calcium $\frac{1}{10}$ gr.; Excipient *q. s.* *Royal Free.*

Sulphide of Calcium $\frac{1}{3}$ gr.; Compound Tragacanth Powder 1 gr.; water *q. s.* (varnished). *University.*

Sulphide of Calcium $\frac{1}{2}$ gr.; Sugar of Milk 1 gr.; Glycerine of Tragacanth to 3 grs. *St. Mary's.*

Sulphurated Lime $\frac{1}{4}$ to 3 grs.; Sugar of Milk a sufficiency, Glycerine of Tragacanth a sufficiency: in one pill. *Central Throat.*

Sulphide of Calcium $\frac{1}{2}$ gr.; Liquorice Root in powder 2 grs.; Treacle *q. s.*: in one pill (varnish). *London.*

Pilula Calcii Sulphidi Fort.

Sulphide of Calcium $\frac{1}{4}$ gr.; Excipient *q. s.* *Royal Free.*

Pilula Calcii Sulphidi et Iodoformi.

Sulphurated Lime $\frac{1}{2}$ to 1 gr.; Powdered Iodoform $\frac{1}{2}$ to 1 gr.; Extract of Belladonna $\frac{1}{32}$ gr.: in one pill. *Central Throat.*

Pilula Calcis Sulphuratæ.

See Pilula Calcii Sulphidi. *St. Mary's.*

Pilula Calomelanos. *See* Pil. Hydr. Subchlor.

Pilula Cambogiæ Comp.

Gamboge 1 gr.; Socotrine Aloes 1 gr.; Jalap 3 grs., Oil of Cloves $\frac{1}{3}$ min.; water *q. s.*: in one pill. *London.*

Pilula Camphoræ c. Belladonnâ c. Opio.

Opium $\frac{1}{2}$ gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Camphor 3 grs.; Confection of Roses *q. s.* *Lock.*

Pilula Camphoræ et Hyoscyami.

Camphor 2 grs.; Extract of Henbane 2 grs. *City Chest.*

Camphor 2 grs.; Extract of Henbane 3 grs.: in one pill. *Consumption. Fever. Guy's. Middlesex.*

Camphor 2½ grs.; Extract of Henbane 2½ grs. *St. Bartholomew's.*

Camphor 2½ grs.; Extract of Henbane 2½ grs.; Rectified Spirit *q. s. Westminster.*

Camphor 3 grs.; Rectified Spirit 1 min.; Extract of Henbane 2 grs.: in one pill. *London.*

Pilula Camphoræ c. Opio.

Camphor 2 grs.; Opium ½ gr.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Camphor 2 grs.; Opium ¼ gr.; Extract of Henbane 2 grs.; Rectified Spirit *q. s. Royal Free.*

Camphor 1 gr.; Opium 1 gr.; Extract of Hop sufficient: in one pill. *Consumption.*

Pilula Cannabis Indicæ.

Extract of Indian Hemp (Squire) ⅓ gr.; Extract of Hyoscyamus 2 grs. *Samaritan.*

Extract of Indian Hemp 1½ gr.; Extract of Gentian 1 gr.; Crumb of Bread *q. s. Royal Chest.*

Extract of Indian Hemp ¼ gr.; Sugar of Milk 2 grs.; Treacle *q. s. London Ophthalmic.*

Extract of Indian Hemp ½ gr.; Liquorice 1½ gr.; Mucilage *q. s*: in one pill. Dose 1 or 2. *Consumption.*

Pilula Cathartica.

Calomel 8 grs.; Scammony 8 grs.; Colocynth Pulp 8 grs.; Gamboge 8 grs.; Barbadoes Aloes 12 grs.; Jalap 16 grs.; Croton Oil 1 drop; Oil of Peppermint 2 drops; Glycerine and Treacle *q. s.*: divide into 16 pills. Dose 1 to 2. *Royal Free.*

Socotrine Aloes 1 gr.; Jalap 3 grs.; Gamboge 1 gr.; Oil of Cloves ⅓ min.; water *q. s.*: in one pill. *Throat. Central Throat.*

Pilula Cathartica c. Hydrarg. Subchlor.

Socotrine Aloes 1 gr.; Jalap 3 grs.; Calomel ½ gr.; water *q. s.*: in one pill. *London.*

Pilula Cerii Oxalatis.

Oxalate of Cerium 3 grs.; Extract of Gentian *q. s. London.*

Pilula Cinchoninæ c. Ferro.

Sulphate of Cinchonine 2 grs.; Dried Sulphate of Iron 1 gr.; Extract of Gentian to 5 grs. *St. Mary's.*

Pilula Codeiæ.

Codeia ½ gr.; Liquorice Root in powder 2 grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Colchici Co.

Acetic Extract of Colchicum 1 gr.; Dover's Powder 3 grs.: in one pill. *Middlesex.*

Acetic Extract of Colchicum 1 gr.; Compound Powder of Ipecacuanha 4 grs.: in one pill. *City Chest.*

Acetic Extract of Colchicum 1 gr.; Blue Pill 2 grs.; Gentian Root 2 grs. *Charing Cross.*

Extract of Colchicum ½ gr.; Calomel 1 gr.; Comp. Powder of Ipecacuanha 2½ grs. *University.*

Pilula Colchici c. Ipecac. Co.

Acetic Extract of Colchicum 1 gr.; Dover's Powder 4 grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Colchici et Quininæ.

Acetic Extract of Colchicum 1 gr.; Sulphate of Quinia 1 gr. *London Ophthalmic.*

Pilula Colocynthidis Comp.

Compound Extract of Colocynth 3 grs.; Extract of Belladonna ¼ gr.; Extract of Nux Vomica ¼ gr.; Ipecacuanha ⅙ gr.; Extract of Hyoscyamus 1 gr. *Samaritan.*

Pilula Colocynthidis c. Hydrargyro.

See Pil. Hydrarg. c. Colocynthido.

Pilula Colocynthidis c. Hydrarg. et Ipecac.

Pill of Colocynth and Mercury 4 grs.; Ipecacuanha 1 gr.: in one pill. *London.*

Pilula Colocynth. c. Hydr. Subchlor.

See Pil. Hyd. Subchlor. c. Colocynth.

Pilula Colocynth. c. Ipecac. vel Pil. Aperiens.

Comp. Colocynth Pill 2 grs.; Blue Pill 1½ gr.; Ipecacuanha ⅓ gr.; Extract of Henbane 1 gr.: in one pill. *University.*

Pilula Colocynthidis et Nucis Vomicæ.

Extract of Nux Vomica $\frac{1}{4}$ gr.; Comp. Rhubarb Pill $1\frac{1}{2}$ grs.; Pill of Colocynth and Hyoscyamus to 5 grs. *St. Mary's.*

Pilula Colocynthidis c. Oleo Crotonis.

Comp. Colocynth Pill 4 grs.: Capsicum $\frac{1}{4}$ gr.; Oil of Croton $\frac{1}{12}$ min.: in one pill. *Consumption.*

Pilula Colocynth. c. Podophyllin.

Resin of Podophyllin $\frac{1}{4}$ gr.; Comp. Colocynth and Hyoscyamus Pill 4 grs. *Samaritan.*

Pilula Colocynthidis c. Rheo.

Compound Colocynth Pill 2 grs.; Compound Rhubarb Pill 3 grs. *University.*

Compound Ext. of Colocynth $2\frac{1}{2}$ grs.; Compound Rhubarb Pill $2\frac{1}{2}$ grs. *Women.*

Pilula Conii et Acidi Benzoici.

Extract of Conium 2 grs.; Benzoic Acid 3 grs. *Guy's.*

Pilula Conii et Bismuth.

Extract of Conium $2\frac{1}{2}$ grs.; Subnitrate of Bismuth $3\frac{1}{3}$ grs.: in one pill. *Guy's.*

Pilula Conii et Hydrargyri.

Extract of Conium $4\frac{1}{6}$ grs.; Blue Pill 1 gr. *Guy's.*

Pilula Conii c. Morphinâ.

Hydrochlorate of Morphia $\frac{1}{6}$ gr.; Compound Pill of Conium 5 grs. *Charing Cross.*

Hydrochlorate of Morphine $\frac{1}{8}$ gr.; Extract of Conium 4 grs.; Ipecacuanha $\frac{1}{2}$ gr.; in one pill. *Consumption.*

Hydrochlorate of Morphine $\frac{1}{8}$ gr.; Extract of Conium 4 grs. *Westminster.*

Pilula Conii et Zinci.

Sulphate of Zinc 2 grs.; Extract of Conium 3 grs.: in one pill. *City Chest.*

Pilula Creasoti.

Creasote 1 min.; Crumb of Bread *q. s.*: for one pill. *City Chest. London* (varnish). *St. Bartholomew's.*

Creasote 1 min.; Yellow Wax 3 grs. *Guy's.*

Pilula Creasoti c. Assafœtidâ.

Creasote 1 min.; Comp. Assafœtida Pill 2 grs.; Comp. Rhubarb Pill 2 grs.: in one pill. *St. Bartholomew's*

Pilula Crotonis Olei.

Croton Oil $\frac{1}{4}$ min.; Comp. Extract of Colocynth 5 grs. *British Skin.*

Croton Oil 1 min.; Crumb of Bread *q. s.*: in one pill. *London.*

Croton Oil $\frac{1}{2}$ min.; Hard Soap 2 grs.; Comp. Extract of Colocynth $2\frac{1}{2}$ grs. *Charing Cross.*

Pilula Croton-Chloral.

Croton-Chloral Hydrate 4 grs.; Comp. Powder of Tragacanth 1 gr.; water *q. s.*: in one pill. *London.*

Pilula Cupri Co.

Sulphate of Copper $\frac{1}{4}$ gr.; Powdered Opium $\frac{1}{6}$ gr.; Extract of Gentian to 3 grs.: in one pill. *Middlesex.*

Sulphate of Copper $\frac{1}{4}$ gr.; Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s.* *Fever.*

Pilula Cupri Sulphatis.

Sulphate of Copper $\frac{1}{4}$ gr.; Opium in powder $\frac{1}{4}$ gr.; Confection of Hips *q. s.*: for one pill. *Guy's.*

Pilula Cupri Sulphatis c. Opio.

Sulphate of Copper $\frac{1}{4}$ gr.; Opium $\frac{1}{2}$ gr.; Extract of Gentian 2 grs.: in one pill. Dose 1 or 2 pills. *Consumption.*

Sulphate of Copper $\frac{1}{4}$ gr.; Extract of Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s.*: in one pill. *City Chest. Gt. Northern.*

Sulphate of Copper $\frac{1}{2}$ gr.; Opium $\frac{1}{4}$ gr.; Extract of Gentian *q. s.* *Royal Chest.*

Sulphate of Copper $\frac{1}{2}$ gr.; Opium $\frac{1}{4}$ gr.: Liquorice Root in powder 2 grs.; Confection of Hips *q. s.*: in one pill. *London.*

Sulphate of Copper $\frac{1}{2}$ gr.; Extract of Opium $\frac{1}{2}$ gr.; Confection of Roses *q. s.* *Royal Free.*

Pilula Digitalis Co.

Powdered Foxglove Leaves 1 gr.; Powdered Squill 1 gr.; Mercurial Pill 1 gr.: in one pill. *St. Thomas's*

Digitalis Powder $\frac{1}{2}$ gr.; Squill 1 gr.; Blue Pill $1\frac{1}{2}$ gr.: in one pill. *St. George's.*

Digitalis $\frac{1}{2}$ gr.; Squill 1 gr.; Blue Pill 1 gr.; Treacle *q. s.*: in one pill. *Middlesex.*

Pilula Digitalis c. Hydrargyro.

Digitalis Powder 1 gr.; Squill 2 grs.; Blue Pill 2 grs.: in one pill. *Consumption. St. Mary's.*

Digitalis Powder $\frac{1}{2}$ gr.; Squill 1 gr.; Blue Pill 1 gr.; Extract of Henbane 2 grs.: in one pill. *London.*

Pilula Digitalis Plumbea.

Acetate of Lead $\frac{1}{5}$ gr.; Distilled Water 1 min.; dissolve and add Opium in powder $\frac{1}{10}$ gr.; Digitalis Leaf $\frac{1}{5}$ gr.; Liquorice Root 1 gr.; Glycerine of Tragacanth *q. s.*: in one pill. *Throat.*

Pilula Digitalis c. Scillâ.

Digitalis Powder $\frac{1}{5}$ gr.; Compound Squill Pill $4\frac{1}{2}$ grs.: in one pill. *Middlesex.*

Pilula Diuretica.

Blue Pill 1 gr.; Squill 1 gr.; Digitalis 1 gr. *Samaritan.*

Pilula Diuretica c. Hydrargyro.

Blue Pill 1 gr.; Squill 1 gr.; Digitalis Powder $\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; in one pill. *London.*

Blue Pill 1 gr.; Squill 1 gr.; Digitalis Powder 1 gr.; Extract of Henbane $1\frac{2}{3}$ gr. *Guy's.*

Pilula Doveri et Hydrargyri.

Dover's Powder 4 grs.; Blue Pill 1 gr.: in one pill. *City Chest.*

Pilula Doveri et Hyoscyami et Scillæ.

Dover's Powder 2 grs.; Extract of Henbane 2 grs.; Squill 1 gr.: in one pill. *City Chest.*

Pilula Doveri et Papaveris.

Dover's Powder $2\frac{1}{2}$ grs.; Extract of Poppies $2\frac{1}{2}$ grs.: in one pill. *City Chest.*

Pilula Doveri et Scillæ et Digitalis.

Dover's Powder 2 grs.; Squill 1 gr.; Digitalis 1 gr.; Confection of Roses *q. s.*: in one pill. *City Chest.*

Pilula Dyspeptica.

Sulphate of Quinine $\frac{1}{2}$ gr.; Carbolic Acid $\frac{1}{2}$ gr.; Extract of Rhubarb $\frac{1}{2}$ gr.; Pepsin (Bullock's) $2\frac{1}{2}$ grs.: in one pill. *Central Throat.*

Pilula Elaterii.

Elaterium $\frac{1}{6}$ gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Capsicum 1 gr.; Extract of Jalap to 5 grs. *Charing Cross.*

Pilula Elaterii Co.

Elaterium $\frac{1}{6}$ gr.; Extract of Socotrine Aloes 1 gr.; Extract of Henbane 2 grs.: in one pill. *Middlesex.*

Elaterium $\frac{1}{6}$ gr.; Pill of Colocynth and Henbane 5 grs.: in one pill. *London.*

Elaterium $\frac{1}{4}$ gr.; Compound Extract of Colocynth 2 grs.; Calomel 1 gr.; Extract of Hyoscyamus 1 gr. *Royal Chest.*

Elaterium $\frac{1}{4}$ gr.; Comp. Extract of Colocynth 2 grs.; Calomel $1\frac{1}{2}$ gr.; Capsicum $\frac{1}{2}$ gr.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Ergotæ et Opii.

Extract of Ergot 1 gr.; Tannic Acid 2 grs.; Extract of Opium $\frac{1}{4}$ gr.: in one pill. *Gt. Northern.*

Pilula Ergotini.

Ergotin 1 gr. in each pill. *City Chest.*

Ergotin 1 gr.; Gallic Acid 3 grs.; Extract of Rhatany *q. s.* *King's.*

Ergotin 3 grs.: Extract of Nux Vomica $\frac{1}{4}$ gr.; Compound Liquorice Powder *q. s.* *Samaritan.*

Pilula Ergotin. Comp.

Ergotin 2 grs.; Perchloride of Mercury $\frac{1}{16}$ gr.; Podophyllin $\frac{1}{16}$ gr.; Extract of Aloes $\frac{1}{2}$ gr.; Extract of Belladonna $\frac{1}{6}$ gr. *Samaritan.*

Pilula Euonymini.

Euonymin 2 grs.; Extract of Henbane 3 grs. *Westminster.*

Pilula Euonymini Composita.

Euonymin 1 gr.; Ipecacuanha $\frac{1}{2}$ gr.: Extract of Socotrine Aloes $1\frac{1}{2}$ gr.; Extract of Hyoscyamus 1 gr. *Royal Chest.*

Pilula Euonymin. et Hyoscyami.

Euonymin 2 grs.; Extract of Henbane 2 grs. *City Chest.*

Pilula Expectorans.

Ipecacuanha $\frac{1}{2}$ gr.; Guaiacum 1 gr.: Opium $\frac{1}{2}$ gr.; Comp. Squill Pill 2 grs.: in one pill. *City Chest. Gt. Northern.*

Ipecacuanha $\frac{3}{4}$ gr.; Squill $1\frac{1}{2}$ gr.; Opium $\frac{1}{4}$ gr.; Hard Soap 1 gr.; Glycerine *q. s.* *Royal Free.*

Compound Squill Pill 2 grs.; Compound Powder of Ipecacuanha 1 gr.; Compound Rhubarb Pill $1\frac{1}{2}$ gr.: in one pill. *Central Throat.*

Pilula Ferri. *See* Pilula Ferri Redacti.

Pilula Ferri. (Blaud's.)

(*See also* Pilula Ferri Carbonat.)

Sulphate of Iron $2\frac{1}{2}$ grs.; Carbonate of Potassium $2\frac{1}{2}$ grs. *Westminster.*

Pilula Ferri Aperiens.

Dried Sulphate of Iron 1 gr.; Socotrine Aloes 1 gr.; Extract of Nux Vomica $\frac{1}{4}$ gr.; Liquorice Root in powder 2 grs.; Syrup *q. s.*: in one pill. *London.*

Pilula Ferri Arseniatis.

Arseniate of Iron $\frac{1}{8}$ gr.; Extract of Gentian *q. s.*: in one pill. *Consumption.*

Arseniate of Iron $\frac{1}{15}$ gr.; Extract of Gentian 3 grs.; *Charing Cross.*

Arseniate of Iron $\frac{1}{20}$ gr.; Reduced Iron 2 grs.; Powdered Digitalis $\frac{1}{4}$ gr.; Powdered Capsicum $\frac{1}{2}$ gr.; Confection of Hips *q. s.* *Westminster.*

Pilula Ferri Carbonatis.

Dried Sulphate of Iron $2\frac{1}{2}$ grs.; Carbonate of Potassium 2 grs.; Sugar of Milk 1 gr.; Powdered Tragacanth *q. s.* *Royal Chest.*

Pilula Ferri Carbonat. (Blaud.)

Dried Sulphate of Iron $2\frac{1}{2}$ grs.; Bicarbonate of Potassium $2\frac{1}{2}$ grs.; Syrup *q. s.* *Samaritan.*

Pilula Ferri Co.

Dried Sulphate of Iron $\frac{1}{2}$ gr.; Carbonate of Sodium 1 gr.; Treacle *q. s.*; Myrrh 2 grs.: in one pill. *City Chest.*

Dried Sulphate of Iron 2 grs.; Carbonate of Potassium 1 gr.; Extract of Gentian to 5 grs. *St. Mary's.*

Dried Sulphate of Iron $2\frac{1}{2}$ grs.; Carbonate of Potash $2\frac{1}{2}$ grs.; Tragacanth Powder $\frac{1}{8}$ gr.; Syrup *q.s.*: in one pill. *London.*

Pilula Ferri Fœtida.

Saccharated Carbonate of Iron 3 grs.; Comp. Assafœtida Pill 2 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Ferri et Nucis Vomicæ.

Sulphate of Iron $1\frac{1}{2}$ gr.; Extract of Nux Vomica $\frac{1}{2}$ gr.; Extract of Gentian 2 grs. *King's.*

Pilula Ferri c. Potassio.

Sulphate of Iron 2 grs.; Carbonate of Potassium 2 grs.; Extract of Gentian 1 gr. *Consumption.*

Pilula Ferri et Potassii Carbonatis.

Sulphate of Iron $2\frac{1}{2}$ grs.; Carbonate of Potassium $2\frac{1}{2}$ grs.; Mucilage of Tragacanth *q. s.*; in one pill. *City Chest.*

Pilula Ferri et Quininæ.

Sulphate of Iron 1 gr.; Sulphate of Quinine 1 gr.; Extract of Chamomile 1 gr. *Royal Chest.*

Pilula Ferri Quininæ et Aloes.

Sulphate of Iron 1 gr.; Sulphate of Quinine 1 gr.; Extract of Socotrine Aloes $\frac{1}{3}$ gr.; Extract of Chamomile 1 gr. *Royal Chest.*

Pilula Ferri Redacti.

Reduced Iron 3 grs.; Liquorice Root 1 gr.; Mucilage of Tragacanth *q. s.*: in one pill. *St. Bartholomew's.*

Reduced Iron 3 grs.; Balsam of Peru 1 min. *Lock.*

Reduced Iron 3 grs.; Liquorice Root in Powder 2 grs.; Balsam of Peru *q. s.*: in one pill. *London.*

Reduced Iron 4 grs.; Confection of Roses *q. s.* *Women.*

Pilula Ferri Redacti et Hydrarg. c. Cretâ.

Reduced Iron 2 grs.; Grey Powder 1 gr.; Liquorice Root, in Powder, 2 grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Ferri Redacti et Quiniæ.

Reduced Iron 3 grs.; Sulphate of Quinine 1 gr.; Liquorice Root in powder 1 gr.; Balsam of Peru *q. s.*: in one pill. *London.*

Pilula Ferri c. Strychniâ.

Dried Sulphate of Iron 2 grs.; Strychnia $\frac{1}{16}$ gr.; Extract of Henbane 3 grs.: in one pill. *London.*

Pilula Ferri Sulphatis.

Dried Sulphate of Iron 1 gr.; Extract of Gentian *q. s.* *Consumption.*

Sulphate of Iron 1 gr.; Ginger 1 gr.; Extract of Gentian 3 grs. *Gt. Northern.*

Dried Sulphate of Iron 1 gr.; Ginger 1 gr.; Extract of Gentian 3 grs.: in one pill. *St. Bartholomew's.*

Dried Sulphate of Iron 2 grs.; Liquorice Root in powder, 2 grs.; Treacle *q. s.*: in one pill. *London.*

Dried Sulphate of iron 5 grs; Syrup 1 min. *University. Lock.*

Pilula Ferri Sulphatis Comp.

Dried Sulphate of Iron 3 grs.; Extract of Aloes $\frac{1}{2}$ gr.; Extract of Malt *q. s.* *Samaritan.*

Pilula Ferri Sulphatis Exsiccatæ.

Dried Sulphate of Iron 5 grs.; Syrup 1 min. *Westminster.*

Dried Sulphate of Iron 4 grs.; Bread Crumb and Treacle of each *q. s.*: in one pill. *City Chest.*

Dried Sulphate of Iron 2 grs.; Treacle *q. s.* *Middlesex.*

Pilula Ferri Valerianatis.

Valerianate of Iron 2 grs.; Acacia 1 gr.: Extract of Henbane 1 gr. *Women.*

Pilula Ferri et Zinci Valerianatis.

Valerianate of Iron 1 gr.; Valerianate of Zinc 2 grs.; Extract of Gentian 2 grs.: in one pill. *London.*

Pilula Fœtida c. Ferro. *See* Pilula Ferri Fœtida.

Pilula Gentianæ et Ferri.

Extract of Gentian 3 grs.; Sulphate of Iron 1 gr. *Guy's.*

Pilula Gentianæ et Zinci.

Extract of Gentian 3 grs.; Sulphate of Zinc 1 gr.; Calumba in powder *q. s.*: for one pill. *Guy's.*

Pilula Hydrargyri Bromidi.

Bromide of Mercury ½ gr.; Confection of Roses *q.s.* *Women.*

Pilula Hydrargyri et Cinchonæ.

Grey Powder 2 grs.; Sulphate of Cinchonine 1 gr.; Extract of Gentian to 5 grs. *St. Mary's.*

Pilula Hydrargyri c. Colocynthide.

Blue Pill 2 grs.; Pill of Colocynth and Hyoscyamus to 5 grs. *St. Mary's.*

Blue Pill 1 gr.; Comp. Extract of Colocynth 2½ grs.: in one pill. *St. Bartholomew's*

Blue Pill 1½ gr.; Extract of Hyoscyamus 1 gr; Compound Pill of Coloeynth 2½ grs. *Lock.*

Blue Pill 1½ gr.: Colocynth and Hyoscyamus Pill 3½ grs.: in one pill. Dose 1 or 2 pills. *Consumption.*

Blue Pill 1½ gr.: Compound Extract of Coloeynth 3½ grs.: in one pill. *St. George's.*

Blue Pill 2 grs.; Comp. Pill of Coloeynth 3 grs.: in one pill. *London. London Ophthalmic. University.*

Blue Pill 2 grs.; Colocynth Pill with Henbane 3 grs. *British Skin. Women.*

Blue Pill 2 grs.; Comp. Extract of Colocynth 2 grs.; Ipeecacuanha $\frac{1}{6}$ gr.; Extract of Hyoscyamus 1 gr. *Westminster.*

Blue Pill 2½ grs.; Compound Extract of Colocynth 2½ grs. *Middlesex.*

Blue Pill 2½ grs.; Comp. Pill of Colocynth 2½ grs. *Royal Free.*

Pilula Hydrarg. c. Coloc. et Hyoscyam.

Blue Pill 1 gr.; Comp. Extract of Colocynth 2½ grs.; Extract of Henbane 1 gr. in one pill. *St. Bartholomew's.*

Pilula Hydrargyri Co.

Mercurial Pill 2 grs.; Powder of Ipecacuanha and Opium 3 grs. *Fever.*

Mercurial Pill 1½ grs.; Ipecacuanha ¼ gr.; Acetic Extract of Colchicum ¼ gr.; Pill of Colocynth and Henbane 3 grs.: in one pill. *London.*

Pilula Hydrargyri c. Cretâ.

Mercury with Chalk 1 gr.; Compound Powder of Ipecacuanha 1 gr.; Glycerine of Tragacanth, a sufficiency in one pill. *Central Throat.*

Mercury with Chalk 1 gr.; Compound Powder of Ipecacuanha 2 grs.; Glycerine of Tragacanth *q. s.*: in one pill. *Throat.*

Pilula Hydrarg. c. Cretâ Co.
Grey Powder 2½ grs.; Dover's Powder 2½ grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's. Westminster Ophthalmic.*

Pil. Hydrarg. c. Cretâ c. Ferro.
Reduced Iron 2 grs.; Grey Powder 2 grs.; Extract of Gentian 1 gr. *Lock.*

Pilula Hydrarg. c. Cretâ et Ipecac.
Grey Powder 2½ grs.; Dover's Powder 2½ grs.; Confection of Hips *q. s.*: for one pill. *University.*

Pilula Hydrarg. c. Cretâ et Pulv. Ipecac. Co.
(*See also* Pil. Doveri et Hydrarg. c. Cretâ.)
Grey Powder 2 grs.; Dover's Powder 1 gr.; Treacle *q. s.*: in one pill. *London.*
Grey Powder 2 grs.; Dover's Powder 3 grs.; Mucilage *q. s.* *London Ophthalmic.*

Pilula Hydrargyri c. Cretâ et Opii.
Grey Powder 1 gr.; Compound Powder of Ipecacuanha 1 gr.; in one pill. *St. Thomas's.*

Pilula Hydrarg. c. Cretâ et Quininâ.
Grey Powder 3 grs.; Sulphate of Quinine 1 gr.; Treacle *q. s.*: in one pill. *St. Bartholomew's. Westminster Ophthalmic.*

Pilula Hydrarg. c. Cretâ et Rheo.
Grey Powder 2½ grs.; Rhubarb 2½ grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Hydrargyri Cyanidi.
Cyanide of Mercury $\frac{1}{10}$ gr.; Sugar of Milk, a sufficiency; Glycerine of Tragacanth, a sufficiency: in one pill. *Central Throat.*
Cyanide of Mercury $\frac{1}{10}$ gr.; Sugar of Milk ¾ gr.; Glycerine of Tragacanth *q. s.*: for one varnished pill. *Throat.*

Pilula Hydrargyri et Digitalis et Scilla.
(*See* Pil. Hydrarg. Scillæ et Digitalis.)

Pilula Hydrargyri Diuretica.
Blue Pill 2 grs.; Squill 2 grs.; Digitalis 1 gr. *Charing Cross.*

Pilula Hydrargyri c. Ferro.

Grey Powder 2 grs.; Reduced Iron 2 grs.; Glycerine of Tragacanth, a sufficiency. *St. Thomas's.*

Grey Powder 2 grs.; Reduced Iron 2 grs; Extract of Hyoscyamus to 5 grs. *St. Mary's.*

Pilula Hydrargyri c. Ferro Redacto.

Blue Pill 1 gr.; Reduced Iron 2 grs.; Extract of Gentian *q. s.* *Lock.*

Pilula Hydrargyri et Gentianæ.

Blue Pill 1 gr.; Extract of Gentian 2 grs. *Lock.*

Pilula Hydrargyri c. Hyoscyamo.

Blue Pill $1\frac{1}{2}$ gr.; Extract of Henbane 2 grs.; Extract of Socotrine Aloes $1\frac{1}{2}$ gr.: in one pill. *Middlesex.*

Blue Pill 3 grs.; Extract of Henbane 2 grs. *Gt. Northern.*

Grey Powder 2 grs.; Extract of Hyoscyamus 2 grs.; Comp. Powder of Ipecacuanha to 5 grs. *St. Mary's.*

Blue Pill $2\frac{1}{2}$ grs.; Extract of Henbane $2\frac{1}{2}$ grs.: in one pill. *London.*

Pilula Hydrargyri Iodidi Viridis.

Green Iodide of Mercury $\frac{1}{4}$ gr.; Extract of Hemlock 2 grs. *Westminster.*

Green Iodide of Mercury $\frac{1}{4}$ gr.; Extract of Logwood 2 grs.; Extract of Lettuce 2 grs.: in one pill. *Central Throat.*

Green Iodide of Mercury $\frac{1}{2}$ gr.; Powdered Opium $\frac{1}{4}$ gr.; Extract of Gentian 2 grs. *British Skin.*

Green Iodide of Mercury $\frac{1}{2}$ gr.; Powdered Opium $\frac{1}{2}$ gr.; Glycerine of Tragacanth *q. s.*: in one pill. *Throat.*

Green Iodide of Mercury 1 gr.; Extract of Opium $\frac{1}{2}$ gr.; Extract of Logwood 1 gr.; Extract of Gentian *q. s.* *Lock.*

Pilula Hydrarg. Iodid. Virid. c. Opio.

Green Iodide of Mercury $\frac{1}{2}$ gr.; Powdered Opium $\frac{1}{8}$ gr.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Hydrargyri c. Opio.

Blue Pill 1 gr.; Powdered Opium $\frac{1}{8}$ gr.; Glycerine of Tragacanth, a sufficiency: in one pill. *Central Throat.*

Blue Pill $1\frac{1}{2}$ gr.; Opium $\frac{1}{3}$ gr.: in one pill. *Throat.*
Blue Pill 2 grs.; Opium $\frac{1}{4}$ gr. *Lock.*
Grey Powder 2 grs.; Dover's Powder 2 grs.; Extract of Dandelion *q. s.* *Samaritan.*
Blue Pill 2 grs.; Opium $\frac{1}{6}$ gr. *University*, No. 1.
Blue Pill 2 grs.; Powdered Opium $\frac{1}{2}$ gr. *Westminster.*
Blue Pill to 3 grs.; Opium $\frac{1}{4}$ gr. *St. Mary's.*
Blue Pill 3 grs.; Opium $\frac{1}{4}$ gr.: in one pill. *Royal Free. University*, No. 2.
Blue Pill 4 grs.; Opium $\frac{1}{4}$ gr.: in one pill. *Guy's. London.*
Blue Pill 5 grs.; Opium $\frac{1}{2}$ gr. *London Ophthalmic. University*, No. 3.
Blue Pill 5 grs; Opium $\frac{1}{3}$ gr.: in one pill. *Westminster Ophthalmic.*
Blue Pill 5 grs.; Powdered Opium $\frac{1}{4}$ gr. *St. Thomas's.*

Pil. Hydrarg. c. Opio Fortior.

Blue Pill 5 grs.; Opium $\frac{1}{3}$ gr. *Lock.*

Pilula Hydrarg. Perchlor. c. Belladonnâ.

Perchloride of Mercury $\frac{1}{12}$ gr.; Sulphate of Quinine 1 gr.; Extract of Belladonna $\frac{1}{3}$ gr.; Extract of Gentian 3 grs.: in one pill. *London.*

Pilula Hydrarg. c. Pulv. Ipecac. Co.

Blue Pill 2 grs.; Dover's Powder 3 grs.: in one pill. *Consumption.*
Blue Pill $2\frac{1}{2}$ grs.; Dover's Powder $2\frac{1}{2}$ grs.: in one pill. *London.*

Pilula Hydrarg. c. Quininâ et Ferro.

Blue Pill 1 gr.; Sulphate of Quinia 1 gr.: Sulphate of Iron 2 grs.; Treacle *q. s.*: in one pill. *Westminster Ophthalmic.*

Pilula Hydrargyri c. Rheo.

Blue Pill $1\frac{1}{2}$ gr.; Comp. Rhubarb Pill 3 grs. Ipecacuanha $\frac{1}{2}$ gr. *Charing Cross.*
Comp. Rhubarb Pill 4 grs.; Mercurial Pill 1 gr. *Fever. St. Mary's.*
Blue Pill $1\frac{1}{2}$ gr.; Rhubarb 3 grs.; Ipecacuanha $\frac{1}{2}$ gr.; Treacle *q. s.*: in one pill. *Middlesex. Royal Chest.*
Blue Pill $1\frac{1}{2}$ gr.; Comp. Rhubarb Pill 3 grs.: in one pill. Dose 1 or 2 pills. *Consumption.*

Blue Pill 2 grs.; Compound Rhubarb Pill 3 grs. *City Chest. St. Bartholomew's.*

Blue Pill 2½ grs.; Comp. Rhubarb Pill 2½ grs. *Guy's. London. London Ophthalmic. Royal Free. St. Thomas's. Westminster Ophthalmic. King's.*

Pilula Hydrargyri c. Scillâ.

Blue Pill 1 gr.; Comp. Squill Pill 2 grs.; Extract of Henbane 2 grs *Charing Cross.*

Blue Pill 1 gr.; Comp. Squill Pill 4 grs. *Consumption.*

Blue Pill 2 grs.; Squill 2 grs: in one pill. *City Chest.*

Blue Pill 2½ grs.; Compound Squill Pill 2½ grs.: in one pill. *London.*

Blue Pill 3 grs.; Squill 1½ gr.: in one pill. *St. Bartholomew's.*

Comp. Squill Pill 4 grs.; Grey Oxide of Mercury ⅓ gr.: in one pill. *Guy's.*

Pilula Hydrarg. Scillæ et Digitalis.

Blue Pill 1 gr.; Squill 1 gr.; Digitalis 1 gr.; Extract of Henbane 2 grs. *City Chest.*

Blue Pill 1½ gr.; Squill 1½ gr.; Digitalis 1 gr.; Oil of Juniper 1 min.; Gum Acacia *q. s. Royal Chest.*

Blue Pill 1½ gr.; Squill 1½ gr.; Digitalis ½ gr. *Westminster.*

Pilula Hydrargyri Subchloridi.

Calomel ½ to 5 grs.; Liquorice Root, in powder, and Treacle *q. s.*: in one pill. *London.*

Pilula Hydrarg. Subchlor. c. Colocynth.

Calomel 1 gr.; Comp. Pill of Colocynth 3 grs.; Extract of Hyoscyamus 1 gr. *Royal Chest.*

Calomel 1 gr.; Comp. Extract of Colocynth 3 grs.; Extract of Henbane 1 gr. *London Ophthalmic.*

Calomel 1 gr.; Comp. Extract of Colocynth 3½ grs.; Ipecacuanha ½ gr.: in one pill. *Middlesex.*

Calomel 1 gr.; Comp. Colocynth Pill 3 grs. *University.*

Calomel 1 gr.; Pill of Colocynth and Henbane 4 grs. *City Chest.*

Calomel 1 gr.; Comp. Colocynth Pill 4 grs: in one pill. *Guy's. London. Westminster Ophthalmic. Women.*

Calomel 1 gr.; Comp. Colocynth Pill 4 grs.; Oil of Caraway ¼ gr. *Royal Free.*

Calomel 1 gr.; Comp. Extract of Colocynth 4 grs.: in one pill. *St. Bartholomew's. St. Thomas's.*

Calomel $1\frac{1}{2}$ gr.; Comp. Colocynth Pill 3 grs.; Capsicum $\frac{1}{6}$ gr.: for one pill. Dose 1 or 2 pills. *Consumption.*

Comp. Extract of Colocynth $3\frac{1}{2}$ grs.; Calomel $1\frac{1}{2}$ gr.: in one pill. *St. George's.*

Calomel $1\frac{1}{2}$ gr.; Comp. Colocynth and Hyoscyamus Pill $3\frac{1}{2}$ grs. *Samaritan.*

Calomel 2 grs.; Comp. Colocynth Pill 3 grs.; Oil of Caraway *q. s. King's.*

Calomel 2 grs.; Comp. Extract of Colocynth 3 grs. *Charing Cross. Westminster.*

Calomel 2 grs.; Comp. Colocynth Pill to 5 grs. *St. Mary's.*

Calomel 2 grs.; Comp. Colocynth and Hyoscyamus Pill 3 grs. *Gt. Northern.*

Pilula Hydrarg. Subchlor. c. Coloc. et Hyosc.

Calomel 1 gr.; Comp. Extract of Colocynth 3 grs.; Extract of Hyoscyamus 1 gr. *St. Bartholomew's.*

Pilula Hydrarg. Subchlor. c. Jalapâ.

Calomel 1 gr.; Jalap 3 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Pilula Hydrarg. Subchlor. c. Opio.

Calomel $\frac{1}{2}$ to 2 grs.; Opium in powder $\frac{1}{4}$ to 1 gr.: Liquorice Root in powder 2 grs.; Treacle *q. s.*: in one pill. *London.*

Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Comp. Powder of Tragacanth 1 gr.; Glycerine of Tragacanth *q. s. University.*

Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Wheaten flour 1 gr.; Confection of Roses *q. s. London Ophthalmic.*

Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Treacle *q. s. Gt. Northern.*

Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Confection of Hips *q. s. Royal Free.*

Calomel 1 gr.; Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s. Guy's.*

Calomel 2 grs.; Extract of Opium $\frac{1}{4}$ gr.; Treacle *q. s.*: in one pill. *City Chest.*

Calomel 2 grs.; Opium $\frac{1}{3}$ gr.; Confection of Roses *q. s. Fever.*

Calomel 2 grs.; Opium $\frac{1}{2}$ gr.; Extract of Liquorice $2\frac{1}{2}$ grs.: in one pill. *St. Thomas's.*

Calomel 2 grs.; Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s. Westminster Ophthalmic.*

Pilula Hydrarg. Subchlor. c. Pulv. Ipecac. Co.
Calomel 1 gr. ; Dover's Powder 4 grs. ; Mucilage *q. s.* *London Ophthalmic.*

Pilula Hydrarg. Subchlor. c. Quinina.
Calomel $\frac{1}{4}$ gr. ; Sulphate of Quinine 1 gr. ; Confection of Roses *q. s.* *London Ophthalmic.*

Pilula Hydrarg. Subchlor. c. Rheo.
Calomel 1 gr. ; Rhubarb 4 grs. ; Treacle *q. s.* : in one pill. *St. Bartholomew's.*
Calomel 1 gr. ; Comp. Rhubarb Pill 2 grs. ; Extract of Hyoscyamus 1 gr. : in one pill. *Throat.*

Pilula Hydrarg. Subchlor. c. Scammonio.
Calomel 1 gr. ; Scammony 3 grs. ; Treacle *q. s.* : in one pill. *St. Bartholomew's.*

Pilula Hydrarg. Subchlor c. Scilla.
Calomel 1 gr. ; Powdered Squill 1 gr. ; Powdered Digitalis 1 gr. ; Extract of Henbane $1\frac{1}{2}$ gr. *King's.*

Pilula Hyoscyami.
Extract of Henbane 3 grs. ; Powdered Capsicum $\frac{1}{2}$ gr. ; Extract of Gentian 1 gr. *Westminster.*
Extract of Henbane 5 grs. : in one pill. *London.*

Pilula Hyoscyami c. Camphorâ.
See Pilula Camphoræ c. Hyoscyamo.

Pilula Hyoscyami c. Conio et Ipecac.
Extract of Henbane 2 grs. ; Extract of Conium 2 grs. ; Ipecacuanha 1 gr. : in one pill. *London.*

Pilula Hyoscyami et Morphia.
Extract of Henbane 3 grs. ; Hydrochlorate of Morphia $\frac{1}{3}$ gr. *Guy's.*

Pilula Hyoscyami et Scillæ.
Extract of Henbane 2 grs. ; Comp. Squill Pill 2 grs. ; Ipecacuanha 1 gr. : in one pill. *London.*

Pilula Iodoformi.
Iodoform 2 grs. ; Confection of Roses *q. s.* : in one pill. *City Chest.*
Iodoform 2 grs. ; Sugar of Milk 1 gr. ; Glycerine of Tragacanth *q. s.* : in one pill. *Throat.*

Pilula Ipecacuanhæ Co.
Dover's Powder 5 grs.; Treacle *q. s.* in one pill. *Guy's. London.*

Pilula Ipecacuanhæ Co. c. Hydr.
See Pilula Hydr. c. Pulv. Ipecac. Co.

Pilula Ipecacuanhæ Co. c. Scillâ.
Powder of Ipecacuanha and Opium 3 grs.; Squill ½ gr.; Extract of Conium 1½ gr. *Fever.*

Pilula Ipecacuanhæ Opiata c. Scillâ.
Ipecacuanha ½ gr.; Comp. Squill Pill 1 gr.; Dover's Powder 2 grs.; Extract of Aloes ⅙ gr.; in one pill. *Royal Chest.*

Pilula Ipecacuanhæ c. Opio.
Ipecacuanha ½ gr.; Opium ½ gr.; Confection of Roses 2 grs. *Consumption.*

Pilula Ipecacuanhæ et Rhei.
Ipecacuanha 1 gr.; Comp. Rhubarb Pill 4 grs. *Westminster.*

Pilula Morphinæ.
Hydrochlorate or Acetate of Morphine ⅙, ¼, ⅓, or ½ gr.; Soap *q. s.* *St. Mary's.*
Hydrochlorate of Morphine ¼, ⅓, ½ or 1 gr.; Liquorice Root in Powder 3 grs.; Treacle *q. s.*: in one pill. *London.*
Hydrochlorate of Morphine ¼, ⅓, or ½ gr.: in one pill. *Consumption.*

Pilula Morphinæ Hydrochloratis.
Hydrochlorate of Morphine ⅛ gr.; Confection of Roses *q. s.* *Royal Chest.*

Pilula Morphinæ c. Hyoscyamo.
Hydrochlorate of Morphine ⅙, ¼, ⅓ gr.; Extract of Henbane 3 grs.: in one pill. *City Chest.*

Pilula Morphinæ et Hyoscyami et Ipecacuanhæ.
Hydrochlorate of Morphine ⅙, ¼, ⅓ gr.; Ipecacuanha 1 gr.; Extract of Henbane 3 grs.: in one pill. *City Chest.*

Pilula Nucis Vomicæ.
Extract of Nux Vomica ¼ gr.; Extract of Gentian 2 grs.; in one pill. *Consumption.*

Extract of Nux Vomica $\frac{1}{4}$ gr. ; Compound Extract of Colocynth 3 grs. ; Hard Soap $1\frac{3}{4}$ gr. *Charing Cross.*

Extract of Nux Vomica $\frac{1}{4}$ to 1 gr. ; Extract of Gentian 2 grs. ; Liquorice Root in powder 2 grs. ; in one pill. *London.*

Extract of Nux Vomica $\frac{1}{2}$ gr. ; Powdered Capsicum $\frac{1}{4}$ gr. ; Comp. Rhubarb Pill 2 grs. *Guy's.*

Pilula Nucis Vomicæ c. Belladonnâ.

Extract of Nux Vomica $\frac{1}{2}$ gr. ; Extract of Belladonna $\frac{1}{3}$ gr. ; Compound Rhubarb Pill $2\frac{1}{2}$ grs. *Royal Free.*

Pilula Nucis Vomicæ Cathartica.

Extract of Nux Vomica $\frac{1}{4}$ gr. ; Pill of Colocynth and Henbane 2 grs. ; Comp. Rhubarb Pill 1 gr. ; Liquorice Powder 2 grs. ; in one pill. *London.*

Extract of Nux Vomica $\frac{1}{4}$ gr. ; Comp. Extract of Colocynth $1\frac{1}{4}$ gr. ; Extract of Henbane $1\frac{1}{4}$ gr. ; Comp. Rhubarb Pill $1\frac{1}{4}$ gr. ; in one pill. *Throat.*

Pilula Nucis Vomicæ et Ferri.

Extract of Nux Vomica $\frac{1}{2}$ gr. ; Dried Sulphate of Iron 1 gr. ; Extract of Barbadoes Aloes 1 gr. *Guy's.*

Pilula Nucis Vomicæ et Rhei.

Extract of Nux Vomica $\frac{1}{3}$ gr. ; Extract of Henbane 1 gr. ; Comp. Rhubarb Pill 4 grs. ; in one pill. *City Chest.*

Pilula Opii.

Powdered Opium $\frac{1}{4}$ gr. ; Syrup 1 min. ; water *q. s.* *Royal Chest.*

Pilula Opii et Conii.

Extract of Conium 3 grs. ; Compound Soap Pill 2 grs. *British Skin.*

Pilula Pepsinæ.

Pepsine 5 grs. ; Glycerine *q. s.* ; in one pill. Varnish. *London.*

Pilula Phosphori.

Phosphorus $\frac{1}{100}$, $\frac{1}{50}$ gr. in each pill. *City Chest.*

Phosphorus $\frac{1}{50}$ gr. ; Suet *q. s.* *Westminster.*

Pilula Phosphori et Ferri.

Phosphorus $\frac{1}{50}$ gr.; Reduced Iron 2 grs. Suet *q. s.* *Westminster.*

Pilula Picis.

Tar 2 grs.; Magnesia *q. s.* *Consumption.*

Tar 2 grs.; Lycopodium 1 gr. *Westminster.*

Pilula Picrotoxini.

Picrotoxin $\frac{1}{60}$ gr.; Sugar of Milk 3 grs.; Glycerine of Tragacanth *q. s.* *Westminster.*

Pilula Plumbi c. Opio.

Acetate of Lead 2 grs.; Opium $\frac{1}{6}$ gr.; Liquorice Powder 2 grs.; Treacle *q. s.*: in one pill. *London.*

Pilula Podophylli.

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Hyoscyamus 2 grs.; Soap to 5 grs. *St. Mary's.*

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Henbane $1\frac{1}{2}$ gr.; Comp. Rhubarb Pill $1\frac{1}{2}$ gr.; Capsicum $\frac{1}{2}$ gr.: in one pill. *Throat.*

Resin of Podophyllum $\frac{1}{4}$ gr.; Extract of Hyoscyamus to 3 grs. *Westminster.*

Resin of Podophyllum $\frac{1}{4}$ to 1 gr.; Extract of Hyoscyamus 2 grs.: in one pill. *London.*

Resin of Podophyllum $\frac{1}{4}$ gr.; Barbadoes Aloes 1 gr.; Capsicum $\frac{1}{2}$ gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Glycerine of Tragacanth *q. s.* *University.*

Resin of Podophyllum $\frac{1}{3}$ gr.; Capsicum 1 gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Comp. Extract of Colocynth to 5 grs. *Charing Cross.*

Pilula Podophylli et Colocynthidis.

Resin of Podophyllin $\frac{1}{4}$ gr.; Pill of Colocynth and Hyoscyamus 3 grs. *Westminster.*

Pilula Podophylli Co.

Resin of Podophyllum $\frac{1}{6}$ gr.; Extract of Henbane 2 grs.; Comp. Powder of Cinnamon *q. s.* *Women.*

Resin of Podophyllum $\frac{1}{3}$ gr.; Extract of Barbadoes Aloes 2 grs.; Extract of Belladonna $\frac{1}{4}$ gr.; Hard Soap 1 gr. *Gt. Northern.*

Resin of Podophyllum $\frac{1}{3}$ gr.; Barbadoes Aloes 1 gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Compound Colocynth Pill to 5 grs. *St. Mary's.*

Pilula Podophylli c. Hydrargyro.

Resin of Podophyllum $\frac{1}{2}$ gr.; Blue Pill 1 gr.; Extract of Henbane 2 grs. *Guy's.*

Pilula Podophylli et Hyoscyami.

Resin of Podophyllum $\frac{1}{4}$, $\frac{1}{3}$, or $\frac{1}{2}$ gr.; Extract of Henbane 2 grs.: in one pill. *City Chest.*

Pilula Podophylli c. Nuce Vomicâ.

Resin of Podophyllum $\frac{1}{8}$ gr.; Extract of Nux Vomica $\frac{1}{4}$ gr.; Extract of Gentian 2 grs. *British Skin.*

Pilula Podophylli et Rhei.

Resin of Podophyllum $\frac{1}{2}$ gr.; Comp. Rhubarb Pill 5 grs.: in one pill. *City Chest.*

Pilula Potassii Permanganatis.

Permanganate of Potassium 1 gr.; Kaolin Ointment *q. s.* *Royal Chest. City Chest.*

Permanganate of Potassium 1 gr.; Kaolin Ointment, Soft Paraffin, of each *q. s.* *Westminster.*

Permanganate of Potassium 3 grs.: Kaolin Ointment *q. s.* *Samaritan.*

Pilula Purgans.

Extract of Barbadoes Aloes $1\frac{1}{2}$ gr.; Comp. Extract of Colocynth 2 grs.: Extract of Jalap $1\frac{1}{2}$ gr.; Caraway Oil *q. s.* *Charing Cross.*

Pilula Quiniæ. *See* Pilula Quininæ Sulphatis.

Pilula Quininæ c. Belladonna.

Extract of Belladonna $\frac{1}{8}$ gr.; Sulphate of Quinine 1 gr.; Confection of Roses *q. s.* *London Ophthalmic.*

Pilula Quininæ c. Digitale.

Sulphate of Quinine 2 grs.; Digitalis $\frac{1}{2}$ gr.; Extract of Hops *q. s.* *Consumption.*

Pilula Quininæ, Digitalis et Opii.

Sulphate of Quinine 2 grs.; Digitalis 1 gr.; Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s.* *City Chest.*

Pilula Quininæ c. Ferro.

Sulphate of Quinia 1 gr.; Sulphate of Iron 1 gr.; Extract of Conium 3 grs. *Fever.*

Sulphate of Quinia 1 gr.; Dried Sulphate of Iron 1 gr.; Liquorice Powder 2 grs.; Treacle *q. s.*: in one pill. *London.*

Sulphate of Quinine 1 gr.; Sulphate of Iron 1 gr.; Confection of Roses *q. s.*: in one pill. *Middlesex.*

Sulphate of Quinine 1 gr.; Sulphate of Iron 1 gr.; Extract of Gentian 3 grs.: in one pill. *Consumption.*

Sulphate of Quinia 2 grs.; Sulphate of Iron 2 grs.; Glycerine of Tragacanth, a sufficiency: in one pill. *St. Thomas's.*

Sulphate of Quinine 2 grs.; Dried Sulphate of Iron 1 gr.; Treacle *q. s.*: in one pill. *City Chest.*

Pilula Quininæ c. Opio.

Sulphate of Quinine 1 gr.; Powdered Opium $\frac{1}{4}$ gr.; Confection of Roses *q. s.* *Middlesex.*

Sulphate of Quinine 1, 2, $2\frac{1}{2}$ or 3 grs.: Opium in powder $\frac{1}{4}$, $\frac{1}{3}$, $\frac{1}{2}$, or 1 gr.; Glycerine of Tragacanth *q. s.*: in one pill. *London.*

Pilula Quininæ Sulphatis.

Sulphate of Quinia 1, 2, $2\frac{1}{2}$ or 3 grs.; Liquorice Powder and Treacle *q. s.*: in one pill. *London.*

Sulphate of Quinine 1 to 2 grs.; Extract of Gentian *q. s.*: in one pill. *Consumption.*

Pilula Quininæ et Zinci.

Sulphate of Quinine 1 gr.; Oxide of Zinc 2 grs.; Extract of Gentian *q. s.* *Westminster.*

Pilula Rhei Comp. c. Nuce Vomicâ.

Comp. Rhubarb Pill $3\frac{1}{2}$ grs.; Extract of Nux Vomica $\frac{1}{2}$ gr.; Capsicum $\frac{1}{6}$ gr.: in one pill. *St. Bartholomew's.*

Pilula Rhei et Creasoti.

Powdered Rhubarb 3 grs.; Creasote $\frac{1}{2}$ min.; Extract of Chamomile *q. s.* *Women.*

Pilula Rhei c. Hydrargyro.

See Pil. Hydrarg. c. Rheo.

Pilula Rhei c. Nuce Vomicâ.

Comp. Rhubarb Pill 3 grs.: Extract of Nux Vomica $\frac{1}{4}$ gr.; Extract of Henbane 1 gr.: in one pill. *St. Thomas's.*

Pilula Scillæ c. Conio.

Extract of Conium 3 grs.; Compound Squill Pill 2 grs. *Consumption.*

Comp. Pill of Conium $2\frac{1}{2}$ grs.; Comp. Squill Pill $2\frac{1}{2}$ grs. *Women.*

Pilula Scillæ c. Digitale.

Powdered Squill 2 grs.; Extract of Conium 2 grs.; Powdered Digitalis 1 gr.: in one pill. *Consumption.*

Pilula Scillæ c. Hydrargyro.

See Pilula Hydrargyri c. Scillâ.

Pilula Scillæ c. Morphinâ.

Powdered Squill 2 grs.; Hydrochlorate of Morphine $\frac{1}{8}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Oil of Aniseed $\frac{1}{4}$ min.: in one pill. Dose 1 or 2. *Consumption.*

Pilula Scillæ c. Opio.

Comp. Squill Pill 4 grs.; Opium $\frac{1}{3}$ gr.: in one pill. *Guy's.*

Pilula Sedativa.

Opium $\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Extract of Henbane 3 grs. *Gt. Northern.*

Pilula Sodii Arseniatis.

Arseniate of Sodium $\frac{1}{16}$ gr.; Sugar of Milk 1 gr.; Extract of Hop 3 grs. *London Ophthalmic.*

Pilula Stramonii.

Extract of Stramonium $\frac{1}{4}$ or $\frac{1}{2}$ gr.; Extract of Gentian 2 grs.; Liquorice Powder *q. s.*: in one pill. *Consumption.*

Extract of Stramonium $\frac{1}{4}$ gr.; Compound Powder of Ipecacuanha 2 grs.; Extract of Gentian to 5 grs. *St Mary's.*

Extract of Stramonium $\frac{1}{4}$ gr.; Assafœtida 1 gr.; Camphor $\frac{1}{2}$ gr.; Ipecacuanha $\frac{1}{2}$ gr.; Rectified Spirit *q. s.*; Syrup of Red Poppy *q. s.* *Royal Free.*

Extract of Stramonium $\frac{1}{2}$ gr.; Liquorice Root 2 grs.; Treacle *q. s.*: in one pill. *St. Bartholomew's.*

Extract of Stramonium $\frac{1}{2}$ gr.; Extract of Hop 2 grs.: in one pill. *City Chest.*

Pilula Stramonii et Conii.

Extract of Stramonium $\frac{1}{3}$ gr.; Extract of Conium 2 grs.; Extract of Hop *q. s.* *Royal Chest.*

Pilula Terebinthinæ et Zinci.

Chian Turpentine 4 grs.; Sulphate of Zinc 1 gr.; in one pill. *London.*

Pilula Thymol.

Thymol 1 gr.; Gum Tragacanth 1 gr.; Mastich 1 gr.; Glycerine a sufficiency. *Guy's.*

Pilula Trium Sulphatum.

Sulphate of Quinia, Sulphate of Iron, Sulphate of Zinc, of each 1 gr.; Extract of Gentian 2 grs. *Women.*

Pilula Valerianæ et Belladonnæ.

Valerianate of Zinc 2 grs.; Sulphate of Quinia 1 gr.; Extract of Belladonna $\frac{1}{4}$ gr.; Confection of Roses $1\frac{3}{4}$ gr. *Charing Cross.*

Pilula Valerianæ Comp.

Valerianate of Zinc 1 gr.; Valerianate of Iron 1 gr.; Valerianate of Quinine 1 gr. *Samaritan.*

Pilula Zinci et Belladonnæ.

Oxide of Zinc 3 grs.; Extract of Belladonna $\frac{1}{3}$ gr.; Glycerine of Tragacanth to 5 grs. *St. Mary's.*

Oxide of Zinc 2 grs.; Extract of Belladonna $\frac{1}{4}$ gr.; Extract of Gentian *q. s.* *Charing Cross.*

Oxide of Zinc 2 grs.; Extract of Belladonna $\frac{1}{4}$ gr.; Extract of Gentian 2 grs. *Westminster.*

Pilula Zinci Comp.

Valerianate of Zinc 2 grs.; Extract of Aloes 1 gr.; Assafœtida Pill 2 grs. *Women. St. Mary's.*

Pilula Zinci c. Hyoscyamo.

Sulphate of Zinc 2 grs.; Extract of Henbane 3 grs.; in one pill. *Middlesex.*

Oxide of Zinc 2 grs.; Extract of Henbane 2 grs.; in one pill. *City Chest. Gt. Northern.*

Pilula Zinci Oxidi.

Oxide of Zinc 2 grs.; Extract of Belladonna $\frac{1}{2}$ gr.; Glycerine of Tragacanth a sufficiency. *University.*

Oxide of Zinc $2\frac{1}{2}$ grs.; Extract of Gentian 2 grs.; in one pill. Dose 1 or 2. *Consumption.*

Oxide of Zinc 3 grs.; Extract of Gentian *q. s.* *Charing Cross.*

Oxide of Zinc 4 grs.; Confection of Roses *q. s.*; in one pill. *City Chest.*

Pilula Zinci Oxidi et Belladonnæ.

Oxide of Zinc $2\frac{1}{2}$ grs.; Extract of Belladonna $\frac{1}{3}$ gr.; Extract of Gentian *q. s.*; in one pill. *Consumption.*

Oxide of Zinc 2 grs.; Extract of Belladonna ¼ gr.; Glycerine of Tragacanth *q. s.*: in one pill. *London.*

Oxide of Zinc 3 grs.; Extract of Belladonna ¼ gr.; Extract of Hyoscyamus 1 gr. *Royal Chest.*

Pilula Zinci Oxidi c. Hyoscyamo.

Oxide of Zinc 3½ grs.; Extract of Henbane 1½ gr.: in one pill. Dose 1 or 2. *Consumption.*

Pilula Zinci Oxidi c. Morphinâ.

Oxide of Zinc 2½ grs.; Hydrochlorate of Morphine ¼ gr.; Extract of Hop 2 grs.: in one pill. Dose 1 to 3. *Consumption.*

Pilula Zinci Sulphatis.

Sulphate of Zinc 1 or 2 grs.; Extract of Gentian 3 grs.: in one pill. *London.*

Pilula Zinci Valerianatis.

Valerianate of Zinc 1 gr.; Compound Pill of Assafœtida 2 grs.; in each pill. *Throat.*

Valerianate of Zinc 2 grs.; Extract of Gentian *q. s.* *Consumption.*

Valerianate of Zinc 2 grs; Confection of Hips 2 grs. *British Skin.*

Pilula Zinci Valerianatis et Aloes.

Valerianate of Zinc 2 grs.; Socotrine Aloes ½ gr.; Extract of Gentian *q. s.*: in one pill. *Consumption.*

Pilula Zinci Valerianatis Co.

Valerianate of Zinc 1 gr.; Comp. Assafœtida Pill 2 grs. *St. Thomas's.*

Valerianate of Zinc 1½ gr.; Comp. Pill of Assafœtida 2 grs.; Comp. Rhubarb Pill 1½ gr. *Royal Chest.*

Valerianate of Zinc ½ gr.: Sulphate of Quinia 1 gr.; Comp. Rhubarb Pill 1 gr; Extract of Gentian 2 grs.: in one pill. *London.*

POTASSA CUM CALCE.

(Vienna Paste.)

Caustic Potash, Lime, equal parts; Glycerine, *q. s.* *St. Bartholomew's.*

Caustic Potash and recently burnt Lime equal parts; Rectified Spirit *q. s.*: to make a paste. *Middlesex.*

POTUS.

Potus Acidi Phosphorici.

Chlorate of Potash 60 grs.; Diluted Phosphoric Acid 1 drm.; Decoction of Barley 20 oz. *Women.*

Potus Imperialis.

Acid Tartrate of Potash 120 grs.; Potus Limonis 20 oz. *Women.*

Acid Tartrate of Potash ½ oz.; Lemon Juice 4 drms.; Syrup 4 drms.; Boiling Water 20 oz. *London.*

Potus Limonis.

The Juice and Yellow Rind of one Lemon; White Sugar 120 grs.; Boiling Water 20 oz. *Women.*

Lemon Juice 2 oz.; Sugar 2 oz.; water 20 oz. *London.*

Potus Potassii Chloratis.

Chlorate of Potassium 60 grs.; Boiling Water 20 oz. *London. St. Bartholomew's.*

Potus Potassii Tartratis Acidæ.

Acid Tartrate of Potassium 60 grs.; half the fresh peel of a Lemon; Boiling Water 20 oz.; infuse in a covered vessel, with occasional stirring till cold, and strain. *St. Bartholomew's.*

Acid Tartrate of Potash 60 grs.; Lemon Juice ½ oz.; Boiling Water 20 oz. *London.*

PULVERES.

Pulvis (for injection).

No. 1 (for ears). *See* Pulvis Zinci et Acidi Carbolici. *King's.*

No 2 (for ears). *See* Pulvis Zinci Comp. *King's.*

No. 3 (for nostrils). *See* Pulvis Boracis. *King's.*

No. 4 (gargle). *See* Pulvis Aluminis et Acidi Tannici. *King's.*

Pulvis Acidi Borici.

Boric Acid 4 drms.; Starch 4 drms. *Samaritan.*

Pulvis Æruginis Co.

Verdigris 1 drm.; Powdered Savin 1 drm. *Royal Free.*

Pulvis Albus.

Calomel 1 gr.; Nitrate of Potassium 5 grs.; Sugar 4 grs. *Lock.*

Pulvis Alterans.

Mercury with Chalk 1 gr.; Rhubarb 1 gr.; Bicarbonate of Sodium 1 gr. Dose 3 grs. *Central Throat.*

Pulvis Alterativus. (*See also* Children's.)

Grey Powder 1 gr.; Rhubarb 3 grs.; Bicarbonate of Sodium 2 grs. *London Ophthalmic.*

Grey Powder 1 gr.; Rhubarb 1 gr.; Bicarbonate of Soda 3 grs. Dose 2 to 10 grs. *Gt. Northern.*

Grey Powder 3 grs.; Rhubarb 6 grs. *Lock.*

Pulvis Aluminis et Acidi Tannici (No. 4.)

Alum 3 drms.; Tannic Acid 1 drm. Dissolve the powder in a pint of hot-water, and use a wine-glassful as a gargle night and morning. *King's.*

Pulvis Aluminis et Acidi Tannici pro inject.

Alum 2 drms.; Tannic Acid 2 drms.; to be dissolved in 20 oz. of water, and mixed with an equal quantity of warm water immediately before use. *London.*

Pulvis Aluminis c. Amylo.

(*See also* Pulv. Amyli c. Alumini.)

(Ear preparation.)

Alum in Powder, Starch in Powder, equal parts. *University.*

Pulvis Aluminis Comp. pro inject.

Alum 2 drms.; Sulphate of Zinc 2 drms.; to be dissolved in 20 oz. of water, and mixed with an equal quantity of warm water immediately before use. *London.*

Pulvis Aluminis et Zinci.

Alum in Powder 2 oz.; Sulphate of Zinc in Powder 1 oz. One teaspoonful to be dissolved in a pint of water, and used as a lotion. *St. Bartholomew's.*

Pulvis Amygdalæ (Almond Meal).

The Sweet Almond, deprived by expression of its oil and reduced to fine powder. Or the Bitter Almond, deprived by expression of its fixed oil, and by distillation of its Prussic Acid and Essential Oil, and reduced to fine powder. *British Skin.*

Pulvis Amyli c. Alumine.
Powdered Starch 2 drms.; Powdered Alum 8 drms. *Lock.*

Pulvis Amyli c. Calomelane.
Calomel, Starch, of each equal parts. *Lock.*

Pulvis Amyli Compositus. (Dusting Powder.)
(*See also* Pulv. Zinci et Amyli.)
Oxide of Zinc ½ oz.; Starch to 1 oz. *St. Mary's.*

Pulvis Amylo c. Zinco Oxido.
Powdered Starch 1 drm.; Oxide of Zinc 10 drms. *Lock.*

Pulvis Bismuthi c. Amylo.
Subnitrate of Bismuth, Starch in powder, of each ½ oz.: mix them thoroughly. *British Skin.*

Pulvis Bismuthi c. Carbone.
Carbonate of Bismuth 10 grs.; Powdered Wood Charcoal 10 grs.; Bicarbonate of Soda 5 grs. For a dose. *University.*

Pulvis Bismuthi Co.
Carbonate of Bismuth 5 grs.; Carbonate of Magnesium 4 grs.; Compound Powder of Tragacanth 4 grs. *Royal Chest.*
Subnitrate of Bismuth 5 grs.; Carbonate of Magnesium 5 grs.; Prepared Chalk to 15 grs. *St. Mary's.*
Carbonate of Bismuth 5 grs.; Carbonate of Magnesium 3 grs.; Powdered Acacia 2 grs. *Consumption.*

Pulvis Bismuthi et Ferri.
Subnitrate of Bismuth 10 grs.; Saccharated Carbonate of Iron 10 grs. Dose 10 to 20 grs. *London.*

Pulvis Bismuthi et Opii.
Carbonate of Bismuth 10 grs.; Compound Powder of Ipecacuanha 10 grs. *University.*
Subnitrate of Bismuth 5 grs.; Aromatic Powder of Chalk and Opium 5 grs. *Westminster.*

Pulvis Bismuthi et Sodæ.
Carbonate of Bismuth 10 grs.; Bicarbonate of Soda 10 grs. *University.*

Pulvis Boracis (No. 3.)

As much Borax as will lie on a shilling to be dissolved in a wineglassful of warm water, and injected gently down the nostrils. *King's.*

Pulvis Boracis c. Acido Tannico.

Borax in powder 4 drms.; Tannic Acid in powder 5 grs. *St. Bartholomew's.*

Pulvis Boracis Compositus.

Borax 3 drms.; Tannic Acid 4 grs.; Iodoform 1 drm.; Hydrochlorate of Morphine 5 grs. *St. Bartholomew's.*

Pulvis Calomel. Co.

See Pulvis Hydr. Subchlor. Co.

Pulvis Calomel. et Jalapæ.

See Pulvis Hydr. Subchlor. c. Jalapâ.

Pulvis Calomel. et Opii.

See Pulvis Hydr. Subchlor. et Opii.

Pulvis Calomel. et Rhei.

See Pulvis Hydr. Subchlor. c. Rheo.

Pulvis Calomel. et Scammonii.

See Pulvis Hydr. Subchlor. c. Scammonio.

Pulvis Calomel. c. Zinci Oxidi.

Calomel 1 drm.; Oxide of Zinc 7 drms. *Lock.*

Pulvis Calumbæ Co.

Calumba, Rhubarb, Cinnamon, Ginger, of each 3 grs.; Gum Acacia, Subnitrate of Bismuth, Bicarbonate of Sodium, of each 6 grs. Dose 15 to 30 grs. *St. George's.*

Pulvis Cinchonæ et Rhei.

Cinchona 3 grs.; Rhubarb 2 grs.; Bicarbonate of Sodium 2 grs. *Westminster Ophthalmic.*

Pulvis Cinchonæ c. Sodio.

Cinchona 5 grs.; Bicarbonate of Sodium 5 grs. *London Ophthalmic.*

Pulvis Cretæ Aromaticus c. Rheo.

Aromatic Powder of Chalk 20 grs.; Rhubarb 10 grs. *St. Bartholomew's.*

Pulvis Elaterii Salinus.

Extract of Elaterium 1 gr.; Acid Tartrate of Potash 25 grs.; Ginger 4 grs. Dose 5 to 30 grs. *Guy's.*

Pulvis Emeticus.

Ipecacuanha 15 grs.; Tartar Emetic 1 gr. *Consumption.*

Ipecacuanha 19 grs.; Tartar Emetic 1 gr. *City Chest.*

Ipecacuanha 20 grs.; Tartar Emetic ½ gr. *St. Bartholomew's. Guy's. Gt. Northern. Royal Chest.*

Ipecacuanha 20 grs.; Tartar Emetic 1 gr. *London.*

Sulphate of Zinc, Ipecacuanha, of each equal parts. Dose for a child a year old, 1 grs.: for an adult, 10 grs. *St. George's.*

Sulphate of Zinc 20 grs.; warm water *ad lib. Throat.*

Pulvis Glycyrrhizæ Comp.

Liquorice Root 15 grs.; Senna 15 grs.; Fennel 7½ grs.; Precipitated Sulphur 7½ grs.; Sugar 45 grs. *London.*

Powdered Senna 3 drms.; Powdered Liquorice 3 drms.; Powdered Fennel 1½ drm.; Sublimed Sulphur 1½ drm.; Sugar 9 drms.: mix. Dose 1 to 2 drms. *Women.*

Pulvis Glycyrrhizæ et Guaiaci.

Comp. Liquorice Powder (Hosp.) 90 grs.: Guaiacum Resin 7½ grs.; Magnesia 15 grs. Dose 1 to 2 drms. *London.*

Pulvis Guaiaci Co.

Powdered Guaiacum Resin, Precipitated Sulphur, Carbonate of Magnesium, Gum Arabic, Bicarbonate of Potassium, of each equal parts. Dose 20 to 40 grs. *St. George's.*

Guaiacum Resin 15 grs.; Sublimed Sulphur 15 grs.; Carbonate of Magnesia 30 grs. Dose 15 to 30 grs. *London.*

Pulvis Guaiaci et Sulphuris.

Resin of Guaiacum 7½ grs.; Sublimed Sulphur 7½ grs.; Carbonate of Magnesium 15 grs.: for one dose. *City Chest.*

Pulvis Hydrargyri et Bismuthi

Grey Powder 2 grs.; Subnitrate of Bismuth 2 grs.; Pulv. Rhei et Sodii 6 grs. *Westminster.*

Pulvis Hydrargyri c. Cretâ et Belladonnâ.

Grey Powder 2 grs.; Powder of Belladonna Leaves 1 gr.; Sugar 2 grs. *London Ophthalmic. University.*

Pulvis Hydrargyri c. Cretâ Co.

Grey Powder 5 grs.; Dover's Powder 5 grs. *Westminster.*

Pulvis Hydrargyri c. Cretâ et Rheo.

Grey Powder 1 gr.; Comp. Cinnamon Powder 1 gr.; Carbonate of Magnesium 2 grs.; Rhubarb 2 grs. *City Chest.*

Grey Powder 2 grs.; Rhubarb 4 grs. Dose 3 to 6 grs. *London Ophthalmic.*

Pulvis Hydrargyri c. Cretâ et Sacchari.

Grey Powder 1½ gr.; Sugar 13½ grs. *University.*

Pulvis Hydrargyri et Jalapæ.

Grey Powder 1 gr.; Compound Jalap Powder 2 grs. *Westminster Ophthalmic.*

Pulvis Hydrargyri et Quiniæ.

Grey Powder 3 grs.; Sulphate of Quinia 1 gr. *Westminster Ophthalmic.*

Pulvis Hydrargyri c. Rheo. (*See also* Children's.)

Grey Powder 1 gr.; Bicarbonate of Sodium 1 gr.; Powdered Rhubarb 2 grs. *Westminster Ophthalmic.*

Grey Powder 2 grs.; Pulvis Rhei et Sodii 4 grs.; *Westminster.*

Grey Powder 5 grs.; Rhubarb to 15 grs. *St. Mary's.*

Pulvis Hydrargyri c. Sodâ.

Grey Powder 4 grs.; Bicarbonate of Sodium 8 grs.; Aromatic Powder of Chalk to 20 grs. *St. Mary's.*

Pulvis Hydrarg. Subchlor. Comp.

Calomel 1 grs.; Powdered Jalap to 15 grs. *St. Mary's.*

Calomel 4 drms.; Oxide of Zinc 4 drms.; Sulphate of Quinine ½ drm. For outward use. *Women.*

Pulvis Hydrarg. Subchlor. c. Jalapâ.

Calomel 2 grs.; Jalap 8 grs.; Ginger 2 grs. *Guy's. London. London Ophthalmic.*

Calomel 3 grs.; Jalap 9 grs. *City Chest.*

Calomel 1 gr.; Jalap 8 grs.; Ginger 1 gr. *Fever.*

Pulvis Hydrarg. Subchlor. c. Jalapâ Comp.
Calomel 5 grs.; Comp. Powder of Jalap 10 grs. *Royal Free.*

Pulvis Hydrarg. Subchlor. c. Jalapâ Fort.
Calomel 5 grs.; Powdered Jalap 15 grs. *Royal Free.*

Pulvis Hydrarg. Subchlor. c. Rheo.
Calomel 2 grs.; Rhubarb 8 grs.; Comp. Cinnamon Powder 2 grs. *City Chest.*
Calomel 5 grs.; Rhubarb 20 grs.; Ginger 5 grs.; *London. London Ophthalmic. Westminster Ophthalmic.*

Pulvis Hydrarg. Subchlor. c. Scammonio.
Calomel 2 grs.; Comp. Scammon. Powder 10 grs. *City Chest.*
Calomel 2 grs.; Scammony 4 grs.; Sugar 2 grs. *Guy's.*
Calomel 1 gr.; Powdered Scammony Resin 4 grs. *St. Thomas's.*
Calomel 5 grs; Scammony 20 grs.; Ginger 5 grs.; *London. London Ophthalmic.*

Pulvis Hydrargyri c. Tragacanthâ.
Grey Powder 2 parts; Tragacanth 3 parts. For local application. *St. George's.*

Pulvis Iodoformi et Acidi Borici.
Iodoform 1 part; Boric Acid 3 parts. *St. Thomas's.*

Pulvis Iodoformi c. Amylo.
Iodoform in fine powder, Starch in powder, of each ½ oz.: rub them well together. *British Skin.*

Pulvis Iodoformi c. Calaminâ. (Ear preparation.)
Iodoform 30 grs.; Calamine 1 drm.; Starch to 1 oz. *University.*

Pulvis Iodoformi et Lycopodii.
Iodoform 1 part; Lycopodium 2 parts. *London.*

Pulvis Ipecacuanhæ c. Antimonio.
See Pulvis Emeticus.

Pulvis Ipecacuanhæ c. Antimonio Fortior.
Ipecacuanha 20 grs.; Tartarated Antimony 2 grs. *Fever.*

Pulvis Ipecacuanhæ c. Antimonio Mitior.
Ipecacuanha 12 grs.; Tartarated Antimony ½ gr. *Fever.*

Pulvis Ipecacuanhæ c. Antimonio Tart.
See Pulvis Emeticus. *Consumption.*

Pulvis Ipecac. Co. c. Bismutho.
Subnitrate of Bismuth 15 grs.; Dover's Powder 5 grs. *Consumption.*

Pulvis Jalapæ Alkalina.
Nitrate of Potassium 10 grs.; Powdered Jalap 10 grs. *King's.*

Pulvis Jalapæ c. Calomel.
See Pulvis Hydr. Subchlor. c. Jalapâ.

Pulvis Jalapæ c. Hydr. Subchlorido.
See Pulvis Hydr. Subchlor. c. Jalapâ.

Pulvis Jalapæ c. Rheo.
Jalap 10 grs.; Rhubarb 5 grs.; Dose 3 to 15 grs. *London Ophthalmic.*

Pulvis Jalapæ Salinus.
Jalap 15 grs.; Acid Tartrate of Potash 60 grs.; Ginger 5 grs. *London.*

Pulvis Kaolin et Creasoti.
Kaolin in powder 1 oz.; Creasote 16 mins. *University.*

Pulvis Lycopodii (Clubmoss Spores).
The yellow powdery spores of Lycopodium Clavatum. *British Skin.*

Pulvis Magnesii Compositus.
Sulphate of Magnesium 90 grs.; Sulphate of Sodium 30 grs.; Carbonate of Magnesium 15 grs.; Ginger 5 grs. *Consumption.*
Sulphate of Magnesia, Carbonate of Magnesia, Sublimed Sulphur, Acid Tartrate of Potash; of each equal parts. Dose 1 to 4 drms. *Women.*

Pulvis Magnesii Sulphatis Compositus.
Sulphate of Magnesium 60 grs.; Light Carbonate of Magnesium 5 grs.; Ginger 3 grs. *Middlesex.*

Pulvis Magnes. c. Rheo.
See Pulv. Rhei. c. Magnesiâ.

Pulvis Menthol Compositus.
See Insufflatio Menthol Composita.

Pulvis Menthol Mitis.
See Insufflatio Menthol Mitis.

Pulvis Morphinæ c. Borace.
Hydrochlorate of Morphine $\frac{1}{6}$ gr.; Borax in powder 2 grs. (also kept in $\frac{1}{4}$ gr. and $\frac{1}{3}$ gr. strengths.) *St. Bartholomew's.*

Pulvis Morphinæ c. Iodoformo.
Hydrochlorate of Morphine $\frac{1}{6}$ gr.; Iodoform 1 gr.; Borax 2 grs. *St. Bartholomew's.*

Pulvis Potassii Chloratis Compositus.
Chlorate of Potassium in powder $\frac{1}{2}$ oz.; Borax in powder $\frac{1}{2}$ oz.: Bicarbonate of Sodium $\frac{1}{2}$ oz.; White Sugar in powder 1 oz. *Central Throat.*

Pulvis Potassii Sodæ et Calumbæ.
Bicarbonate of Potassium 10 grs.; Bicarbonate of Sodium 10 grs.; Calumba 5 grs.; Ginger 5 grs.; *Royal Chest.*

Pulvis Potassæ et Sodæ Comp.
Bicarbonate of Potash 10 grs.; Bicarbonate of Soda 10 grs.: Ginger 3 grs; Calumba 10 grs.; Sugar 30 grs.; Spirit of Lemon 5 mins. *London.*

Pulvis Rhei c. Calomel.
See Pulvis Hydr. Subchlor. c. Rheo.

Pulvis Rhei c. Calumbâ.
Rhubarb 5 grs.; Calumba 10 grs.; Bicarbonate of Soda 10 grs.; Compound Powder of Cinnamon 5 grs. Dose 20 to 40 grs. *London.*

Pulvis Rhei c. Hydrargyro. (*See also* Children's.)
Rhubarb 12 grs.; Grey Powder 3 grs.: Bicarbonate of Sodium 5 grs. Dose 5 to 20 grs. *Consumption.*
Rhubarb 2 grs.; Calomel $\frac{1}{2}$ gr.; Ginger $\frac{1}{2}$ gr. *St. Thomas's.*

Pulvis Rhei c. Hydrargyro c. Cretâ.
See Pulvis Hydrarg. c. Cretâ et Rheo.

Pulvis Rhei c. Magnesio.

Rhubarb 10 grs. ; Carbonate of Magnesium 20 grs., Dose 5 to 10 grs. *London Ophthalmic.*

Pulvis Rhei et Potassii Sulphatis.

Rhubarb $2\frac{1}{2}$ grs. ; Sulphate of Potassium 7 grs. ; Ginger $\frac{1}{2}$ gr. *Westminster.*

Pulvis Rhei Salinus.

Rhubarb 10 grs. ; Sulphate of Potash 20 grs. *Guy's.*

Rhubarb 10 grs. : Sulphate of Potash 30 grs. *London.*

Pulvis Rhei c. Sodio. (*See also* Children's.)

Rhubarb 3 grs. ; Dried Carbonate of Sodium 5 grs. *City Chest.*

Rhubarb 4 grs. ; Bicarbonate of Sodium 10 grs. ; Ginger 2 grs. *Royal Chest.*

Rhubarb 4 grs. ; Bicarbonate of Sodium 2 grs. *Westminster Ophthalmic.*

Rhubarb 4 grs. ; Bicarbonate of Sodium 4 grs. ; Ginger 2 grs. *Westminster.*

Rhubarb 5 grs. ; Dried Carbonate of Soda 5 grs. ; Calumba 10 grs. *Guy's.*

Rhubarb 5 grs. ; Dried Carbonate of Soda 5 grs. Dose 2 to 10 grs. *Gt. Northern.*

Rhubarb 6 grs. ; Ginger 2 grs. ; Bicarbonate of Sodium 12 grs. Dose 5 to 20 grs. *Consumption.*

Rhubarb 10 grs. ; Bicarbonate of Sodium 10 grs. ; Ginger $2\frac{1}{2}$ grs. *Throat.*

Rhubarb 20 grs. ; Bicarbonate of Sodium 20 grs. Dose 10 to 20 grs. *London Ophthalmic. St. Mary's. King's.*

Rhubarb 1 gr. ; Bicarbonate of Soda 2 grs. *St. Thomas's.*

Pulvis Sabinæ c. Ærugine.

Subacetate of Copper 1 drm. ; Powdered Savin 3 drms. *Lock.*

Pulvis Sabinæ c. Alumine.

Savin in powder, Alum in powder, equal parts. *Royal Free.*

Pulvis Salicylicus.

Salicylic Acid 1 gr. ; Starch 10 grs. ; Talc 87 grs. *Westminster.*

Pulvis Salium.

Sulphate of Sodium 20 grs.; Sulphate of Magnesium 30 grs.; Chloride of Sodium 2 grs.; Bicarbonate of Sodium 5 grs. Dose 1 to 4 drms. *Gt. Northern.*

Sulphate of Soda 30 grs.; Sulphate of Magnesia 30 grs.; Chloride of Sodium 1 gr.; Bicarbonate of Soda 1 gr. *Guy's.*

Pulvis Salis Thermarum Carolinensium (Carlsbad Salt).

Chloride of Sodium 1 drm.; Bicarbonate of Sodium 2 drms.; Sulphate of Sodium ½ oz. Dose 1 to 2 drms. in ½ pint of tepid water. *City Chest.*

Pulvis Santonini. (*See* Children's.)

Pulvis Scammonii Compositus c. Hydrargyro.

Jalap 5 grs.; Compound Powder of Scammony 5 grs.; Rhubarb 5 grs.; Grey Powder 3 grs.; Ginger 2 grs. Dose 10 to 20 grs. *Consumption.*

Pulvis Scammonii c. Hydrarg. Subchlor.

See Pulvis Hydrarg. Subchlor. c. Scammonio.

Pulvis Sennæ c. Sulphure.

Senna 2 oz.; Sublimed Sulphur 2 oz.; Acid Tartrate of Potash 4 oz.; White Sugar 2 oz.; Liquorice Root 2 oz. *Charing Cross.*

Pulvis Sodii Compositus.

Sulphate of Sodium 1½ drms.; Bicarbonate of Sodium 15 grs.; Chloride of Sodium 5 grs. *Westminster.*

Pulvis Sodæ et Hydrargyri. (*See also* Children's.)

Dried Carbonate of Soda 2½ grs.; Calomel ½ gr.; Aromatic Chalk Powder 5 grs. *Guy's.*

Pulvis Sodæ et Hydrargyri c. Cretâ.

Carbonate of Soda 3 grs.; Mercury with Chalk 1 gr. *Guy's.*

Pulvis Sodæ c. Rheo.

See Pulvis Rhei c. Sodâ.

Pulvis Sodii c. Saccharo.

Carbonate of Sodium, Chlorate of Potassium of each 1 part; Sugar 4 parts. Three teaspoonfuls in a pint of warm water, for syringing the nostrils. *St. George's.*

Pulvis Stramonii Compositus.

Powdered Stramonium Leaves ½ oz.; Powdered Anise Fruit ¼ oz.; Nitrate of Potassium ¼ oz.; Powdered Tobacco Leaves 10 grs. *St. Thomas's.*

Powdered Stramonium 4 drms.; Powdered Anise 2 drms.; Nitrate of Potassium 2 drms.; Powdered Tobacco 5 grs. *Consumption.*

Powdered Stramonium 2 oz.; Powdered Lobelia 2 oz.; Powdered Black Tea 2 oz.; Nitrate of Potassium 2 oz. Burn 1 drm. and inhale the smoke. *St. Mary's.*

Powdered Stramonium 1 oz.; Powd. Anise Seeds ½ oz.; Nitrate of Potassium ½ oz.; Bruised Tobacco 30 grs. Burn as much as will lie on a shilling and inhale the smoke. *Middlesex. Royal Chest.*

Pulvis Sulphuris Co.

Precipitated Sulphur, Tartarated Soda, equal parts. Dose from 40 to 80 grs. *St. George's.*

Sublimed Sulphur 20 grs.; Bitartrate of Potassium 20 grs.; Ginger Powder 5 grs. *Samaritan.*

Sublimed Sulphur 4 drms.; Carbonate of Magnesium 20 grs.; Senna 2 drms.; Acid Tartrate of Potassium 8 drms.; Ginger ½ drm. Dose 1 drm. *City Chest.*

Pulvis Talci et Iridis.

Oxide of Zinc 30 grs.; Venetian Talc, in fine powder, sifted, 30 grs.; Florentine Orris, in powder, 30 grs.; Wheat Starch, in powder, 1 oz. Mix them thoroughly. *British Skin.*

Pulvis Terræ Cimoliæ.

(Fuller's Earth, in fine powder)

Or *Cimolite*, so called from its ancient source, the island of Cimolus, in the Cretan sea. It was also found in the island of Mylos. In this country it is obtained from various districts, viz. Woburn, Redhill, &c. In its natural condition it exists as a solid, compact mass, which consists of an impure silicate of alumina. Its composition is Silica 58; Alumina 25; water 12; Peroxide of Iron 1·30. The iron is now commonly extracted with a view to conferring a better appearance on the powder. *British Skin.*

Pulvis Zinci. (*See under* Pulvis Zinci et Amyli.)

Pulvis Zinci et Acidi Carbolici (No. 1.)

Dried Sulphate of Zinc 33 grs.; Carbolic Acid 10 grs. Dissolve the powder in a pint of water, and use with equal parts of warm water as an injection for the ears night and morning. *King's.*

Pulvis Zinci et Amyli.

Oxide of Zinc 4 drms.; Starch 4 drms. *Samaritan.*

Oxide of Zinc 1 oz.; Starch 2 oz.: mix. *Fever. Gt. Northern. University. Westminster.*

Pulvis Zinci c. Belladonnâ.

Extract of Belladonna $\frac{1}{6}$ gr.; Oxide of Zinc 5 grs. *St. Thomas's. Throat.*

Pulvis Zinci Comp.

Oxide of Zinc 1 oz.; Starch or Chalk 1 oz. For outward use. *Women.*

Pulvis Zinci Comp. (No. 2.)

Dried Sulphate of Zinc 22 grs.; Acetate of Lead 25 grs.; Sulphate of Antimony 10 grs.; Creasote 6 mins. Dissolve the powder in a pint of water and use with equal parts of warm water as an injection for the ears night and morning. *King's.*

Pulvis Zinci et Hydrarg. Subchlor.

Oxide of Zinc 1 part; Calomel 1 part; Tannic Acid 1 part; Starch 1 part. *Westminster.*

Oxide of Zinc 4 parts; Calomel 1 part. For local application. *London.*

Pulvis Zinci Oxidi et Calamini.

Oxide of Zinc $\frac{1}{2}$ oz.; Prepared Calamine $\frac{1}{2}$ oz. *British Skin.*

SANGUIS BOVINUS EXSICCATUS.

Bullock's Blood deprived of its fibrine and dried at a temperature of about 110° Fahr. *London.*

SAPONES.

Sapo Durus c. Glycerino.

Brand "F. A. Sarg" (of Vienna). *British Skin.*

Sapo Liquidus.

Soft Soap 2 oz.; Rectified Spirit 1 oz.; dissolve. *St. Bartholomew's.*

Sapo Mollis c. Sulphure.

Precipitated Sulphur 120 grs.; Soft Soap 1 oz. Mix thoroughly. *British Skin.*

SOLUTIONES.

(Solutions for Spray, *see* NEBULÆ.)

Solutio Acidi Citrici.

Citric Acid 30 grs.; water to 1 oz. *London.*

Solutio Acidi Tartarici.

Tartaric Acid 35 grs.; water to 1 oz. *London.*

Solutio Antipyrin.

Antipyrin 16 grs.; Distilled Water 1 oz. *Central Throat.*

Solutio Argenti Nitratis.

Nitrate of Silver 1 drm.; Distilled Water 1 oz.; dissolve. *Women.*

Solutio Argenti Nitratis Fort.

Nitrate of Silver 1 drm.; Distilled Water to 1 oz. *Samaritan.*

Solutio Cantharidis Aceti.

Vinegar of Cantharides 6 drms.; Spirit of Camphor 2 drms. *Consumption.*

Solutio Elaterii Ætherea.

Elaterium 1 gr.; Spirit of Nitrous Ether 1 oz. Dose 1 to 2 drms. *London.*

Solutio Fehling.

Sulphate of Copper 90½ grs.; Distilled Water to 1 oz.; dissolve and keep separate Tartrate of Potash 364 grs.; Solution of Caustic Soda, sp. gr. 1·12, 4 oz.; water to 5 oz.: dissolve and keep separate. One volume of the Copper Solution, mixed with five volumes of the Soda Solution, and gently warmed, makes the test for grape sugar. *University.*

Solutio Ferri Perchloridi.

Perchloride of Iron 2 drms.; Distilled Water 1 oz. *Central Throat.*

Solutio Hydrargyri Bicyanidi (caustic.)

Bicyanide of Mercury 20 grs.; water 1 oz. *Lock.*

Solutio Iodi. Caustica vel Pigmentum Iodi.
Iodine 1 drms.; Iodide of Potassium 2 drms.; Rectified Spirit to 2 oz. *Consumption.*

Solutio Potassæ Permanganatis (caustic.)
Permanganate of Potassium 8 to 40 grs.; water 1 oz. *Lock.*

Solutio Terebinthinæ Chiæ Ætherea.
Chian Turpentine 1 oz.; Ether Pure 2 oz. *London.*

SPIRITUS.

Spiritus Ammoniæ Aromaticus.
Carbonate of Ammonium 8 oz.: Strong Solution of Ammonia 4 oz.; Oil of Lemon 2 drms.; Rectified Spirit 5 pints; Distilled Water to 7 pints: dissolve. Same strength as Br. Ph. *St. Bartholomew's.*
Carbonate of Ammonia 6 oz.; Strong Solution of Ammonia 4 oz.; Volatile Oil of Nutmeg 1 drm.; Oil of Lemon 2 drms.; Rectified Spirit 5 pints; Distilled Water to 7 pints: mix. Dose 1 to 2 drms. *London.*

Spiritus Ammoniæ Fœtidus.
Tincture of Assafœtida 6 oz.; Rectified Spirit 3 oz.; Strong Solution of Ammonia 1 oz.; mix. Same strength as Br. Ph. *St. Bartholomew's. London.*

Spiritus Anethi.
Oil of Dill 24 mins.; Rectified Spirit to 1 oz. *London.*

Spiritus Anisi.
Oil of Anise 1 oz.; Rectified Spirit to 50 oz. *St. Bartholomew's.*

Spiritus Carui.
Oil of Caraway 1 oz.; Rectified Spirit to 50 oz. *St. Bartholomew's.*
Oil of Caraway 24 mins.; Rectified Spirit to 1 oz. *London.*

Spiritus Caryophilli.
Oil of Cloves 1 oz.; Rectified Spirit to 50 oz. *St. Bartholomew's.*

Spiritus Cassiæ.
Oil of Cassia 1 oz.; Rectified Spirit to 50 oz. *St. Bartholomew's.*
Oil of Cassia 24 mins.; Rectified Spirit to 1 oz. *London.*

Spiritus Limonis.
Oil of Lemon 24 mins.; Rectified Spirit to 1 oz. *London.*

Spiritus Menthæ Piperitæ.
Oil of Peppermint 24 mins.; Rectified Spirit to 1 oz. *London.*

Spiritus Menthæ Viridis.
Oil of Spearmint 1 oz.; Rectified Spirit to 50 oz. *St. Bartholomew's.*

Spiritus Pimentæ.
Oil of Pimento 24 mins.; Rectified Spirit to 1 oz. *London.*

Spiritus Saponis Mollis.
Soft Soap 1 oz.; Rectified Spirit ½ fl. oz.: dissolve. *British Skin.*

SUPPOSITORIA.

(*See also* PESSI.)

Basis pro Suppositoriâ.
The same as that used for Pessaries. *London.*

Suppositorium Acidi Carbolici.
Carbolic Acid (No. 2 Calvert) 1 or 2 grs.; Basis to 15 grs.: for one suppository. *London.*

Suppositorium Acidi Tannici et Belladonnæ.
Tannic Acid 3 grs.; Extract of Belladonna 2 grs.; Oil of Theobroma to 15 grs. *Westminster.*

Suppositorium Acidi Tannici et Morphinâ.
Tannic Acid 5 grs.; Hydrochlorate of Morphine ½ gr.; Oil of Theobroma to 15 grs. *Westminster.*
Tannic Acid 5 grs.; Hydrochlorate of Morphine ¼ gr.; Oil of Theobroma to 20 grs. *Middlesex.*

Suppositorium Acidi Tannici c. Opio.
Tannic Acid 5 grs.; Powdered Opium 1 gr.; Oil of Theobroma 10 grs. *British Skin.*

Suppositorium Belladonnæ.

Alcoholic Extract of Belladonna Leaves ½ gr.; Cacao Butter 15 grs. *University.*

Extract of Belladonna ½, 1, or 2 grs.; Basis to 15 grs.: for one suppository. *London.*

Extract of Belladonna ½ gr.; Oil of Theobroma 20 grs. *Middlesex.*

Extract of Belladonna 2 grs.; Oil of Theobroma to 15 grs. *Westminster.*

Suppositorium Belladonnæ c. Morphinâ.

Extract of Belladonna ½ gr.; Hydrochlorate of Morphine ¼ gr.; Oil of Theobroma 20 grs. *Middlesex.*

Suppositorium Gallæ Co.

Galls in powder 3 grs.; Opium 1 gr.; Oil of Theobroma to 20 grs. *Middlesex.*

Suppositorium Gallæ c. Opio.

Galls in powder 5 grs.; Opium in powder 1 gr.; Basis to 15 grs.: for one suppository. *London.*

Suppositorium Hamamelidis.

Extract of Witch Hazel 1½ gr.; Oil of Theobroma to 15 grs. *Samaritan.*

Suppositorium Iodoformi.

Iodoform 1½ gr.; Oil of Theobroma to 15 grs. *Westminster.*

Suppositorium Morphinæ c. Belladonna.

Hydrochlorate of Morphine ½ gr.; Extract of Belladonna 1 gr.; Oil of Theobroma to 15 grs. *Samaritan.*

Suppositorium Nutriens.

Each suppository contains 60 grs. of Beef Peptone, to which the necessary consistence has been imparted by the addition of gelatine. *St. Thomas's.*

Brand's Concentrated Beef Tea 1 drm.; Tincture of Opium *q. s.*; Glycerine 5 mins.; Beef Tea 15 mins. *Women.*

Suppositorium Opii.

Opium 1 gr.; Oil of Theobroma to 20 grs. *Middlesex.*

Opium 1 gr.; Cacao Butter to 15 grs. *University.*

Comp. Soap Pill 10 grs. *Fever.*

Comp. Soap Pill 12 grs. *St. Bartholomew's. London.*

SYRUPI.

Syrupus Calcii c. Ferro.

Hypophosphite of Lime 2 grs.; Syrup of Phosphate of Iron ½ drm.; Syrup to 1 drm. *Consumption.*

Syrupus Calcis Hypophosphitis.

Hypophosphite of Lime 480 grs.; Glycerine 10 fl. oz.; Spirit of Lemon 20 mins.; Distilled Water a sufficiency. Dissolve the Hypophosphite in 10 fl. oz. of the Water, in a water bath; when cold, filter into the Glycerine, and then add the Spirit and sufficient Distilled Water to make 1 pint. Each fl. drm. contains 3 grs. Hypophosphite of Lime. Dose 1 to 2 drms. *London.*

Syrupus Calcis Lectophosphatis.

Chloride of Calcium 192 grs.; Phosphate of Soda 768 grs.; Lactic Acid, Concentrated, 192 mins.; Glycerine 10 fl. oz.; Distilled Water a sufficiency. Dissolve the Chloride and Phosphate separately, unite the solutions, collect the precipitate, wash with Distilled Water, and dissolve in the Lactic Acid, then add the Glycerine, and sufficient Distilled Water to make 1 pint. Dose 1 drm. *London.*

Syrupus Calcis Sulphocarbolatis.

Sulphocarbolate of Lime 800 grs.; Glycerine 10 fl. oz.; Spirit of Lemon 20 mins.; Distilled Water to 20 fl. oz. Dose 1 drm. *London.*

Syrupus Croton Chloral.

Croton Chloral 2 grs.; Glycerine 10 mins.; Syrup of Orange to 1 drm. *Consumption.*

Syrupus Extracti Papaveris.

Extract of Poppies 8 grs.; Simple Syrup 1 oz. Dose 1 drm. *Middlesex.*

Syrupus Ferri Hypophosphitis.

Hypophosphite of Iron, recently prepared, 480 grs.; Glycerine 10 fl. oz.; Distilled Water a sufficiency. Dissolve the Hypophosphite in 10 fl. oz. of the water, in a water-bath; when cold, filter into the Glycerine, and then add sufficient Distilled Water to make 1 pint. Each fl. drm. contains 3 grs. of Hypophosphite of Iron. Dose 1 to 2 drms. *London.*

Syrupus Ferri et Manganesii Phosphatis.

Phosphate of Iron, recently prepared, 160 grs.; Phosphate of Manganese, recently prepared, 80 grs.; Phosphoric Acid, sp. gr. 1·50, 10 fl drms.; Glycerine 10 fl. oz.; Distilled Water a sufficiency. Dissolve the Phosphates in the Acid, previously mixed with 2 fl. oz. of the water; filter the solution into the Glycerine, and then add sufficient Distilled Water to make 1 pint. Each fl. drm. contains 1 gr. Phosphate of Iron.; $\frac{1}{2}$ gr. Phosphate of Manganese. Dose 1 to 2 drms. *London.*

Syrupus Ferri Phosphatis.

Phosphate of Iron, recently prepared, 160 grs.; Phosphoric Acid, sp. gr. 1·5, 10 fl. drms.; Glycerine 10 fl. oz.; Distilled Water to 1 pint. Mix the Acid with 2 fl. oz. of the water, and dissolve the Phosphate in the mixture; filter the solution into the Glycerine, and then add the remainder of the water. Each fl. drm. contains 1 gr. Phosphate of Iron. Dose 1 drm. *London.*

Syrupus Ferri Phosphatis Compositus.

Phosphate of Iron, recently prepared, 160 grs.; Phosphate of Lime 400 grs.; Phosphate of Potash 30 grs.; Phosphate of Soda 25 grs.; Phosphoric Acid, sp. gr. 1·50, 2 fl. oz.; Orange-Flower Water 1 fl. oz.; Liquid Cochineal = 80 grs. Cochineal, 4 fl. drms.; Glycerine 10 fl. oz.; Distilled Water a sufficiency. Mix the Acid with 3 fl. oz. of the water, and dissolve the Phosphates in the mixture; filter the solution; then add the Glycerine, Cochineal, and Orange-Flower Water; and, lastly, sufficient Distilled Water to make 1 pint. Each fl. drm. contains 1 gr. Phosphate of Iron; $2\frac{1}{2}$ grs. Phosphate of Lime, with Potash and Soda. Dose 1 to 2 drms. *London.*

Syrupus Ferri Phosphatis c. Quiniâ et Strychniâ.

Phosphate of Iron, recently prepared, 160 grs.; Phosphate of Quinine 160 grs.; Strychnia 5 grs.; Phosphoric Acid, sp. gr. 1·50, 2 fl. oz; Glycerine 10 fl. oz.; Distilled Water a sufficiency. Mix the Acid with 2 oz. of the water.

and dissolve the Phosphates and the Strychnia in the mixture; filter the solution into the Glycerine, and then add sufficient Distilled Water to make 1 pint. Each fl. drm. contains 1 gr. Phosphate of Iron; 1 gr. Phosphate of Quinine; $\frac{1}{32}$ gr. Strychnia. Dose 1 drm. *London.*

Syrupus Hypophosphitum Compositus.

Hypophosphite of Iron, recently prepared, 160 grs.; Hypophosphite of Manganese, recently prepared, 80 grs.; Hypophosphite of Lime 160 grs.; Hypophosphite of Potash 60 grs.; Hypophosphorous Acid 1 fl. oz.; Glycerine 10 fl. oz.; Distilled Water a sufficiency. Dissolve the Hypophosphites in 8 oz. of the water, previously mixed with the Acid, in a water bath; filter the solution; allow to cool, and then mix with the Glycerine and sufficient Distilled Water to make 1 pint. Each fl. drm. contains 1 gr. Hypophosphite of Iron; $\frac{1}{2}$ gr. Hypophosphite of Manganese; 1 gr. Hypophosphite of Lime; $\frac{1}{2}$ gr. Hypophosphite of Potash. Dose 1 to 2 drms. *London.*

Syrupus Limonis.

Oil of Lemons $\frac{1}{4}$ min.; Rectified Spirit 5 mins.; Syrup to 1 drm. *St. George's.*

Syrupus Morphinæ Hydrochloratis.

Hydrochlorate of Morphine $\frac{1}{16}$ gr.; Spirit of Nutmeg 2 mins.; Syrup 30 mins.; water to 1 drm. Dose 1 to 2 drms. *Consumption.*

Syrupus Morphinæ Hydrochloratis Fort.

Hydrochlorate of Morphine $\frac{1}{8}$ gr.; Syrup of Red Poppies 30 mins.; Spirit of Chloroform 5 mins.; water to 1 drm. *Consumption.*

Syrupus Morphinæ c. Potassii Chlorate.

Acetate of Morphine $\frac{1}{12}$ gr.; Chlorate of Potassium 2 grs.; Glycerine 10 mins.; Syrup to 1 drm. *Consumption.*

Syrupus Papaveris.

Made with Treacle instead of Sugar. Same strength as Br. Ph. *St. Bartholomew's.*

Syrupus Rhœades.

Dried Red-Poppy Petals 13 oz.; Treacle $5\frac{1}{4}$ lbs.; Boiling Distilled Water $5\frac{1}{2}$ pints: infuse the petals in the water for 12 hours, strain, press, and add the treacle. *St. Bartholomew's.*

Syrupus Scillæ c. Morphinâ.

Oxymel of Squill 30 mins.; Acetate of Morphine $\frac{1}{16}$ gr.; Dil. Hydrocyanic Acid 2 mins.; water to 1 drm. Dose 1 to 2 drms. When prescribed for out-patients, half the dose of Hydrocyanic Acid is given. *Consumption.*

Syrupus Sodæ Hypophosphitis.

Hypophosphite of Soda 480 grs.; Glycerine 10 fl. oz.; Spirit of Lemon 20 mins.; Distilled Water to 20 fl. oz. Each fl. drm. contains 3 grs. Hypophosphite of Soda. Dose 1 to 2 drms. *London.*

TABELLA.

Tabella Nitroglycerini Composita.

Nitroglycerine $\frac{1}{100}$ gr.; Nitrate of Amyl $\frac{1}{4}$ gr.; Menthol $\frac{1}{50}$ gr.; Capsicum $\frac{1}{100}$ gr.; Oil of Theobroma *q. s.* *Westminster.*

TABLET TRITURATES.

Aconita.

Tincture Aconite 1 min. *Central Throat.*

Aconita c. Belladonna.

Tincture Aconite 1 min.; Tincture Belladonna 1 min. *Central Throat.*

Ammonii Muriatum Comp.

Ammonia Muriate $\frac{1}{4}$ gr.; Extract Liquorice $\frac{1}{10}$ gr.; Cubebs $\frac{1}{8}$ gr. *Central Throat.*

Antimonium c. Ipecacuanhâ.

Tartar Emetic $\frac{1}{100}$ gr.; Ipecacuanha $\frac{1}{100}$ gr. *Central Throat.*

Atropiæ Sulphas.

Sulphate of Atropine $\frac{1}{100}$ gr. *Central Throat.*

Calomel.

Calomel $\frac{1}{2}$ gr. *Central Throat.*

Cannabis Indica.
Indian Hemp $\frac{1}{20}$ gr. *Central Throat.*

Hydrargyri Iodidum Comp.
Red Iodide of Mercury $\frac{1}{32}$ gr.; Ipecacuanha $\frac{1}{8}$ gr. *Central Throat.*

Rhinitis.
Camphor $\frac{1}{4}$ gr.; Extract Belladonna $\frac{1}{8}$ gr.; Quinine Sulphate $\frac{1}{4}$ gr. *Central Throat.*

Zinci Phosphidum c. Nuce Vomica.
Phosphide of Zinc $\frac{1}{16}$ gr.; Extract of Nux Vomica $\frac{1}{4}$ gr. *Central Throat.*

TINCTURÆ.

Tinctura Actææ Racemosæ.
Actæ Root 5 oz.; Proof Spirit 20 oz.: macerate 14 days and strain. Dose 20 to 60 mins. *London.*

Tinctura Benzoini Simplex.
The "Compound Tincture of Benzoin" B. P. without the Aloes. *London.*

Tinctura Cinchonæ.
Pale Cinchona Bark 4 oz.; Proof Spirit 20 oz.: macerate 7 days and strain. Dose $\frac{1}{2}$ to 2 drms. *London.*

Tinctura Copaibæ Resinæ.
Copaiba Resin 10 grs.: liquefy by the heat of a water bath and add sufficient Rectified Spirit previously warmed to measure 30 mins. when cold. *Middlesex.*

Tinctura Eucalypti Globuli.
Eucalyptus Leaves 4 oz.; Proof Spirit 20 oz.: macerate 10 days. Dose $\frac{1}{2}$ to 2 drms. *London.*

Tinctura Gelsemii.
Gelsemium Root 2 oz.: Rectified Spirit 20 oz. Prepared by maceration and percolation. Dose 5 to 20 mins. *London.*

Tinctura Hamamelis Virginicæ.
Hamamelis Bark bruised 2 oz.; Proof Spirit 20 oz.: macerate seven days and strain. Dose 2 to 5 mins. *London. Westminster*, made with troy ounces and Rectified Spirit.

Tinctura Hellebori Nigri.

Black Hellebore Root, in coarse powder, 2½ oz.; Proof Spirit 20 oz.: Prepared by maceration and percolation. Dose 20 to 60 mins. *London.*

Tinctura Jaborandi.

Jaborandi Leaves, in coarse powder, 10 drms.; Rectified Spirit 20 oz.: prepared by maceration and percolation. Dose 15 to 30 mins. *London.*

Tinctura Podophylli Resinæ.

Resin of Podophyllum 4 grs.; Strong Tincture of Ginger 1 fl. drm; Rectified Spirit to 1 fl. oz. Dose 15 to 60 mins. *London.*

Resin of Podophyllin 8 grs.; Rectified Spirit of Wine 1 fl. oz. *Guy's.*

Tinctura Pruni Virginianæ.

Wild Cherry Bark in powder 8 Troy oz.; Distilled Water 15 oz.; Rectified Spirit 25 oz. Macerate the Wild Cherry Bark for 24 hours in the water, and add the Rectified Spirit. Macerate 7 days more, express and filter, adding Proof Spirit *q. s.* to produce 2 pints. Dose 15 to 60 mins. *Westminster.*

Wild Cherry Bark bruised 2 oz.; Proof Spirit 20 oz. Prepared by maceration and percolation. Dose 15 to 60 mins. *London.*

Tinctura Quillaiæ Saponariæ.

Quillaia Bark (inner), bruised, 5 oz.: Alcohol (90 per cent.) 20 oz. Heat to ebullition and filter. Used as an emulsifying agent. *London. Westminster,* made with Troy ounces and Rectified Spirit.

Quillaia Bark, in coarse powder, 4 oz.; Rectified Spirit 20 oz. *Guy's.*

Tinctura Strophanthi.

*Strophanthus Seeds in powder 1 oz.; Ether (pure), Rectified Spirit, of each a sufficiency. Free the seeds from Oil by percolating with Ether, then percolate with Rectified Spirit until 1 pint of Tincture is obtained. *St. Thomas's.*

---

* This formula is now in the Additions 1890 to British Pharmacopœia.

TROCHISCI.

N.B. Lozenges of the Consumption Hospital are made with Acacia Paste.

Lozenges of the London Hospital are made with Black Currant Paste.

Lozenges of the Central Throat Hospital are made with Black Currant and Red Currant Paste (with the exception of Carbolic Acid Lozenges and Cocaine Lozenges).

Lozenges of the Throat Hospital are made with both Black Currant and Red Currant Paste (with the exception of Carbolic Acid Lozenges and Marshmallow Lozenges). The formulæ for these are omitted, as they are now made and sold by the lozenge manufacturers.

Trochisci Acaciæ.

Consumption. Royal Chest.

Trochisci Acidi Benzoici.

About ½ gr. Benzoic Acid in each. One every 4 hours as a stimulant and voice lozenge. *Throat. Royal Chest. Westminster.*

Benzoic Acid 1 gr. in each lozenge. *London.*

Trochisci Acidi Carbolici.

About 1 gr. Carbolic Acid in each. One 4 or 5 times a day. Antiseptic and stimulant. *Throat. Central Throat.*

Trochisci Acidi Tannici.

1½ gr. Tannic Acid in each. One every 3 or 4 hours. Strongly astringent. *Throat. Royal Chest*

Trochisci Aconiti.

½ min. Tincture of Aconite in each. One every half-hour or hour. *Throat.*

Trochisci Altheæ.

One every half-hour or hour. Emollient. *Throat.*

Trochisci Ammonii Chloridi.

About 2 grs. Chloride of Ammonium in each. One every 3 hours. *Throat. Westminster.*

Trochisci Antimoniales Compositi Effervescentes.

Mercury with Chalk 168 grs.; Antimonial Powder 42 grs.; Peroxide of Iron 42 grs.; White

Sugar $11\frac{1}{3}$ oz.; Bicarbonate of Sodium $2\frac{4}{5}$ oz.; Tartaric Acid $2\frac{4}{5}$ oz.; Essence of Lemon a sufficiency: make 350 lozenges. Dose not more than one 3 times a day. *Central Throat.*

Trochisci Boracis.

3 grs. Borax in each. One every 3 or 4 hours. *Throat.*

Trochisci Catechu.

2 grs. Catechu in each. One every 3 hours. Astringent. *Throat.*

Trochisci Cocainæ.

$\frac{1}{10}$ gr. Hydrochlorate of Cocaine in each. *Central Throat.*

Trochisci Cubebæ.

About $\frac{1}{2}$ gr. Cubebs in each. One every 3 or 4 hours. Useful in bronchitis. *Throat. Royal Chest. Westminster.*

Closely resembles Brown's Bronchial Troches.

Trochisci Eucalypti Compositi.

1 gr. Eucalyptus Gum in each, with Cubebs and Chlorate of Potassium. *Central Throat.*

Trochisci Glycyrrhizæ.

Extract of Liquorice 3 grs.; Oil of Aniseed $\frac{1}{2}$ min. in each. *St. Thomas's. Consumption. Royal Chest.*

Trochisci Guaiaci.

4 grs. Guaiacum Resin in each. Dose 1 to 6. *London. Westminster.*

2 grs. Guaiacum in each. One every 2 hours in acute inflammation, and 3 times a day in chronic affections. *Throat. Central Throat. St. Thomas's. Royal Chest.*

Trochisci Gummi Rubri.

Red Gum $2\frac{1}{3}$ grs., Tincture of Capsicum $\frac{1}{3}$ min., in each. Dose 1 to 6. *London.*

Trochisci Kino.

2 grs. Kino in each. One every 3 or 4 hours. Astringent. *Throat.*

Trochisci Krameriæ.

3 grs. Ext. Rhatany in each. One every 3 or 4 hours. Astringent, and less constipating than Catechu. Dose 1 to 6. *London. Throat. St. Thomas's. Royal Chest. Central Throat.*

Trochisci Lactucæ.

1 gr. Ext. Lettuce in each. One every hour or two Soothing. *Throat.*

Trochisci Morphinæ et Glycyrrhizæ.

Hydrochlorate of Morphine $\frac{1}{16}$ gr.; Extract of Liquorice 3 grs.; Compound Powder of Tragacanth 5 grs. *Royal Chest.*

Trochisci Nitro-Glycerini.

Contains $\frac{1}{100}$ gr. Nitro-Glycerine. Dose 1 lozenge. *London.*

Trochisci Potassæ Chloratis.

3 grs. Chlorate of Potash in each. One every 3 or 4 hours. Stimulant and antiseptic: useful in thrush and aphthous ulceration. *Throat. Royal Chest.*

Trochisci Potassæ Citratis.

3 grs. Citrate of Potash in each. One every 3 or 4 hours. Topical Sialogogue. *Throat.*

Trochisci Potassæ Tartrat. Acidæ.

3 grs. Acid Tartrate of Potash in each. One every 2 or 3 hours. Topical Sialogogue. *Throat.*

Trochisci Pyrethri.

1 gr. Pellitory in each. One every 2 or 3 hours A valuable Sialogogue. *Throat.*

Trochisci Sedativa.

Contains $\frac{1}{16}$ gr. of Ext. of Opium in each. One every 3 or 4 hours. Sedative for irritative coughs. *Throat.*

UNGUENTA.

The London Ophthalmic Hospital gives the following directions:—All the ointments in this pharmacopœia may be made with either Soft Paraffin B. P., or Lanoline as a basis.

Cerates are included in this group under the head of Ointments.

Unguentum Acidi Boracici.

Boracic Acid 1 drm.; Vaseline to 1 oz. *Samaritan.*

Boracic Acid 1 drm.; Lard 1 oz.; mix. *British Skin.*

Boracic Acid 1 drm.; Oil of Almonds 4 fl. drms.; White Wax 1 drm.; Lard 1 drm. *Guy's.*

Boracic Acid (in fine powder) 60 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Boracic Acid, levigated, 1 drm.; Paraffin Wax 2 drms.; Lard 4 drms.; Vaseline 2 drms. *Royal Free.*

Boracic Acid 80 grs.; Soft Paraffin 1 oz. *St. Bartholomew's.*

Boracic Acid (in fine powder) 1 or 2 parts; White Wax 1 part; Paraffin 2 parts; Almond Oil 4 parts; Prepared Lard 3 parts: dissolve and mix. *University.*

Unguentum Acidi Borici c. Atropina.

Atropine 1 gr.: Boric Acid 60 grs.; Soft Paraffin to 1 oz. *St. Thomas's.*

Unguentum Acidi Borici Molle.

Powdered Boracic Acid 60 grs.; Soft Paraffin 1 oz. *London Ophthalmic.*

Unguentum Acidi Carbolici.

(*See also* Vaselinum Carbolatum.)

Carbolic Acid (liquefied) ½ drm.; Soft Paraffin 1 oz. *St. Bartholomew's.*

Carbolic Acid (No. 2 Calvert's) 60 grs.; Rectified Spirit 5 mins.; Petroleum Ointment (Hosp.) 1 oz.: melt the last, and when nearly cold add the first two previously mixed. *London.*

Carbolic Acid 1 drm.; Zinc Ointment 1 oz. *Charing Cross.*

Unguentum Acidi Carbolici Compositum.

Carbolic Acid, Sulphur Ointment, Nitrate of Mercury Ointment, equal parts. *Charing Cross.*

Carbolic Acid (No. 2 Calvert's) 1 part; Nitrate of Mercury Ointment 2 parts; Sulphur Ointment 2 parts. *London.*

Unguentum Acidi Carbolici Comp. Fortius.

Carbolic Acid (No. 2 Calvert's) 1 part: Nitrate of Mercury Ointment 1 part; Sulphur Ointment 1 part. *London.*

Unguentum Acidi Carbolici c. Hydrargyro.

Carbolic Acid 10 grs.; Ammoniated Mercury 15 grs.; Soft Paraffin 8 drms. *St. George's.*

Unguentum Acidi Chrysophanici.

Chrysophanic Acid 10 grs.; Soft Paraffin 1 oz. *St. Bartholomew's. St. Mary's.*

Chrysophanic Acid 5, 10, or 15 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Chrysophanic Acid 10 grs.; Lard 1 oz. *Charing Cross.*

Chrysophanic Acid 120 grs.; Lard 1 oz.: heat together, constantly stirring, in a water-bath for half an hour; when set mix with pestle and mortar. *British Skin.*

Unguentum Acidi Pyrogallici.

(Jarisch's Ointment.)

Pyrogallic Acid 60 grs.; Lard 1 oz.: mix. *British Skin. Westminster.*

Unguentum Acidi Salicylici.

Salicylic Acid 10 grs.; Soft Paraffin 1 oz. *St. Bartholomew's.*

Salicylic Acid 30 grs.; Lard 1 oz.: mix. *British Skin.*

Unguentum Acidi Tannici.

Tannic Acid 1 drm.; Soft Paraffin 7 drms. *Westminster.*

Unguentum Acidi Tannici c. Opio.

Tannic Acid 30 grs.; Powdered Opium 30 grs.; Lard 1 oz.: mix. *British Skin.*

Unguentum Æruginis.

Subacetate of Copper 60 grs.; Lard 7 drms. *Westminster.*

Subacetate of Copper 40 grs.; Prepared Lard 1 oz. *Guy's.*

Unguentum Album.

See Ung. Hydrarg. Ammoniati Dil.

Unguentum Alizarini.

Artificial Alizarine 60 grs.; Lard 1 oz.: mix. *British Skin.*

Unguentum Atropinæ.

Atropine 4 grs.; Vaseline 1 oz. *Middlesex. London Ophthalmic. St. Thomas's.*

Atropine 4 grs.; Rectified Spirit 30 mins.; Soft Paraffin 8 drms. *Westminster.*

Sulphate of Atropine 10 grs.; Vaseline 1 oz. *Gt. Northern.*

Unguentum Atropinæ c. Acido Borico.

Atropine 4 grs.; Powdered Boracic Acid 60 grs.; Soft Paraffin 1 oz. *London Ophthalmic.*

Unguentum Atropinæ c. Cocainâ.

Atropine 8 grs.; Cocaine 8 grs.; Soft Paraffin to 1 oz. *St. Thomas's.*

Sulphate of Atropine 4 grs.; Hydrochlorate of Cocaine 20 grs.; Soft Paraffin 1 oz. *St. Mary's. Westminster Ophthalmic.*

Atropine 4 grs.; Cocaine 10 grs.; Soft Paraffin 1 oz. *London Ophthalmic.*

Unguentum Atropinæ Dilutum.

Sulphate of Atropine 4 grs.; Vaseline 1 oz. *Gt. Northern.*

Unguentum Atropinæ Flavum.

Sulphate of Atropine 4 grs.; Yellow Oxide of Mercury 15 grs.; Simple Ointment 8 drms. *St. George's.*

Unguentum Atropinæ Sulphatis.

Sulphate of Atropine ½ gr.; Vaseline 1 drm. *Guy's. Westminster Ophthalmic.*

Sulphate of Atropia 4 grs.; Distilled Water 20 mins.; Vaseline 1 oz. *London.*

Unguentum Balsami Peruviani.

Balsam of Peru 1 fl. drm.; Lard 1 oz. *Middlesex.*

Balsam of Peru 1 oz.; Castor Oil 2 oz. *Fever.*

Unguentum Belladonnæ.

Extract of Belladonna, Vaseline, of each equal parts. *Westminster Ophthalmic.*

Extract of Belladonna 80 grs.; Glycerine 1 drm.; Prepared Lard 1 oz. *Fever.*

Unguentum Belladonnæ Co.

Extract of Belladonna 80 grs.; water *q. s.* to form a paste; Ammoniated Mercury 40 grs.; Benzoated Lard 360 grs. *London Ophthalmic.*

Extract of Belladonna and Ointment of Iodide of Potassium, equal parts. *Middlesex.*

Extract of Belladonna 30 grs.; Camphor 10 grs.; Rectified Spirit *q. s.*; Soft Paraffin 1 oz. *St. Bartholomew's.*

Unguentum Belladonnæ e. Hydrargyro.

See Unguentum Hydrargyri c. Belladonnâ.

Unguentum Bismuthi.

Subnitrate of Bismuth 1 drm.; Soft Paraffin 1 oz, *St Mary's.*

White Bismuth 1 drm.; Lard 1 oz. *British Skin.*

Unguentum Bismuthi Oleatis.

Oxide of Bismuth 1 oz.; Oleic Acid 8 oz.; White Wax 3 oz.; Vaseline 9 oz. Heat the Oxide with the Oleic Acid until solution takes place; then add the Wax and the Vaseline; melt, and stir till cold. *London.*

Unguentum Bismuthi et Zinci.

Oxide of Bismuth 40 grs.; Oxide of Zinc 20 grs.; Petroleum Ointment (Hosp.) 1 oz.: mix. *London.*

Unguentum Bituminis Compositum.

Compound (Liquor) Solution of Bitumen (Hosp.) 1 fl. drm.; Petroleum Ointment (Hosp.) 1 oz.: mix. *London.*

Unguentum Bituminis c. Hydrargyro.

Syn.—Compound Petroleum Ointment.

Compound (Liquor) Solution of Bitumen (Hosp.) 30 mins.; Ammoniated Mercury 10 grs.; Petroleum Ointment (Hosp.) 1 oz: mix. *London.*

Unguentum Calaminæ. (Turner's Ointment.)

Prepared Calamine 120 grs.; Benzoated Lard 1 oz. *British Skin.*

Calamine 60 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Unguentum Calaminæ Compositum.

Liquor Carbonis Detergens 10 mins.; Nitrate of Mercury Ointment 20 grs.; Calamine Ointment to 1 oz. *St. Mary's.*

Unguentum Calaminæ c. Plumbo.

Creasote 1 min.; Acetate of Lead 10 grs.; Calomel 10 grs.; Calamine Ointment 1 oz. *St. Mary's.*

Unguentum Camphoræ.
Camphor 30 grs.; Lard 1 oz. *British Skin.*

Unguentum Carbonis Detergens.
"Liquor Carbonis Detergens" ½ drm.; Soft Paraffin 1 oz. *St. Mary's.*
"Liquor Carbonis Detergens" 30 mins.: Ammoniated Mercury 10 grs.; Vaseline 1 oz. *Central Throat.*

Unguentum Chrysarobiui Forte.
Chrysarobin 2 drms.; Benzoated Lard 6 drms. *Westminster.*

Unguentum Cocainæ.
Cocaine 10 grs.; Soft Paraffin 1 oz. *London Ophthalmic.*
Cocaine 8 grs.; Soft Paraffin to 1 oz. *St. Thomas's.*
Hydrochlorate of Cocaine 5 grs.; Oil of Eucalyptus 20 mins.; Vaseline 1 oz. *Central Throat.*
Hydrochlorate of Cocaine 20 grs.; Vaseline 1 oz. *Westminster Ophthalmic.*

Unguentum Cocainæ e. Menthol.
Hydrochlorate of Cocaine 5 grs.; Menthol 10 grs.; Vaseline 1 oz. *Central Throat.*

Unguentum Commune.
Yellow Wax 1 part; Lard 4 parts. *St. George's.*

Unguentum Creasoti.
Creasote 6 mins.; Nitrate of Mercury Ointment 30 grs. Lard to 1 oz. *Charing Cross.*

Unguentum Creasoti Forte.
Creasote 6 drms.; White Wax 180 grs.: melt with heat. *British Skin.*

Unguentum Cretæ.
Prepared Chalk 1½ oz.; Lard 1 oz. *Middlesex.*
Prepared Chalk 1½ oz.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Unguentum Cupri Oleatis.
Oleate of Copper ¼ oz.; Oil of Eucalyptus 30 mins.; Lard to 1 oz. *St. Thomas's.*

Unguentum Daturinæ.
Sulphate of Daturine 4 grs.; Vaseline 1 oz. *London.*
Daturine ½ gr.; Vaseline 1 drm. *Guy's.*

Unguentum Daturinæ c. Hydrargyro.

Red Oxide of Mercury $\frac{1}{10}$ gr.; Daturine $\frac{1}{10}$ gr.; Vaseline 1 drm. *Guy's.*

Unguentum Diachyli. (Hebra's Ointment.)

Lead Plaster $\frac{1}{2}$ oz.; Soft Paraffin $\frac{1}{2}$ oz; Oil of Eucalyptus 10 mins. *St. Mary's.*

Lead Plaster $\frac{1}{2}$ oz.; Soft Paraffin $\frac{1}{2}$ oz.; Oil of Lavender *q. s.* *King's.*

Lead Plaster $\frac{1}{2}$ oz.; Soft Paraffin $\frac{1}{2}$ oz.: melt with heat. *British Skin. St. Bartholomew's. London. Westminster.*

Litharge 120 grs.; Olive Oil 1 fl. oz.; Boil with sufficient water, then add Oil of Lavender 5 mins. *Guy's.*

Lead Plaster, Linseed Oil, equal parts. *Charing Cross.*

Unguentum Diachylon. (Hebra's Formula.)

Oxide of Lead $2\frac{3}{4}$ lbs.; Olive Oil $1\frac{1}{2}$ gals.; water a sufficiency: Boil until combination has taken place. *St. Thomas's.*

Unguentum Eserinæ.

Sulphate of Eserine 2 grs.; Vaseline 1 oz. *London.*

Eserine $\frac{1}{5}$ gr.; Vaseline 1 drm. *Guy's.*

Unguentum Eucalypti.

Oil of Eucalyptus 20 mins.; Vaseline 1 oz. *Central Throat.*

Unguentum Ferri Sulphatis.

Powdered Sulphate of Iron 10 grs.; Lard 1 oz. *St. Bartholomew's.*

Unguentum Flavum.

Yellow Oxide of Mercury 4 grs.; Lard 8 drms. *Lock.*

Yellow Oxide of Mercury 8 grs.; Soft Paraffin to 1 oz. *St. Thomas's.*

Yellow Oxide of Mercury 8 grs.; Vaseline 8 drms. *Westminster Ophthalmic.*

Unguentum Flavum Dilutum.

Yellow Oxide of Mercury 4 grs.; Soft Paraffin to 1 oz. *St. Thomas's.*

Unguentum Flavum c. Atropina.

Sulphate of Atropine 4 grs.; Yellow Oxide of Mercury 5 grs.; Vaseline 1 oz. *Westminster Ophthalmic.*

Yellow Oxide of Mercury 8 grs.; Atropine 2 grs.; Soft Paraffin to 1 oz. *St. Thomas's.*

Unguentum Flavum c. Cocainâ.

Yellow Oxide of Mercury 8 grs.; Hydroclorate of Cocaine 20 grs.; Vaseline 1 oz. *Westminster Ophthalmic.*

Unguentum Flavum Dilutum c. Atropina.

Yellow Oxide of Mercury 4 grs.; Atropine 1 gr.; Soft Paraffin to 1 oz. *St. Thomas's.*

Unguentum Hamamelidis.

Extract of Witch Hazel 1 drm.; Benzoated Lard to 1 oz. *Samaritan.*

Tincture of Witch Hazel 1 drm.; Simple Ointment 7 drms. *Westminster.*

Unguentum Hydrarg. Ammoniati Dil.

Ammoniated Mercury 8 grs.; Simple Ointment 1 oz. *London Ophthalmic.*

Ammoniated Mercury 12 grs.; Olive Oil 12 mins.; Lard 1 oz. *University.*

Ammoniated Mercury 12 grs.; Zinc Ointment ad 8 drms. *Westminster.*

Unguentum Hydrarg. Ammon. Fortior.

Ammoniated Mercury 5 drms.; Simple Ointment 8 drms. *King's.*

Unguentum Hydrarg. Ammon. Mitius.

Ammoniated Mercury Ointment, Spermaceti Ointment, of each equal parts. *Lock.*

Ammoniated Mercury Ointment 3 drms.; Lard 5 drms. *Charing Cross.*

Unguentum Hydrarg. Ammon. c. Sulphure.

Ammoniated Mercury 6 grs.; Sublimed Sulphur 30 grs.; Benzoated Lard 1 oz. *London Ophthalmic.*

Unguentum Hydrarg. c. Belladonnâ.

Belladonna Ointment, Mercurial Ointment, equal parts. *Middlesex.*

Extract of Belladonna 1 drm.; Mercurial Ointment 7 drms. *London.*

Extract of Belladonna 10 grs.; Mercurial Ointment 1 oz. *Gt. Northern.*

Extract of Belladonna 2 drms.; water *q. s.* to form a paste; Ointment of Mercury 6 drms. *London Ophthalmic.*

Belladonna Ointment, Mercurial Ointment, Ointment of Iodide of Potassium, equal parts. *St. Bartholomew's.*

Extract of Belladonna 10 grs.; Ammoniated Mercury 5 grs.; Soft Paraffin 1 drm. *King's.*

Unguentum Hydrarg. Bibromidi.

Bibromide of Mercury 4 grs.; Vaseline 1 oz. *Women.*

Unguentum Hydrargyri Bisulphidi.

Bisulphide of Mercury 5 grs.; Precipitated Sulphur 1 drm.; Oil of Lavender 3 mins.; Simple Ointment to 8 drms. *King's.*

Unguentum Hydrarg. Cinerei.

Prepared Lard 6 oz.; Suet 4 oz.; Mercury 5 oz. *Lock.*

Black Oxide of Mercury 1 part; Lard 7 parts. *St. George's.*

Unguentum Hydrarg. Co.

Mercurial Ointment 2 oz.; Soap Cerate Plaster 2 oz.; Camphor ½ oz. *London.*

Unguentum Hydrarg. Detergens.

Ammoniated Mercury 15 grs.; Liquor Carbonis Detergens 60 mins.; Lard to 1 oz. *Charing Cross.*

Unguentum Hydrargyri Flavum.

See Ungt. Hydrarg. Ox. Flav.

Unguentum Hydrarg. Iodidi Rubri.

Red Iodide of Mercury 1 drm.; Simple Ointment 9 drms: mix. This is three times the strength of the Br. Ph., and is used for bronchocele. *Throat.*

Unguentum Hydrarg. Iodidi Rubri Forte.

(Rochard's Ointment.)

Red Iodide of Mercury 60 grs.; Lard 1 oz.: mix. *British Skin.*

Unguentum Hydrarg c. Iodo.

Iodine Ointment, Mercury Ointment, Belladonna Ointment, of each equal parts. *Central Throat.*

Unguentum Hydrarg. Mitius.

Mercurial Ointment ½ oz.; Lard 1 oz. *Middlesex. Royal Free.*

Mercurial Ointment 2 drms.; Camphor 10 grs.; Rectified Spirit *q. s.*; Soft Paraffin 6 drms. *King's.*

Mercurial Ointment, 1 oz; Lard ½ oz. *Lock.*

Mercurial Ointment 1 oz.; Petroleum Ointment (Hosp.) 2 oz. *London.*

Unguentum Hydrargyri Nitratis et Creasoti.

Nitrate of Mercury Ointment 1 drm.; Creasote 10 mins.; Soft Paraffin to 1 oz. *St. Thomas's.*

Unguentum Hydrarg. Nitratis Dilutum.

Nitrate of Mercury Ointment 1 drm.; Vaseline 7 drms. *Westminster Ophthalmic.*

Nitrate of Mercury Ointment 1½ drm.; Lard 6½ drms. *Westminster.*

Nitrate of Mercury Ointment ⅛, ¼, and ½ oz.; Lard to 1 oz. *St. Bartholomew's.*

Unguentum Hydrarg. Nitratis Mite.

Ointment of Nitrate of Mercury 1 drm.; Soft Paraffin to 1 oz. *London Ophthalmic.*

Ointment of Nitrate of Mercury 1 oz.; Petroleum Ointment 2 oz. *London.*

Unguentum Hydrarg. Nitrat. Mitius.

Nitrate of Mercury Ointment 1 drm.; Soft Paraffin to 1 oz. *St. Thomas's.*

Ointment of Nitrate of Mercury 1 drm.; Vaseline to 12 drms. *London Ophthalmic. Gt. Northern.*

Ointment of Nitrate of Mercury ¼ oz.: Lard 2 oz. *Middlesex.*

Ointment of Nitrate of Mercury 34 grs.; Lard 1 oz. *Guy's.*

Ointment of Nitrate of Mercury 1 oz.; Vaseline 3 oz. *Royal Free.*

Unguentum Hydrargyri Nitratis Perdilutum.

Nitrate of Mercury Ointment 1 part; Simple Ointment 7 parts. *St. George's.*

Unguentum Hydrarg. Oleatis.

Liniment of Oleate of Mercury (10 p. c.) 120 grs.: Lard 1 oz: mix. *British Skin.*

Oleate of Mercury ½ drm.; Hydrous Wool Fat ½ drm; Oleic Acid to 8 drms. *King's.*

Unguentum Hydrarg. Oleatis (20 per cent.).

Yellow Oxide of Mercury 2 drms.; Oleic Acid 10 drms. For mode of preparation see Linimentum Hydr. Oleatis. *Throat.*

Unguentum Hydrarg. c. Opio.

Opium 1 drm.; Mercurial Ointment 1 oz. *Gt. Northern*

Opium ¼ oz.; Mercurial Ointment 2 oz. *Middlesex.*

Unguentum Hydrarg. Oxidi Flavi.

Yellow Oxide of Mercury 1 gr.; Vaseline 1 drm. *Royal Free.*

Yellow Oxide of Mercury 8 grs.; Soft Paraffin 1 oz. *Middlesex. St. Mary's. Samaritan.*

Yellow Oxide of Mercury 8 grs.; Vaseline 1 oz. *London Ophthalmic. Gt. Northern.*

Yellow Oxide of Mercury 10 grs.; Vaseline 1 oz. *London.*

Yellow Oxide of Mercury 15 grs.; Simple Ointment 8 drms. *St. George's.*

Yellow Oxide of Mercury 15 grs.; Benzoated Lard 1 oz: mix. *British Skin.*

Yellow Oxide of Mercury 2 grs.; Vaseline 1 drm. *Guy's.*

Yellow Oxide of Mercury 30 grs.; Lard 8 drms. *Westminster.*

Unguentum Hydrarg. Oxid. Flav. c. Atropinâ.

Atropine 2 grs.; Yellow Oxide of Mercury 4 grs.; Soft Paraffin 1 oz. *London Ophthalmic.*

Sulphate of Atropia 4 grs.; Distilled Water 20 mins.; Yellow Oxide of Mercury Ointment 1 oz. *London.*

Sulphate of Atropine 1 grs.; Yellow Oxide of Mercury 4 grs.; Soft Paraffin 1 oz. *St. Mary's.*

Atropine 4 grs.; Yellow Oxide of Mercury 8 grs.; Vaseline 1 oz. *Middlesex.*

Unguentum Hydrarg. Oxid. Flav. c. Cocaina.

Yellow Oxide of Mercury 8 grs; Hydrochlorate of Cocaine 20 grs.; Soft Paraffin 1 oz. *St. Mary's.*

Unguentum Hydrarg. Oxid. Flav. Dilutum.

Ointment of Yellow Oxide of Mercury 2 drms.; Vaseline 6 drms. *Gt. Northern.*

Yellow Oxide of Mercury 12 grs.; Soft Paraffin 8 drms. *King's.*

Yellow Oxide of Mercury 4 grs.; Soft Paraffin 1 oz. *London Ophthalmic.*

Unguentum Hydrarg. Oxid. Flav. Dilutum c. Atropinâ.

Sulphate of Atropine 4 grs.; Ointment of Yellow Oxide of Mercury 1 oz. *Gt. Northern.*

Unguentum Hydrarg. Oxid. Flav. Mitius.

Yellow Oxide of Mercury 2 grs.; Soft Paraffin 1 oz. *St. Mary's.*

Unguentum Hydrarg. Oxidi Rubri.

Eye Ointments.

No. 1. 1 oxide to 7 of Lard.
,, 2. 1 ,, ,, 16 ,,
,, 3. 1 ,, ,, 60 ,, *University.*

Unguentum Hydrargyri Oxid. Rubri et Cantharidis.

Vinegar of Cantharides 1 drm.; Red Oxide of Mercury Ointment to 8 drms. *Westminster.*

Unguentum Hydrarg. Oxidi Rubri Dilut.

(*See also* Unguentum Rubrum. Dilut. and Ung. Hyd. Ox. Rub. Mit.)

Red Oxide of Mercury Ointment 1 drm.; Paraffin Ointment 7 drms. *London Ophthalmic.*

Red Oxide of Mercury Ointment 1 drm.; Lard 7 drms. *Westminster.*

Red Oxide of Mercury Ointment 2 drms.; Soft Paraffin 6 drms. *King's.*

Unguentum Hydrarg. Oxidi Rubri Mitius.

Ointment of Red Oxide of Mercury ¼ oz.; Lard 1 oz. *Middlesex.*

Red Oxide of Mercury 10 grs.; Lard to 1 oz. *Charing Cross.*

Unguentum Hydrarg. Perchloridi.

Perchloride of Mercury 2 grs.; Lard to 1 oz. *Charing Cross.*

Perchloride of Mercury 5 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Perchloride of Mercury 8 grs.; Lard 1 oz.: mix. *British Skin.*

Unguentum Hydrargyri c. Plumbo.

Acetate of Lead 10 grs.; Calomel 10 grs.; Oxide of Zinc 24 grs.; Nitrate of Mercury Ointment 24 grs.; Olive Oil *q. s.*: Lard to 1 oz. *St. Mary's.*

Unguentum Hydrarg. et Potassii Iodidi.

(Lutz's Ointment.)

Red Iodide of Mercury 5 grs.; Iodide of Potassium 5 grs.; water *q. s.*; Prepared Lard 1 oz. Triturate the Iodides together in a Mortar, add the water drop by drop until a colourless solution is formed, then add the lard and mix thoroughly. *British Skin.*

Unguentum Hydrargyri Subchloridi.

Calomel 60 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Unguentum Hydrargyri Sulphatis Flavæ.

Synonyms.—Turbith or Turpeth Mineral Ointment—Bazin's Ointment.

Yellow Sulphate of Mercury 15 grs.; Benzoated Lard 1 oz.: mix thoroughly. The Yellow Sulphate of Mercury ($3\ HgO,SO_3$) is thus prepared:—Mercury 1 oz.; Sulphuric Acid $1\frac{1}{2}$ fl. oz. Mix them in a glass vessel and boil by means of a sand-bath until a dry white mass (HgO,SO_3) remains. Reduce this to fine powder, and throw it into boiling water. Pour off the supernatant liquor, and wash the Yellow Precipitate with hot water, and dry it. *British Skin.*

Unguentum Hydrargyri Sulphidi Rubri.

Red Sulphide of Mercury 6 grs.; Red Oxide of Mercury 6 grs.; Creasote 2 mins.; Lard 1 oz. *St. Bartholomew's.*

Unguentum Hydrarg. Sulphidi Rubri Mitius.

Red Sulphide of Mercury 3 grs.; Red Oxide of Mercury 3 grs.; Creasote 1 min.; Lard 1 oz. *St. Bartholomew's.*

Unguentum Hydrargyri Zinci et Plumbi.

See also "Ung. Metallorum."

Acetate of Lead 10 grs.; Oxide of Zinc 20 grs.; Subchloride of Mercury 10 grs.; Ointment of Nitrate of Mercury 20 grs.; Benzoated Lard to 1 oz. *St. Thomas's.*

Unguentum Iodoformi.

Iodoform 15 grs.; Vaseline 1 oz. *Central Throat.*

Iodoform 20 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Iodoform ½ drm.; Simple Ointment 1 oz. *Guy's.*
Precipitated Iodoform 1 drm.; Vaseline 7 drms. *Royal Free. Westminster Ophthalmic. London Ophthalmic.*
Iodoform 1 drm.; Vaseline to 1 oz. *Samaritan.*
Iodoform 1 drm.; Lard 1 oz.: mix. *British Skin.*
Iodoform ¼ oz.; Soft Paraffin 1 oz. *St. Bartholomew's.*

Unguentum Iodoformi c. Atropina.

Precipitated Iodoform 1 drm.; Atropine 2 grs.; Soft Paraffin to 1 oz. *St Thomas's. London Ophthalmic.*

Unguentum Iodoformi Comp.

Iodoform 120 grs.; Carbolic Acid (No. 2 Calvert) 6 grs.; Extract of Conium 90 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Unguentum Iodoformi c. Eucalypto.

Precipitated Iodoform 60 grs.; Oil of Eucalyptus 1 oz.; heat gently until dissolved, and add Hard Paraffin 2½ oz.; Soft Paraffin 2½ oz.: melted together, stir till cold. *Westminster. London Ophthalmic.*

Unguentum Iodoformi c. Menthol.

Menthol 30 grs.; Iodoform Ointment 1 oz. *Central Throat.*

Unguentum Iodoformi Mitius.

Iodoform 15 grs.; Soft Paraffin 1 oz. *St. Mary's.*

Unguentum Iodoformi Præcipitati.

Precipitated Iodoform 1 drm.; Soft Paraffin to 1 oz. *St. Thomas's.*

Unguentum Iodol.

Iodol 5 grs.; Oil of Eucalyptus 20 mins.; Vaseline 1 oz. *Central Throat.*

Unguentum Liq. Carbonis Deterg.

Liq. Carbonis Detergentis 2 fl. drms.; Lard 1 oz. *Guy's.*

Unguentum Lithargyri.

See "Unguentum Diachyli."

Unguentum Metallorum vel Ung. Hydrarg. Plumbi et Zinci.

Zinc Ointment, Nitrate of Mercury Ointment, Acetate of Lead Ointment, equal parts. *Guy's. Gt. Northern. King's.*

Zinc Ointment, Nitrate of Mercury Ointment, Subacetate of Lead Ointment, equal parts. *Charing Cross.*

Unguentum Morphiæ Acetatis.

Acetate of Morphia 1 gr.; Vaseline 1 oz. *Guy's.*

Unguentum Naphtholis. (Kaposi's Ointment.)

Beta-Naphthol 60 grs.; Prepared Lard 1 oz. Melt the Lard on a water bath, add to it the Naphthol and stir till the Naphthol is dissolved, then remove the mixture and stir constantly until it cools. *British Skin.*

Beta-Naphthol 36 grs; Prepared Chalk 24 grs.; Soft Soap 2 drms.; Soft Paraffin to 8 drms. *Westminster.*

Unguentum Olei Betulæ.

Birch Tar (Oleum Betulæ Albæ) 5 drms.; Yellow Wax 120 grs.: melt. *British Skin.*

Unguentum Olei Cadini.

Oil of Cade 1 drm.; Lard to 1 oz. *St. Thomas's.*

Oil of Cade 4 drms.; Yellow Wax 4 drms.: (To be diluted with lard to required strength). *Westminster.*

Unguentum Olei Staphisagriæ. (*See also* Ung. Staphisagriæ.)

Oil of Stavesacre 1 drm.; Lard 1 oz.: mix. *British Skin*

Unguentum Opii.

Opium $\frac{1}{4}$ oz.; Lard 2 oz. *Middlesex.*

Extract of Opium 30 grs.; Lard 1 oz. *Guy's.*

Unguentum Petrolei.

Yellow Wax 30 grs.; Vaseline 1 oz. *London.*

Unguentum Petrolei Compositum.

Liquor Carbonis Detergens $\frac{1}{2}$ drm.; Ammoniated Mercury 15 grs.; Soft Paraffin to 1 oz. *St. Thomas's.*

Ammoniated Mercury 10 grs.; Solution of Coal Tar 1 drm.; Soft Paraffin to 1 oz. *St. Bartholomew's.*

Unguentum Petrolei c. Zinco.

Oxide of Zinc 30 grs.; Soft Paraffin 1 oz. *St. Bartholomew's.*

Unguentum Picis Co.

Tar Ointment 3 drms.; Zinc Ointment ½ drm.; Glycerine of Subacetate of Lead Ointment to 1 oz. *St. Mary's.*

Tar, Vaseline, equal parts. *Gt. Northern.*

Unguentum Picis Juniperi.

Juniper Tar 2 drms.; Lard 1 oz. *University.*

Unguentum Picis c. Plumbo.

Tar Ointment and Ointment of Acetate of Lead equal parts. *St. Bartholomew's.*

Unguentum Picis c. Sulphure.

Sublimed Sulphur 2 drms.; Tar 2 drms.; Prepared Chalk 1 drm.; Lard 2 drms. *Middlesex.*

Unguentum Plumbi Acetatis.

Acetate of Lead 12 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Unguentum Plumbi c. Calaminâ.

Calamine Ointment ½ oz.; Lead Plaster to 1 oz. *St. George's.*

Unguentum Plumbi Carbonatis.

Carbonate of Lead 60 grs.; Petroleum Ointment 1 oz. *London.*

Unguentum Plumbi Compositum.

Acetate of Lead 10 grs.; Calomel 20 grs.; Starch 4 drms.; Vaseline to 1 oz. *Samaritan.*

Lead Plaster 240 grs.; Olive Oil 2 fl. drs.; Prepared Chalk 40 grs.; Dilute Acetic Acid 43 mins. Dissolve the plaster in the oil at a gentle heat; then add first the chalk, and afterwards the acid, stirring constantly until cold. (Kirkland's Neutral Cerate). *British Skin.*

Unguentum Plumbi c. Hydrargyro.

Red Oxide of Lead 45 grs.; Vermilion 25 grs.; Prepared Lard 1 oz. *British Skin.*

Unguentum Plumbi c. Hydrargyro Compositum.

Acetate of Lead, in fine powder, 10 grs.; Oxide of Zinc 20 grs.; Subchloride of Mercury 10 grs.; Ointment of Nitrate of Mercury 20 grs.; Vaseline to 1 oz.: mix. *London.*

Unguentum Plumbi Glycerini.

Glycerole of Subacetate of Lead ½ drm.; Vaseline 1 oz.: mix. *British Skin.*

Unguentum Plumbi Iodidi.

Iodide of Lead, in fine powder, 60 grs.; Petroleum Ointment (Hosp.) 1 oz.: mix well together. *London.*

Unguentum Plumbi Oleatis.

Oxide of Lead 30 grs.; Oleic Acid ½ oz.: Vaseline to 1 oz.; Dissolve the Oxide in the Oleic Acid with a gentle heat: then add the Vaseline, and stir till cold. *London.*

Lead Plaster, Olive Oil, equal weights. *University.*

Unguentum Plumbi Oxidi.

Lead Plaster 2 oz.; Olive Oil 3 fl. oz.; mix by a gentle heat. *Middlesex.*

Unguentum Plumbi Oxidi c. Oleo.

(*See* Ung. Diachyli.)

Unguentum Plumbi Subacetatis.

Solution of Subacetate of Lead 30 mins.; Petroleum Ointment (Hosp.) 1 oz.: mix. *London.*

Unguentum Rosatum.

Alkanet Root crushed 13 grs.; Otto of Roses 1 min.; White Wax 4 grs.; Prepared Lard 1 oz. Digest the Alkanet Root for an hour in the Lard previously melted on a water-bath, strain the mixture twice through muslin, add the Wax, and after it has melted, stir the mixture while it is cooling until it has assumed a creamy consistency; then add the Otto of Roses, continuing the stirring for a short time. *British Skin.*

Unguentum Rubrum.

Bisulphuret of Mercury 6 grs.; Red Oxide of Mercury 6 grs.; Creasote 2 mins.; Lard 1 oz. *St. Thomas's.*

Unguentum Rubrum Dilutum.

Red Oxide of Mercury 4 grs.; Vaseline 1 oz. *Westminster Ophthalmic.*

Unguentum Sambuci.

Elder Leaves 4 drms.; water *q. s.*; Lard 5 drms. Boil till leaves begin to curl, and strain with pressure. *St. George's.*

Unguentum Simplex.

White Wax ½ oz.; Lard 1 oz. *London Ophthalmic.*

Yellow Wax ½ oz.; Lard ¾ oz. *St. Bartholomew's.*

Yellow Wax 1 oz.; Lard 1 oz.; Olive Oil 4 fl. oz. *Middlesex.*

Unguentum Staphisagriæ.

(*See also* Ung. Olei Staphisagriæ.)

Stavesacre 1 oz.; Olive Oil 1 oz.; Lard 2 oz. Melt the lard in a water-bath, add the oil and stavesacre, maintain the heat for a quarter of an hour, then remove and stir till cold. *London Ophthalmic.*

Stavesacre in powder 1 oz.; Lard 4 oz.: heat for 1 hour, and strain. *Middlesex.* (2 hours.) *University.*

Stavesacre seeds 110 grs.; White Wax 55 grs.; Prepared Lard 1 oz. *Guy's.*

Oil of Stavesacre 1 drm.; Soft Paraffin 1 oz. *St. Bartholomew's.*

Unguentum Stramonii.

Fresh Stramonium Leaves 1; Lard 4: heat together till the leaves become friable, and strain. *Middlesex.*

Unguentum Styracis.

Prepared Storax 2 drms.; Lard 2 drms.; Melt and Strain. *Westminster.*

Prepared Storax 2 drms.; Lard 1 oz.: mix. *British Skin.*

Prepared Storax 145 grs.; Rectified Spirit of Wine 3 fl. drms.; Lard 1 oz. *Guy's.*

Prepared Storax liquefied ½ oz.; Lard 1 oz. *St. Bartholomew's.*

Unguentum Sulphuris.

Sublimed Sulphur 1 part; Petroleum Ointment (Hosp.) 4 parts: mix. *London.*

Unguentum Sulphuris Co.

Sublimed Sulphur 15 grs.; Resorcin 15 grs.; Benzoated Lard to 1 oz. *Samaritan.*

Black Sulphur 1 oz.; Green Hellebore Root in powder 1 drm.; Lard 4 oz. *Royal Free.*

Sublimed Sulphur 5 grs.; Ammoniated Mercury 10 grs.; Creasote 3 mins.; Vaseline to 1 oz. *Charing Cross.*

Sublimed Sulphur ½ drm.; Ammoniated Mercury 7 grs.; Black Sulphuret of Mercury 7 grs.; Olive Oil 2 drms.; Creasote 5 mins.; Lard 1 oz. *St. Mary's.*

Sublimed Sulphur 30 grs.; Ammoniated Mercury 10 grs.; Red Sulphide of Mercury, 10 grs.; Olive Oil 2 drms.; Creasote 4 mins.; Lard 1 oz. *St. Bartholomew's.*

Sublimed Sulphur ¼ oz.; White Hellebore 30 grs.; Nitrate of Potash ¼ gr.; Soft Soap ¼ oz.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Unguentum Sulphuris c. Hydrargyro.

Sublimed Sulphur 30 grs.; Ammoniated Mercury 5 grs.; Olive Oil 8 mins.; Lard 1 oz. *University. Westminster.*

Unguentum Sulphuris Hypochloridi.

Hypochloride of Sulphur ¼ oz.; Lard 2 oz. *Middlesex.*

Unguentum Sulphuris Iodidi.

Iodide of Sulphur 10 grs.; Precipitated Sulphur 10 grs.; Oil of Bitter Almonds 4 mins.; Fresh Lard 8 drms. *King's.*

Unguentum Sulphuris c. Pice.

(Wilkinson's Ointment.)

Precipitated Sulphur 66 grs.; Tar 66 grs.; Prepared Chalk in powder 44 grs.; Soft Soap ½ oz.; Prepared Lard ½ oz.: mix thoroughly. *British Skin.*

Unguentum Sulphuris c. Potassâ.

(Helmerick's Ointment.)

Precipitated Sulphur 120 grs.; Carbonate of Potash 60 grs.; Vermilion 2 grs.; Oil of Bergamot 2 mins.; Lard 1 oz.: mix. *British Skin.*

Unguentum Sulphuris c. Zinco.

Sulphur Ointment ½ oz.; Zinc Ointment ½ oz. *St. Mary's.*

Unguentum Terebinthinæ Chio.

Chio Turpentine 30 grs.; Vaseline 1 oz. *Women.*

Unguentum Thymol.

Thymol 10 grs. or more; Lard 1 oz. *University.*

Thymol 10 or 20 grs.; Rectified Spirit 10 mins.; Petroleum Ointment (Hosp.) 1 oz. Dissolve the Thymol in the Spirit, and mix thoroughly with the Ointment. *London.*

Unguentum Viride.

Elemi Ointment 8 parts; Elder Leaf Ointment 1 part; Copaiba 1½ part. Melt the ointments, and before quite cool add the copaiba. *St. George's.*

Unguentum Zinci et Acidi Carbolici.

Carbolic Acid liquefied 1 drm.; Zinc Ointment 1 oz. *St. Bartholomew's.*

Unguentum Zinci Co.

Zinc Ointment and Comp. Ointment of Glycerine of Subacetate of Lead, equal parts. *London Ophthalmic.*

Carbonate of Lead 1 drm.; Zinc Ointment to 1 oz. *St. Mary's.*

Zinc Ointment and Chalk Ointment, equal parts. *Middlesex.*

Unguentum Zinci Oleatis.

Oxide of Zinc 30 grs.; Oleic Acid ½ oz.; Vaseline to 1 oz Dissolve the Oxide in the Acid with a gentle heat; add the Vaseline and stir till cold. *London.*

Oleate of Zinc 2 drms.; Soft Paraffin 6 drms. *Westminster.*

Oleate of Zinc 120 grs.; Lard 1 oz.; mix. *British Skin.*

Oxide of Zinc 1 oz.; Oleic Acid 6 oz.; heat together till dissolved, and add Lard 14 oz.; mix. *University.*

Unguentum Zinci Oxidi. (Cremor Zinci.)

Oxide of Zinc 80 grs.; Vaseline to 1 oz. *Samaritan.*

Oxide of Zinc 30 grs.; Petroleum Ointment (Hosp.) 1 oz. *London.*

Unguentum Zinci c. Plumbo.

Ointment of Zinc and Ointment of Acetate of Lead, equal parts. *Guy's.*

VAPORES—INHALATIONES.

(*See also* NEBULÆ *and* FUMI.)

Inhalations prescribed in the Throat Hospital are of five kinds, as follows:—

Hot: moist air, 130° to 150° F., impregnated with volatile matter.

Cold: moist air 60° to 100° F., impregnated with volatile matter.

Dry: volatile matters vaporized by heat.

Spray: *i.e.* inhalations of atomized fluids.

Fuming: *i.e.* inhalations of the smoke of ignited nitrated papers.

For full particulars respecting these the reader is referred to the Pharmacopœia of the Hospital for Diseases of the Throat.

Vapor Acidi Acetici.

Glacial Acetic Acid and Acetic Acid equal parts: mix.

2 teaspoonfuls in a pint of water at 140° F. for each inhalation.

Sedative; used for inflammatory sore throat of scarlet fever. *Throat.*

Vapor Acidi Benzoici.

Benzoic Acid 3 grs.; Kaolin 12 grs.; rub together and add water ½ oz.; Tincture of Tolu 18 mins. Shake and make up with water to 1 oz. *Throat St. Thomas's.*

Vapor Acidi Carbolici.

Carbolic Acid (No. 2 Calvert) 240 grs.; Rectified Spirit 4 drms.; water to 1 oz.; 1 drm. to 10 oz. water 140° F.

For hot dry inhalation, pour 1 fl. drm. into a heated vessel and let the vapour be inhaled. *London.*

Liquefied Carbolic Acid 30 mins.: to be added to a pint of water at 140° F. *Royal Chest.*

Carbolic Acid 20 grs.; hot water 1 pint. *City Chest.*

Carbolic Acid (liquefied) ½ drm.; Boiling water 20 oz.: for each inhalation. *St. George's.*

Carbolic Acid (liquefied) 2 drms.; Distilled Water 1 oz. A teaspoonful in a pint of water at 140° F. for each inhalation. *Westminster.*

Carbolic Acid Crystals 420 grs.; water 1 drm.: dissolve.
20 drops in a pint of water at 140° F. for each inhalation.
Antiseptic; useful in syphilitic ulcerations. *Throat.*

Vapor Acidi Hydrocyanici.
Diluted Hydrocyanic Acid 1 drm.; water to 1 oz.: mix.
A teaspoonful in a pint of water at 80° F. for each inhalation.
Sedative; useful in cough of laryngeal phthisis. *Throat.*

Vapor Acidi Sulphurosi (Cold).
Sulphurous Acid 1 drm.; water (from 60° to 100° F.) 20 oz. for each inhalation. *Throat.*
Stimulant.

Vapor Ætheris.
Ether, Rectified Spirit, equal parts.: mix.
A teaspoonful in a pint of water at 80° F. for each inhalation.
Sedative and antispasmodic. *Throat.*

Vapor Ætheris Acetici.
Acetic Ether, Rectified Spirit, equal parts: mix.
A teaspoonful in a pint of Water at 140° F. for each inhalation.
This inhalation may be used as a cold inhalation at 80° F.
Sedative; often useful in irritation of the larynx. *Throat.*

Vapor Ætheris Chlorici c. Hyoscyamo.
Chloric Ether 30 mins.; Tincture of Henbane 30 mins.; Hot Infusion of Hop, or water, 8 oz. *Consumption.*

Vapor Ætheris Ozonici.
Oil of Eucalyptus 1 drm.; Firwool Oil 1 drm.; Ozonic Ether 11 drms.; Rectified Spirit to 3 oz. Ten or fifteen drops to be applied on the sponge of the oro-nasal inhaler previous to use. *Central Throat.*

Vapor Æthyl Iodidi.
Iodide of Ethyl 5 to 10 drops on a piece of lint or handkerchief for inhalation used in bronchial asthma. *Throat.*

Vapor Aldehydi.

Diluted Aldehyde (15 per cent.) 80 mins.; water to 1 oz.: mix.

A teaspoonful in a pint of water at 140° F. for each inhalation.

Sedative, useful in recent catarrhal congestions; it is contra-indicated in cases of asthma. *Throat.*

Vapor Ammoniæ.

Solution of Ammonia (s. g. ·959) and water, equal parts: mix.

A teaspoonful in a pint of water at 80° F. for each inhalation.

Stimulant; useful in chronic laryngitis and functional aphonia. *Throat.*

Vapor Ammoniæ Benzoatis.

Benzoic Acid 8 grs.; Aromatic Spirit of Ammonia ½ oz.; Spirit of Camphor 3 drms.; Rectified Spirit 1 drm.; a teaspoonful in a pint of water at 80° to 100° F. Use for Valsalvan inhalation. *Throat.*

Vapor Ammonii Chloridi.

Derived from the admixture of the vapours of Hydrochloric Acid and Solution of Ammonia. *Central Throat.*

Vapor Amyl Nitritis.

2 to 5 drops of Nitrite of Amyl on blotting paper or lint for each inhalation. *London.*

Nitrite of Amyl 10 mins; Rectified Spirit 1 oz.; a teaspoonful in a pint of hot water for each inhalation. *Central Throat.*

Nitrite of Amyl 24 mins.; water to 3 oz.: mix.

A teaspoonful in 20 oz. of water at 100° F. for each inhalation.

Antispasmodic; valuable in asthma and spasm of the glottis. *Throat.*

Vapor Benzoini.

Add 1 drm. Simple Tincture of Benzoin (Hosp.) to 10 oz. of water 140° F., and let the vapour be inhaled. *London.*

Comp. Tincture of Benzoin 1 drm. in 20 oz. of water at 140° F. for each inhalation. *Throat. St. Bartholomew's. Gt. Northern. St. Thomas's. Royal Chest. Westminster.*

Compound Tincture of Benzoin 1 drm.; hot water 1 pint. *City Chest. St. Mary's. Central Throat.*

A most valuable sedative inhalation for acute inflammation of the pharynx and larynx. *Throat.*

Vapor Benzoini c. Chloroformo.

Chloroform 5 mins.; Compound Tincture of Benzoin 1 oz.; a teaspoonful in a pint of hot water for each inhalation. *Central Throat.*

Vapor Benzoini c. Oleo Pini Sylvestris.

Firwool Oil 45 mins.; Compound Tincture of Benzoin to 1 oz.; a teaspoonful in a pint of water for each inhalation. *Central Throat.*

Vapor Benzol.

Benzol 40 mins.; Oil of Cassia 2 mins.; Light Carbonate of Magnesium 20 grs.; water to 1 oz; a teaspoonful in a pint of water for each inhalation. *Central Throat.*

Vapor Benzol c. Aldehydo.

Diluted Aldehyde 10 mins.; Vapour of Benzol 1 oz.: a teaspoonful in a pint of hot water for each inhalation. *Central Throat.*

Vapor Benzol c. Menthol.

Menthol 8 grs.; Chloroform 5 mins.; Vapour of Benzol 1 oz. *Central Throat.*

Vapor Cajuputi.

Oil of Cajuput 8 mins.; Light Carbonate of Magnesia 4 grs.; water to 1 oz.: mix.

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Stimulant; useful when the pharyngeal secretion is excessive. *Throat.*

Vapor Calami Aromatici.

Oil of Sweet Flag 5 mins.; Light Carbonate of Magnesia 2½ grs.; water to 1 oz.: mix.

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

A powerful stimulant in cases of chronic congestion of the larynx. *Throat.*

Vapor Camphoræ.

Spirit of Camphor 10 mins.; Rectified Spirit 20 mins.; water to 1 drm.: to be added to a pint of water at 140° F. *Royal Chest.*

Spirit of Camphor 1 drm. ; Rectified Spirit 3 drms. ; water to 1 oz. : mix.
A teaspoonful in a pint of water at 140° F. for each inhalation. To be inhaled slowly.
Stimulant. *Throat.*

Vapor Carbonis pro Naribus.

Syn. :—Anti-Catarrhal Smelling Salts.
Carbolic Acid 30 grs. ; Carbonate of Ammonium 1 oz. ; Powdered Charcoal 1 oz. ; Oil of Lavender 20 mins. ; Compound Tincture of Benzoin ½ oz. *Central Throat.*

Vapor Cassiæ.

Oil of Cassia 6 mins. ; Light Carbonate of Magnesia 3 grs. ; water to 1 oz. : mix.
A teaspoonful in 20 oz. of water at 140° F. for each inhalation. *Throat.*
Oil of Cassia 5 mins. : Light Carbonate of Magnesia 2½ grs. ; water to 1 oz. ; 1 drm. to 10 oz. of water at 140° F. *London.*

Vapor Chlori.

Chlorate of Potash, in powder, 1 gr. ; Hydrochloric Acid, B.P., 3 mins. Mix in an oz. bottle and let the gas generate and replace the air in the bottle, then put the stopper in the bottle and let it stand for 2 minutes, lastly add gradually, shaking after each addition, Distilled Water 1 oz. One oz. in a two-pint jug may be used for an inhalation (cold). Or, diluted with an equal quantity of water, it may be used as a gargle. Should not be kept prepared above 3 or 4 days. *Throat.*
Stimulant and antiseptic.

Vapor Chloroformi.

Chloroform, Rectified Spirit, of each ½ oz. : mix
A teaspoonful in 20 oz. of water under 100° F., and another teaspoonful may be added every 5 minutes during the inhalation.
Sedative, used in hay fever and in spasmodic affection of the larynx. *Throat.*
To be used with caution.

Vapor Chloroformi Compositus.

Chloroform 10 mins. ; Conium Juice 1 drm. ; Glycerine of Carbolic Acid to 2 drms. ; boiling water 8 oz. *Consumption.*

Vapor Conii.

Dried Carbonate of Soda 20 grs.; water 20 oz. at 140° F.: dissolve, and add Juice of Conium 2 drms.: for an inhalation. *Throat.*

Carbonate of Soda a teaspoonful; Juice of Conium 2 drms.; water at 140° F. 10 oz. *London.*

Sedative.

Vapor Conii c. Ammoniâ.

Juice of Conium 2 drms.; Solution of Ammonia 10 mins.; to be added to a pint of water at 140° F. *Royal Chest.*

Vapor Coninæ et Chloroformi.

Extract of Conium 20 grs.; Chloroform 20 mins.; Glycerine to 1 drm. To be inhaled from a pint of boiling water. *St. George's.*

Vapor Creasoti.

Creasote 40 mins.; Light Carbonate of Magnesium 20 grs; water to 1 oz. A teaspoonful in a pint of hot water for each inhalation. *Central Throat.*

Creasote 2 drms.; Light Carbonate of Magnesia 30 grs.; water to 1 oz.; 1 drm. to 10 oz. of water at 140° F. *London.*

Creasote 40 mins.; water ½ oz. To be added to a pint of water at 140°. *Gt. Northern.*

Creasote ½ oz.; Light Carbonate of Magnesium 90 grs.; water to 3 oz.: mix. A teaspoonful in a pint of water at 140° F. for each inhalation. Stimulant; serviceable for chronic congestion of the larynx. *Throat. St. Bartholomew's. Westminster.*

Vapor Creasoti Compositus.

Carbolic Acid 2 drms.; Creasote 1 drm.; Tincture of Iodine 2 drms.; Spirit of Ether 1 drm.; Spirit of Chloroform 2 drms.: 20 mins. on cotton-wool in a respirator-inhaler. *St. Mary's.*

Vapor Cubebæ.

Oil of Cubebs 2 drs.; Light Carbonate of Magnesia 60 grs.; water to 3 oz.

A teaspoonful in a pint of water at 140° F. for each inhalation.

Valuable stimulant, especially in laryngorrhœa. *Throat.*

Vapor Cubebæ c. Limone.

Oil of Cubebs 1½ drm.; Oil of Lemons ½ drm.; Light Carbonate of Magnesia 1drm.; water to 3oz.: mix

A teaspoonful in 20 oz. of water at 140° F. for each inhalation. *Throat.*

Vapor Eucalypti.

Oil of Eucalyptus 40 mins.; Light Magnesia 20 grs.; Distilled Water 1 fl. oz.: 1 drm. in a pint of warm water for each inhalation. *City Chest.*

Oil of Eucalyptus 40 min.; Light Carbonate of Magnesium 20 grs.; water to 1 oz.: a teaspoonful in a pint of hot water for each inhalation. *Central Throat.*

Vapor Eucalypti Compositus.

Oil of Eucalyptus 2 drms.; Comp. Tincture of Benzoin 3 drms.: Thymol 1 drm.; Spirit of Chloroform to 1 oz. For continuous inhalation, 10 drops at a time on cotton wool in an oro-nasal respirator. *Royal Chest.*

Oil of Eucalyptus ½ oz.; Firwool Oil ½ oz.; Compound Tincture of Benzoin ½ oz.: 1 drm. to a pint of hot water. *St. Mary's.*

Vapor Hyoscyami.

Henbane seed in powder 60 grs.; percolated with sufficient Proof Spirit to make 1 fl. oz.

A teaspoonful in a pint of water at 140° F. for each inhalation. *Throat.*

Vapor Iodi.

Tincture of Iodine 4 drms.; water to 1 oz.; 1 drm. to 10 oz. water at 140° F.

For hot dry inhalation pour 1 fl. drm. into a heated vessel and let the vapour be inhaled. *London.*

Tincture of Iodine 10 drops for each dry inhalation; may be repeated once or twice during inhalation. Stimulant, and useful where pus is formed in large quantities. *Throat.*

Vapor Iodi et Acidi Carbolici Ætherealis.

Iodine 3 grs.; Ether 2 drms.; Carbolic Acid 2 drms.; Rectified Spirit to 1 oz.

For continuous inhalation, 10 drops at a time on cotton-wool in an oro-nasal respirator. *Royal Chest.*

Vapor Iodi c. Æthere.

Tincture of Iodine 1 oz.; Acetic Ether 1 drm.: 20 mins. to a pint of hot water. *St. Mary's.*

Vapor Iodi Benzoatus.

Benzoic Acid 16 grs.; Tincture of Iodine 1 oz. Dissolve a teaspoonful in a pint of water at 140° F.

Use for Valsalvan inhalation. *Throat.*

Vapor Iodi Camphoratus.

Tincture of Iodine ½ oz.; Strong Solution of Ammonia 30 mins.; Spirit of Camphor 3½ drms.: mix, and after 4 days filter.

A teaspoonful in a pint of water at 80° to 100° F. Use for Valsalvan inhalation. *Throat.*

Vapor Juniperi Anglici.

English Oil of Juniper 1 drm.; Light Carbonate of Magnesia 30 grs.; water to 3 oz.: mix.

A teaspoonful to 20 oz. of water at 140° F. for each inhalation.

Stimulant, and very useful in weakness of voice. *Throat.*

Vapor Lupuli.

Hops 2 drms.; hot water 20 oz. *Consumption.*

Extract of Hop (B. P.)

One teaspoonful in a pint of hot water for each inhalation. *Central Throat.*

Oil of Hop 6 mins.; Light Carbonate of Magnesia 10 grs.; water to 1 oz.: mix.

1 fl. drm. to 10 oz. of water at 140° F. for each inhalation. *London.*

Vapor Lupulinæ.

Lupuline 30 grs., to be added to a pint of water at 140° F. for inhalation. *Throat.*

Vapor Myrti.

Oil of Myrtle 6 mins.; Light Carbonate of Magnesia 6 grs.; water to 1 oz.: mix.

A teaspoonful in 20 oz. water at 140° F. for each inhalation.

Stimulant; very useful in acute tonsillitis. *Throat.*

Vapor Origani.

Oil of Common Thyme 5 mins.; Light Carbonate of Magnesia 2½ grs.; water to 1 oz.: mix.

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Mild stimulant; useful in subacute inflammations. *Throat.*

Vapor Pini Sylvestris.

Oil of Scotch Pine 40 mins.; Carbonate of Magnesium 20 grs.; Water ½ oz. To be added to a pint of water at 140° F. *Gt. Northern.*

Oil of Scotch Pine (Firwool Oil) 40 mins.; Light Carbonate of Magnesium 20 grs.; water to 1 oz.: mix. *London. St. Bartholomew's. Throat. Central Throat. Westminster.*

A teaspoonful in 20 oz. of water at 140° F. for each inhalation. *Throat. St. Bartholomew's.*

1 drm. to 10 oz. water 140° F. for each inhalation. *London.*

Mild stimulant; useful in chronic laryngitis.

Vapor Pini Sylvestris c. Camphorâ.

Camphor in Powder 1½ gr.; Inhalation of Firwool Oil 1 oz.

A teaspoonful in a pint of hot water for each inhalation. *Central Throat.*

Vapor Salviæ.

Oil of Sage 30 mins; Light Carbonate of Magnesia 15 grs.; water to 3 oz.: mix.

A teaspoonful in 20 oz. of water at 140° F. for each inhalation.

Stimulant. *Throat.*

Vapor Santali.

Oil of Sandal-wood 18 mins.; Rectified Spirit to 3 oz.: mix.

10 to 15 drops to be used with the dry inhaler, and the vapour inhaled: a fresh quantity may be added during the inhalation to make the amount of 1 teaspoonful. It may also be used with Magnesia for steam inhalation.

Sedative; valuable in subacute inflammation with increased mucous secretion. *Throat.*

Vapor Siccus.

Firwool Oil 1 drm.; Oil of Eucalyptus 1 drm.; Compound Tincture of Benzoin 2 drms; Creasote to 1 oz.: 10 or 15 drops to be applied on the sponge of the oro-nasal inhaler previous to use. *Central Throat.*

Vapor Terebenæ.

Terebene 40 mins.; Light Magnesia 20 grs.; Distilled Water 1 fl. oz.; 1 drm. in a pint of warm water for each inhalation. *City Chest.*

Terebene 40 mins.; Light Carbonate of Magnesium 20 grs.; water to 1 oz.
A teaspoonful in a pint of hot water for each inhalation. *Central Throat.*
Terebene pure 40 mins.; Light Carbonate of Magnesia 20 grs.; Distilled Water to 1 oz.
A teaspoonful in a pint of water at 140° F. to be inhaled for ten minutes night and morning.
Stimulant. *Throat. Westminster.*

Vapor Terebinthinæ.
Spirit of Turpentine 1 drm.; Tincture of Larch 3 drms.; hot water to 10 oz. *Consumption.*
Oil of Turpentine 1 drm.; water 140° F. 10 oz. *London.*

Vapor Thymol.
Thymol 6 grs.; Rectified Spirit 1 drm.; Light Carbonate of Magnesia 5 grs.; water to 1 oz.; 1 drm. to 10 oz. of water at 140° F. *London.*
Thymol 6 grs.; Rectified Spirit 1 drm.; Light Carbonate of Magnesium 2 grs.; Distilled Water to 1 oz.: a teaspoonful in a pint of water at 140° F. for each inhalation. *Westminster.*
Thymol 18 grs.; Rectified Spirit 3 drms.; Light Carbonate of Magnesia 9 grs.; water to 3 oz.: mix.
A teaspoonful in 20 oz. of water at 140° F. for each inhalation.
A strong stimulant and disinfectant; used in pharyngitis and laryngitis when associated with exanthemata. *Throat.*

VASELINA.

Vaselinum Carbolatum.
Carbolic Acid 20 grs.; Oil of Cloves 16 drops; Vaseline 2 oz. *Women.*

Vaselinum c. Eucalypto.
Oil of Eucalyptus 12 mins.; Olive Oil 3 oz.; Vaseline 1 oz. *Women.*

VINA.

Vinum Ferri. (*See also* Liq. Ferri et Ammon. Cit.)
Ammonio-Citrate of Iron 2 drms.; Rectified Spirit 2 oz.; Water to 20 oz. *King's.*
Vinum Ferri Citratis B.P. *Westminster.*

Tartarated Iron 20 grs.; Sugar ½ drm.; Rectified Spirit 1½ drm.; hot water to 2 oz. *City Chest.*

Iron Filings 25 grs.; Acid Tartrate of Potassium 2 drms.; water *q. s.* Rub the Iron and the Acid Tartrate together, and expose to the air in an open glass vessel for 6 weeks, with 1 oz. of water, stirring daily, water being added now and then that they may be always moist. Then dry with a gentle heat, rub into powder, and mix with 18 oz. of water. To the strained liquor add Proof Spirit to 20 oz. Dose, from one to two teaspoonfuls. *St George's.*

Iron Wire *q. s.*; Acid Tartrate of Potash 2 oz.; Tartaric Acid 1½ oz.; Dil. Sulphuric Acid 1 oz.; Glycerine 8 oz.; Caramel 1 oz.; Rectified Spirit 80 oz.; water to make 2 gallons. Mix the ingredients with the water and Spirit, and macerate for 28 days, shaking occasionally, then filter. *University.*

Tartarated Iron 320 grs.; Sugar 1 oz.; Rectified Spirit 10 drms.; water to 20 oz.: mix. *London.*

Tartarated Iron ¼ oz.; Rectified Spirit 1 oz.; water to 10 oz. *Gt. Northern.*

Vinum Ipecacuanhæ.

Ipecacuanha 1 oz.; Sherry Wine 4 oz.: Rectified Spirit 4 oz.; water 12 oz. Macerate 7 days, press, and filter, then add water to make 20 oz. *London. St. Bartholomew's.*

Vinum Opii.

Extract of Opium 1 oz.; Sherry 4 oz.; Rectified Spirit 4 oz.; water 12 oz.: mix and filter. Dose 10 to 40 mins. *London.*

Vinum Rhei.

Rhubarb Root 1½ oz.; Sherry 4 oz.; Rectified Spirit 4 oz.; water 12 oz. Macerate 7 days. Dose 1 to 2 drms. *London.*

PHARMACOPŒIAS

OF THE

ORMOND STREET, VICTORIA & EAST LONDON HOSPITALS FOR CHILDREN,*

Interspersed with other Formulæ for Children, taken from the General Hospitals, to which the names of each Hospital are attached.

BALNEA.

Balneum Alkalinum.

Carbonate of Soda 1 oz.; hot water at 96° F. 5 gallons. *Ormond Street.*

Balneum Sulphuratum.

Sulphurated Potash 1 oz.; hot water 7 gallons. *Ormond Street.*

CONFECTIO.

Confectio Santonini Composita.

Santonine 8 grs.; ginger 10 grs.: Jalap ½ drm.: Sulphur 1½ drm.; Confection of Senna 8 drms. Dose ʒi. For a child over 3 years of age. *East London.*

DUSTING POWDERS.

(*See also* Pulv. Zinci et Amyli.)

Pulvis Acidi Borici.

Boric Acid and Starch equal parts. *Samaritan.*

---

* The doses of remedies used internally are calculated of a strength suitable to children of one year old for the *East London*, *Victoria*, *Ormond Street*, *London*, *St. George's*, *Samaritan*, and *St. Mary's*. For the other Hospitals the dose is for two to ten years.

Pulvis Amyli et Acidi Boracici.

Boracic Acid 1 part; Starch Powder 10 parts. *Victoria.*

Pulvis Amyli Comp.

Oxide of Zinc and Starch equal parts. *St. Mary's.*

Pulvis Amyli et Hydrargyri.

Starch Powder, Oxide of Zinc, Tannic Acid, Calomel, of each equal parts. *Victoria.*

Pulvis Amyli et Zinci.

Oxide of Zinc 1 part, Starch Powder 3 parts. *Victoria.*

Pulvis Conspersus.

Oxide of Zinc 1 part; Starch 3 parts. *East London.*

Oxide of Zinc 1; Starch Powder 3: mix. *Ormond Street.*

Pulvis Conspersus c. Hydrargyro.

Dusting Powder 3 parts; Calomel 1 part. *East London.*

Pulvis Zinci.

Oxide of Zinc and Starch equal parts. *Samaritan.*

EMULSIO.

Emulsio Olei Morrhuæ.

Glycerine, Cod Liver Oil, Solution of Lime: of each equal parts. *Victoria.*

GARGARISMATA.

Gargarisma Aluminis.

Alum 15 grs.; water 1 oz. *East London.*

Gargarisma Potassii Chloratis.

Chlorate of Potassium 15 grs.; water 1 oz. *East London.*

GUTTÆ.

Gutta Atropiæ Sulphatis.

Sulphate of Atropia 1 gr.; Distilled Water 1 oz. *Ormond Street.*

Gutta Podophylli Resinæ.
Resin of Podophyllin 1 gr. : Rectified Spirit 1 drm. Dose 10 drops. *Ormond Street.*

HAUSTUS.

(*See* MISTURA.)

LINCTUS.

Linctus.
Compound Tincture of Camphor 2½ mins. ; Ipecacuanha Wine 2½ mins. ; Glycerine 10 mins. ; Peppermint Water to 1 drm. *East London.*

Linctus Infantilis.
Compound Tincture of Camphor 2½ mins. ; Ipecacuanha Wine 2½ mins. ; Glycerine 20 mins. ; Peppermint Water to 1 drm. *London.*

Linctus Pectoralis.
Oxymel of Squill 5 mins. ; Compound Tincture of Camphor 2½ mins. ; Spirit of Nitrous Ether 2½ mins. ; water to 1 drm. : mix. *Ormond Street.*

Linctus Scillæ.
Oxymel of Squill 5 mins. ; Juice of Hemlock 5 mins. ; Essence of Anise 1 min. ; Syrup of Red Poppy to 1 drm. *Victoria.*

LINIMENTA.

Linimentum Saponis.
Soft Soap 1 drm. ; hot water 1 oz. *East London.*

Linimentum Saponis Ammoniatum.
Liniment of Soap 6 drms ; Solution of Ammonia 2 drms. *East London.*

LOTIONES.

Lotio Acidi Boracici.
Boracic Acid 16 grs. ; water 1 oz. *Victoria.*

Lotio Acidi Carbolici.
Carbolic Acid 24 grs. ; water 1 oz. *Victoria.*
Carbolic Acid 8 grs. ; water 1 oz. *East London.*

Lotio Acidi Sulphurosi.
Sulphurous Acid ½ oz. ; water 1 oz. *Victoria.*

Lotio Aluminis.

Alum 4 grs.; water 1 oz. *Ormond Street.*
Alum 2 grs.; water 1 oz. *Victoria.*

Lotio Aluminis cum Belladonnâ.

Extract of Belladonna 3 grs.; Alum 3 grs.; Distilled Water to 1 oz. *East London.*

Lotio Aluminis Fortior.

Alum 6 grs.; water 1 oz. *Victoria.*

Lotio Ammonii Chloridi. (Vel Lotio Evaporans.)

Chloride of Ammonium 15 grs.; Methylated Spirit 1 drm.; water to 1 oz. *Ormond Street. East London.*
Chloride of Ammonium 10 grs.; Borax 10 grs.; Glycerine 120 mins.; Water to 1 oz. *Victoria.*
For a Gargle or Injection of the Nostrils.

Lotio Atropinæ.

Sulphate of Atropine 2 grs.; Distilled Water 1 oz. *Victoria.*

Lotio Belladonnæ.

Extract of Belladonna 3 grs; water to 1 oz. *Ormond Street. East London.*
Extract of Belladonna 30 grs.; water 1 oz.
To be added to ½ pint of boiling water and used as a Fomentation. *Victoria.*

Lotio Boracis Composita.

Borax 8 grs.; Sulphate of Zinc 8 grs.; Tincture of Opium 8 mins.; water to 1 oz. *Ormond Street.*

Lotio Boracis cum Zinci Sulphate.

Borax 10 grs.; Sulphate of Zinc 8 grs.; Glycerine 1 drm.; water to 1 oz. *East London.*

Lotio Calaminæ.

Calamine 40 grs.; Oxide of Zinc 20 grs.; Glycerine 20 mins.; water to 1 oz. *East London.*
Oxide of Zinc 30 grs.; Sifted Calamine 30 grs.; Glycerine 24 mins.; Lime Water 24 mins.; water to 1 oz. *Ormond Street.*
Levigated Calamine 30 grs.; Oxide of Zinc 10 grs.; Glycerine 10 mins; Lime Water ½ oz.; water to 1 oz. *Victoria.*

Lotio Evaporans. *See also* Lotio Ammonii Chloridi.

Methylated Spirit 1 drm.; Solution of Acetate of Ammonium 2 drms.; water to 1 oz. *Victoria.*

Lotio Iodi et Glycerini.
Tincture of Iodine 1 drm.; Glycerine 1 drm.; water to 1 oz. *Victoria.*

Lotio Phytocide.
Solution of Perchloride of Mercury 1 oz.; Sulphurous Acid 1 oz.; Glycerine 1 oz. *Victoria.*

Lotio Picis Composita.
Soft Soap, Tar, Methylated Spirit, equal parts. *Ormond Street.*

Lotio Plumbi Evaporans.
Solution of Subacetate of Lead 12 mins.; Rectified Spirit ½ drm.; Distilled Water to 1 oz. *East London.*

Lotio Plumbi et Glycerini.
Solution of Subacetate of Lead 6 mins.; Glycerine 20 mins.; water to 1 oz. *Victoria.*

Lotio Plumbi et Opii.
Solution of Subacetate of Lead 15 mins.; Tincture of Opium 30 mins.; water to 1 oz. *Victoria.*

Lotio Potassii Chloratis c. Borace.
Chlorate of Potassium 5 grs.; Borax 6 grs.; water 1 oz. *Ormond Street. East London.*

Lotio Refrigerans.
Chloride of Ammonium 30 grs.; Diluted Acetic Acid 1 drm.; Methylated Spirit 1 drm.; water to 1 oz. *Victoria.*

Lotio Rubra. *See also* Lotio Zinci Sulphatis.
Sulphate of Zinc 2 grs.; Compound Tincture of Lavender 12 mins.; water to 1 oz. *Victoria.*
Sulphate of Zinc 2 grs.; Compound Tincture of Lavender 10 mins.; water to 1 oz. *Ormond Street.*

Lotio Sodæ Hyposulphitis.
Hyposulphite of Soda 25 grs.; water 1 oz. *Ormond Street.*

Lotio Zinci c. Atropinâ.
Sulphate of Zinc 2 grs.; Sulphate of Atropine 1 gr.; Distilled Water 1 oz. *East London.*

Lotio Zinci c. Belladonnâ.
Sulphate of Zinc 1 gr.; Alum 1 gr.; Belladonna Lotion 1 oz. *East London.*

Lotio Zinci Chloridi.

Chloride of Zinc 1 gr.; water 1 oz. *Ormond Street.*

Lotio Zinci Oxidi.

Oxide of Zinc 10 grs.; Glycerine ½ drm.; Distilled Water to 1 oz. *East London.*

Oxide of Zinc 20 grs.; Glycerine 20 mins.; water 1 oz. *Ormond Street.*

Lotio Zinci Sulphatis (Vel Rubra).

Sulphate of Zinc 2 grs.; Compound Tincture of Lavender 15 mins.; Distilled Water 1 oz. *East London.*

Sulphate of Zinc 2 grs.; water 1 oz. *Ormond Street. Victoria.*

Lotio Zinci Sulphatis et Atropinæ.

Sulphate of Zinc 1 gr.; Sulphate of Atropine 1 gr.; Distilled Water 1 oz. *Victoria.*

MISTURÆ.

Mistura Acida c. Strychninâ.

Solution of Strychnine ½ min.; Acid Calumba Mixture 1 drm. *East London.*

Mistura Acidi Gallici c. Opio.

Gallic Acid ½ gr.; Sulphuric Acid Mixture with Opium 1 drm. *East London.*

Mistura Acidi Hydrochlorici.

Diluted Hydrochloric Acid 1½ min.; Syrup 5 mins.; water to 1 drm. *Ormond Street.*

Diluted Hydrochloric Acid 2 mins.; Spirit of Chloroform 2 mins.; Orange Flower Water to 1 drm. *Victoria.*

Diluted Hydrochloric Acid ½ drm.; Spirit of Chloroform ½ drm.; Syrup ½ drm.; water to 1½ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Acidi Hydrocyanici.

Diluted Hydrocyanic Acid ½ min.; Bicarbonate of Sodium 2 grs.; water to 1 drm *Victoria.*

Mistura Acidi Nitrici.

Diluted Nitric Acid 2 mins., Syrup of Orange Flower 10 mins.; water to 1 drm. *Victoria.*

Mistura Acidi Nitro-hydrochlorici.

Diluted Nitro-Hydrochloric Acid 2 mins.; Syrup of Orange Peel 15 mins.; water to 1 drm. *Victoria.*

Diluted Nitro-hydrochloric Acid 1½ min.; Spirit of Chloroform 1½ min.; Tincture of Orange 2½ mins.; water to 1 drm. *Ormond Street.*

Mistura Acidi Sulphurici c. Opio.

Aromatic Sulphuric Acid 1 min.; Tincture of Opium ½ min.; Glycerine 10 mins.; water to 1 drm. *East London.*

Mistura Ætheris.

Spirit of Ether 2½ mins.; Aromatic Spirit of Ammonia 2½ mins.; Syrup 15 mins.; Pimento Water to 1 drm. *Victoria.*

Mistura Ætheris c. Ammonio.

Carbonate of Ammonium ½ gr.; Spirit of Ether 2 mins.; Glycerine 5 mins.; water to 1 drm. *East London.*

Spirit of Ether 3½ mins.; Aromatic Spirit of Ammonia 3½ mins.; Tincture of Orange 2 mins.; Camphor Water to 1 drm. *Ormond Street.*

Carbonate of Ammonium 3 grs.; Syrup of Squill 1½ drm.; Compound Ether Draught to 1½ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Alba.

Sulphate of Magnesium 7½ grs.; Carbonate of Magnesium 2½ grs.; Peppermint Water to 1 drm. *East London.*

Sulphate of Magnesium 6 grs.; Carbonate of Magnesium 3 grs.; Spirit of Chloroform 2 mins.; Peppermint Water ½ drm.; water to 1 drm. *Victoria.*

Mistura Aloes c. Ferro.

Tartarated Iron 1½ grs.; Compound Decoction of Aloes 20 mins.; water to 1 drm. *East London.*

Mistura Aluminis.

Alum 2½ grs.; Acid Infusion of Roses 1 drm. *East London.*

Alum 2½ grs.; Syrup 20 mins.; water to 1 drm. *Ormond Street.*

Alum 5 grs.; Syrup of Red Poppies 20 mins.; Distilled Water to 2 drms. *Royal Chest.*

Alum 10 grs.; Syrup of Red Poppies 1 drm.; water to 1½ oz. Dose 1 drm. *Middlesex.*

Mistura Aluminis Composita.

Alum $2\frac{1}{2}$ grs.; Compound Tincture of Camphor $2\frac{1}{2}$ mins.; Dil. Sulphuric Acid 1 min.; Camphor Water to 1 drm. *London.*

Mistura Ammonii Acetatis.

Solution of Acetate of Ammonium 3 drms.; Citrate of Potassium 60 grs.; Glycerine 1 fl. drm.; water to $1\frac{1}{2}$ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Ammonii Acetatis et Cinchonæ.

Solution of Acetate of Ammonium 30 mins.; Compound Tincture of Cinchona 5 mins.; Nitrate of Potassium $\frac{1}{2}$ gr.; Syrup of Tolu 15 mins.; water to 1 drm. *Victoria.*

Mistura Ammonii Bromidi.

Bromide of Ammonium 2 grs.; Syrup of Orange 10 mins.; water to 1 drm. *East London.*

Mistura Ammonii Bromidi c. Belladonna.

Bromide of Ammonium 5 grs.; Tincture of Belladonna 5 mins.; Syrup 20 mins. Distilled Water to 2 drms. *Royal Chest.*

Mistura Ammonii Citratis.

Carbonate of ammonium $1\frac{1}{4}$ gr., Citric Acid $1\frac{1}{2}$ gr.; Syrup of Tolu 3 mins.; water to 1 drm. *Victoria.*

Carbonate of Ammonia $1\frac{1}{2}$ gr.; Citric Acid $1\frac{1}{2}$ gr.; water 1 drm. *Ormond Street.*

Mistura Ammonii Citratis Effervescens.

Carbonate of Ammonium $1\frac{1}{4}$ gr.; Citric Acid $1\frac{1}{2}$ gr.; water 1 drm.

To make an effervescing mixture, the acid, dissolved in half the water, must be added at the time of administration. *Victoria.*

Mistura Ammonii c. Æthere.

See Mistura Ætheris c. Ammonio.

Mistura Aperiens.

Extract of Jalap 1 gr.; Syrup of Senna 30 mins.; Spirit of Chloroform 3 mins.; Tincture of Ginger 4 mins.; Syrup 20 mins.; Distilled Water to 2 drms. *Royal Chest.*

Extract of Jalap $\frac{1}{4}$ gr.; Syrup of Senna 10 mins.; Spirit of Chloroform $1\frac{1}{2}$ mins.; Tincture of Ginger $1\frac{1}{2}$ mins.; Syrup 10 mins.; Caraway Water to 1 drm. *Ormond Street.*

Mistura Aperiens Infantilis.

Sulphate of Magnesia $2\frac{1}{2}$ grs.; Tincture of Rhubarb 10 mins.; Caraway Water to 1 drm. *London.*

Mistura Aromatica.

Carbonate of Magnesium 2 grs.; Aromatic Powder of Chalk 8 grs.; Tincture of Rhubarb 8 mins.; Peppermint Water to 2 drms. *Royal Chest.*

Carbonate of Magnesium 1 gr.; Aromatic Powder of Chalk 5 grs.; Tincture of Rhubarb 5 mins.; Peppermint Water to 1 drm. *East London.*

Carbonate of Magnesium 2 grs.; Aromatic Powder of Chalk 5 grs; Aromatic Spirit of Ammonia 2 mins.; Compound Tincture of Rhubarb 5 mins.; Peppermint Water $\frac{1}{2}$ drm.; water to 1 drm. *Victoria.*

Aromatic Chalk Powder 5 grs.; Mucilage of Acacia 30 mins.; water 30 mins. *Ormond Street.* (For *Middlesex* see the following.)

Mistura Aromatica c. Rheo.

(Middlesex *Light*) Carbonate of Magnesium 1 gr.; Aromatic Chalk Powder 5 grs.; Tinct. Rhubarb 5 mins.; Peppermint Water to 1 drm. *Ormond Street.* Syn. Mist. Aromat. *Middlesex.*

Mistura Belladonnæ.

Extract of Belladonna $\frac{1}{8}$ gr.; Spirit of Chloroform 2 mins; water to 1 drm. *Ormond St. East London.*

Extract of Belladonna $\frac{1}{8}$ gr.; Glycerine 10 mins.; water to 1 drm. *London.*

Mistura Belladonnæ c. Potassi Bromido.

Bromide of Potassium 2 grs.; Tincture of Belladonna 2 mins.; Syrup of Tolu 15 mins.; water to 1 drm. *Victoria.*

Bromide of Potassium 4 grs.; Tincture of Belladonna 4 mins.; Glycerine 10 mins.; water to 1 drm. *Ormond Street.*

Mistura Bismuthi.

Carbonate of Bismuth $1\frac{1}{2}$ grs.; Bicarbonate of Sodium 3 grs.; Mucilage of Tragacanth 10 mins.; Dill Water to 1 drm. *Samaritan.*

Carbonate of Bismuth 2 grs.; Bicarbonate of Sodium 2 grs.; Mucilage of Tragacanth 15 mins.; water to 1 drm. *East London.*

Carbonate of Bismuth 1 gr.; Carbonate of Magnesium 1 gr.; Compound Powder of Tragacanth 1 gr.; Dill Water to 1 drm. *Victoria.*

Mistura Bismuthi Astringens.

Subnitrate of Bismuth 2 grs. ; Tannic Acid 1 gr. ; Aromatic Powder of Chalk and Opium 1 gr. ; Acacia Mixture to 1 drm. *London.*

Mistura Bismuthi et Cinchonæ.

Subnitrate of Bismuth 1 gr. ; Compound Tincture of Cinchona 3 mins ; Bicarbonate of Sodium 2 grs. ; Aromatic Spirit of Ammonia 2 mins. ; Compound Powder of Tragacanth ½ gr. ; water to 1 drm. *Victoria.*

Mistura Bismuthi Composita.

Subnitrate of Bismuth 2 grs. ; Bicarbonate of Sodium 2 grs. ; Mucilage of Tragacanth 15 mins. ; Spirit of Chloroform 1 min. ; Caraway Water 1 drm. *St. Mary's.*

Subnitrate of Bismuth 2 grs. ; Bicarbonate of Soda 2 grs ; Comp. Tragacanth Powder 1½ grs ; Spirit of Chloroform 1 min. ; Caraway Water 1 drm. *Ormond Street.*

Mistura Bismuthi et Sodii.

Subnitrate of Bismuth 10 grs. ; Bicarbonate of Sodium 10 grs ; Mucilage 1 drm. ; Peppermint Water 3½ drms. ; Infusion of Calumba to 1 oz. Dose 1 to 2 drms. *King's.*

Mistura Bismuthi et Zinci.

Oxide of Zinc 1 gr. ; Bismuth Mixture 1 drm. *Victoria*

Mistura Calcis Sulphocarbolatis.

Sulphocarbolate of Lime 1 gr. ; Cassia Water 1 drm. *East London.*

Mistura Calumbæ Acida.

Diluted Nitric Acid 1½ mins. ; Infusion of Calumba 1 drm. *East London.*

Mistura Cannabis Indicæ.

Tincture of Indian Hemp 2½ mins. ; Spirit of Chloroform 1 min. ; Mucilage of Tragacanth 15 mins. ; water to 1 drm. *East London.*

Tincture of Indian Hemp 2½ mins. ; Spirit of Chloroform 1 min. ; Mucilage of Acacia 15 mins. ; water to 1 drm. *Ormond Street.*

Mistura Carminativa.

Carbonate of Magnesium 2 grs. ; Aromatic Spirit of Ammonia 2 mins ; Glycerine 5 mins. ; Saccharated Solution of Lime 3 mins. ; Compound Tincture of Cardamoms 5 mins. ; water to 1 drm. *Victoria.*

Bicarbonate of Soda 1½ gr.; Aromatic Spirit of Ammonium 1½ min.; Glycerine 5 mins.; Peppermint Water to 1 drm. *Ormond Street.*

Bicarbonate of Soda 1½ gr.; Aromatic Spirit of Ammonia 2 mins.; Glycerine 10 mins.; Dill Water to 1 drm. *London.*

Bicarbonate of Sodium 1½ grs.; Aromatic Spirit of Ammonia 2 mins.; Spirit of Chloroform 1 min.; Syrup 10 mins.; Caraway Water to 1 drm. *St. Mary's.*

Bicarbonate of Sodium 2 grs.; Aromatic Spirit of Ammonia 2 mins.; Glycerine 5 mins.; Peppermint Water to 1 drm. *Middlesex.*

Bicarbonate of Sodium 5 grs.; Aromatic Spirit of Ammonia 7 mins.; Compound Tincture of Cardamoms 5 mins.; Caraway Water to 2 drms. *Royal Chest.*

Bicarbonate of Sodium 3 grs.; Comp. Tincture of Cardamoms 5 mins.; Tincture of Hyoscyamus 2 mins.; Dill Water to 1 drm. *Samaritan.*

Mistura Catechu Aromatica.

Aromatic Chalk Powder 20 grs.; Infusion of Catechu 1½ oz. Dose 1 to 2 drms. *King's.*

Mistura Catechu Composita.

Tincture of Catechu 5 mins.; Aromatic Spirit of Ammonia 3 mins.; Aromatic Powder of Chalk 3 grs.; Saccharated Solution of Lime 4 mins.; Peppermint Water ½ drm.; water to 1 drm. *Victoria.*

Mistura Chloral.

Hydrate of Chloral 1 gr.; Glycerine 4 mins.; Chloroform Water ½ drm.; water to 1 drm. *East London.*

Hydrate of Chloral 30 grs.; Bromide of Potassium 30 grs.; Syrup of Tolu 1½ drm.; Cassia Water to 1½ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Chloral Hydratis c. Belladonnâ.

Syrup of Chloral 6 mins.; Tincture of Belladonna 3 mins.; water to 1 drm. *Victoria.*

Chloral Hydrate 1 gr.; Tincture of Belladonna 1 min.; Glycerine 20 mins.; water to 1 drm. *Charing Cross.*

Mistura Chloral et Potassii Bromidi.

Syrup of Chloral 6 mins.; Bromide of Potassium 2 grs.; water to 1 drm. *Victoria.*

Mistura Chlori.

Chlorate of Potassium 10 grs. ; Hydrochloric Acid ½ drm. ; Syrup 1 oz. ; water 8 ozs. Directions below. *Victoria.*

Chlorate of Potassium 20 grs. ; Hydrochloric Acid 60 mins. ; Syrup 2 oz. ; water 18 oz.

Put the Chlorate of Potassium and Acid into a bottle, and lightly cork ; add water by degrees, shaking the bottle as the water is added. Dose 1 drm. *Ormond Street.*

Mistura Cinchonæ.

See also Mist. Tinct. Cinchonæ.

Compound Tincture of Cinchona 10 mins. ; Spirit of Chloroform 2 mins. ; water 1 drm. *Victoria.*

Compound Tincture of Cinchona 10 mins. ; Syrup 10 mins.; water to 1 drm.: mix. *Ormond Street.*

Tincture of Red Bark 2 drms. ; Dil. Nitric Acid 30 mins. ; Glycerine 1 drm. ; water to 1½ oz. Dose 1 to 2 drms. *Middlesex.*

Mistura Cinchonæ Acida.

Liquid Extract of Cinchona 3 mins. : Dil. Sulphuric Acid 2 mins. ; Syrup of Roses 10 mins. ; water to 1 drm. *Victoria.*

Mistura Cinchonæ Comp.

Comp. Tincture of Cinchona 5 mins.; Dil. Nitric Acid 2 mins. ; Syrup 10 mins. ; water to 1 drm. *Samaritan.*

Mistura Cinchoninæ Hydrochloratis.

Hydrochlorate of Cinchonine ¼ gr.; Dil. Hydrochloric Acid 2 mins.; water to 1 drm. *East London.*

Mistura Cretæ c. Catechu.

Chalk Mixture 1 drm. ; Tincture of Catechu 10 mins. ; Spirit of Chloroform 3 mins. ; Decoction of Logwood to 2 drms. *Royal Chest.*

Tincture of Catechu 10 mins. ; Spirit of Chloroform 5 mins.; Chalk mixture to 1 drm. *Ormond Street.*

Tincture of Catechu 10 mins.; Chalk Mixture 1 drm. *East London.*

Tincture of Catechu 5 mins. ; Powder of Chalk and Opium 2 grs. ; Cinnamon Water to 1 drm. *Samaritan.*

Mistura Cretæ c. Hæmatoxylo.

Chalk Mixture ½ drm. ; Tincture of Catechu 3¾ mins.; Decoction of Logwood to 1 drm. Dose 1 to 2 drms. *King's.*

Mistura pro Diarrhœâ Infantum.

Aromatic Powder of Chalk 15 grs.; Compound Tincture of Camphor 8 mins.; Tincture of Catechu 20 mins.; Chalk Mixture to 1 oz. *Royal Free.*

Mistura Diuretica.

Acetate of Potassium 3 grs.; Spirit of Nitrous Ether, 4 mins.; Solution of Acetate of Ammonium, 15 mins.; Vinegar of Squill 3 mins.; Decoction of Broom to 1 drm. *East London.*

Mistura Expectorans.

Nitrate of Potassium 1 gr.; Spirit of Nitrous Ether 5 mins.; Antimonial Wine 2 mins.; Compound Tincture of Camphor 2 mins.; Dill Water ½ drm.; water to 1 drm. *Victoria.*

Mistura Extracti Filicis.

Liquid Extract of Male Fern 30 mins.; Spirit of Cinnamon 20 mins.: Syrup 2 drms.: Mucilage of Acacia to ½ oz.

N.B.—This mixture is for children of 2 years old and upwards. *Ormond Street.*

Mistura Ferri.

Tincture of Perchloride of Iron 40 mins.; Glycerine ½ drm.; water to 1 oz. Dose 1 to 2 drms. *King's.*

Mistura Ferri Alkalina.

Ammonio-Citrate of Iron 2 grs.; Citrate of Potassium 2 grs.; water to 1 drm. *East London.*

Ammonio-Citrate of Iron ½ gr.; Bicarbonate of Sodium 1 gr.; Extract of Liquorice 2 grs.; water to 1 drm. *Victoria.*

Mistura Ferri Aperiens.

Sulphate of Iron ½ gr.; Sulphate of Magnesium 5 grs.; Aromatic Sulphuric Acid 1 min.: Peppermint Water to 1 drm. *East London.*

Sulphate of Iron ⅙ gr.; Sulphate of Magnesium 3 grs.; Diluted Sulphuric Acid 1 min.; Syrup of Ginger 5 mins.; Dill Water to 1 drm. *Victoria.*

Sulphate of Magnesia 2½ grs.; Sulphate of Iron ½ gr.; Dil. Sulphuric Acid 1 min.; Syrup of Ginger 5 mins.; Dill Water ½ drm.; water to 1 drm. *Charing Cross.*

Mistura Ferri Hypophosphitis.

Compound Solution of Hypophosphite of Iron (B.P.C.) 5 mins.; Syrup 10 mins.; water to 1 drm. *Samaritan.*

Mistura Ferri Infantibus.

Solution of Dialysed Iron 5 mins.; Syrup 15 mins.; water to 1 drm. *Central Throat.*

Mistura Ferri Iodidi.

Iodide of Potassium 1 gr.; Ammoniocitrate of Iron 1 gr.; Syrup 15 mins.; water to 1 drm. *Central Throat.*

Mistura Ferri Laxans.

Sulphate of Magnesia 2½ grs.; Dil. Sulphuric Acid 1 min.; Sulphate of Iron ¼ gr.; Syrup of Ginger 2 mins.; Peppermint Water to 1 drm. *Ormond Street.*

Mistura Ferri c. Oleo Morrhuæ.

See Mist. Ol. Morrhuæ c. Ferro.

Mistura Ferri Perchloridi.

Solution of Perchloride of Iron 2 mins.; Glycerine 10 mins.; water to 1 drm. *East London.*

Tincture of Perchloride of Iron 2½ mins.; Syrup 10 mins.; water to 1 drm. *Ormond Street.*

Mistura Ferri Phosphatis.

Parrish's Syrup 10 mins.; water to 1 drm. *Samaritan.*

Mistura Ferri et Potassæ Chloratis.

Solution of Perchloride of Iron 2 mins.; Chlorate of Potash 3 grs.; water to 1 drm. *Charing Cross.*

Mistura Ferri et Quassiæ.

Tincture of Perchloride of Iron 1 min.; Spirit of Chloroform 2 mins.; Infusion of Quassia to 1 drm. *Victoria.*

Mistura Ferri et Quininæ.

Citrate of Iron and Quinine ½ gr.; Syrup of Lemons 10 mins.; water to 1 drm. *Victoria.*

Mistura Ferri et Strychninæ.

Solution of Strychnine ½ min.; Mixture of Perchloride of Iron 1 drm. *East London.*

Mistura Ferri et Zinci.

Sulphate of Iron $\frac{1}{6}$ gr.; Sulphate of Zinc $\frac{1}{12}$ gr.; Syrup of Tolu 15 mins.; water to 1 drm. *Victoria.*

Mistura Gentianæ Alkalina.

Bicarbonate of Sodium 1 gr ; Diluted Hydrocyanic Acid $\frac{1}{2}$ min ; Compound Infusion of Gentian to 1 drm. *Victoria.*

Bicarbonate of Sodium 3 grs. ; Infusion of Gentian 1 drm. *East London.*

Bicarbonate of Soda 2 grs. ; Comp. Infusion of Gentian 1 drm. *Ormond Street.*

Mistura Gentianæ c. Sennâ.

Infusion of Senna 15 mins. ; Compound Infusion of Gentian to 1 drm. *East London.*

Mistura Gummi Rubri.

Liquid Extract of Red Gum 5 mins. ; Glycerine 10 mins. ; Spirit of Chloroform 5 mins. ; Peppermint Water to 1 drm. *Ormond Street.*

Mistura Hæmatoxyli.

Diluted Nitric Acid 1 min. ; Compound Tincture of Camphor $2\frac{1}{2}$ mins. ; Decoction of Logwood to 1 drm. *Ormond Street.*

Diluted Nitric Acid 1 min. ; Compound Tincture of Camphor 5 mins. ; Glycerine 10 mins. ; Decoction of Logwood to 1 drm. *St. Mary's.*

Diluted Nitric Acid 1 min. ; Tincture of Catechu 5 mins. ; Glycerine 5 mins. ; Decoction of Logwood to 1 drm. *London.*

Diluted Nitric Acid 2 mins. ; Compound Tincture of Camphor 5 mins. ; Syrup of Ginger 10 mins. ; Decoction of Logwood to 1 drm. *Samaritan.*

Extract of Logwood 5 grs. ; Tincture of Catechu 10 mins. ; Caraway Water 25 mins. ; hot water 25 mins. Dose 1 to 2 drms. *Middlesex.*

Mistura Hæmatoxyli Composita.

Aromatic Spirit of Ammonia 2 mins. ; Tincture of Catechu 5 mins. ; Syrup 15 mins. ; Spirit of Nutmeg 3 mins. ; Decoction of Logwood to 1 drm. *Victoria.*

Extract of Logwood 4 grs. ; Ipecacuanha Wine 3 mins. ; Wine of Opium $\frac{1}{2}$ min. ; Chalk Mixture to 2 drms. *Ormond Street.*

Mistura Hydrargyri Perchloridi.

Perchloride of Mercury $\frac{1}{64}$ gr. ; Distilled Water 1 drm. *East London.*

Mistura Ipecacuanhæ.

Ipecacuanha Wine 2 mins.; Glycerine 10 mins.; water to 1 drm. *Victoria.*

Ipecacuanha Wine 2½ mins.; Glycerine 10 mins.; water to 1 drm. *Ormond Street. St George's.*

Ipecacuanha Wine 2½ mins.; Tincture of Squill 2½ mins.; Glycerine 5 mins.; water to 1 drm. *Middlesex.*

Ipecacuanha Wine 3 mins.; Tincture of Squill 4 mins.; Glycerine 20 mins.; Distilled Water to 2 drms. *Royal Chest.*

Ipecacuanha Wine 3 mins.; Solution of Acetate of Ammonium 30 mins.; Glycerine 10 mins.; water to 1 drm. *Samaritan.*

Ipecacuanha Wine 3 mins.; Glycerine 10 mins.; water to 1 drm. *St. Mary's.*

Ipecacuanha Wine 5 mins.; Bicarbonate of Potassium 3 grs.; water to 1 drm. *East London.*

Mistura Ipecacuanhæ Ammoniata.

Carbonate of Ammonium ½ gr.; Ipecacuanha Mixture to 1 drm. *Victoria.*

Ipecacuanha Wine 2½ mins.; Tincture of Squill 2½ mins.; Aromatic Spirit of Ammonia 2 mins.; Glycerine 5 mins.; water to 1 drm. Dose 1 to 2 drms. *Middlesex.*

Mistura Ipecacuanhæ c. Ammoniâ.

Carbonate of Ammonium 5 grs; Ipecacuanha Wine 5 mins.; Syrup of Squill ½ drm.; Glycerine 10 mins.; Chloroform Mixture to 1 oz. Dose 1 to 2 drms. *King's.*

Carbonate of Ammonia ½ gr.; Mixture of Ipecacuanha 1 drm. *Ormond Street.*

Mistura Ipecacuanhæ Co.

Ipecacuanha Wine 20 mins.; Carbonate of Sodium 8 grs.; Nitrate of Potassium 4 grs.; Spirit of Nitrous Ether 20 mins.; Solution of Acetate of Ammonium ½ oz.; water to 1 oz. *Royal Free.*

Mistura Ipecacuanhæ Opiata.

Bicarbonate of Sodium 3 grs.; Spirit of Nitrous Ether 8 mins.; Compound Tincture of Camphor 6 mins.; Ipecacuanha Mixture to 2 drms. *Royal Chest.*

Ipecacuanha Wine 2½ mins.; Bicarbonate of Sodium 2 grs.; Spirit of Nitrous Ether 2½ mins.; Compound Tincture of Camphor 2½ mins.; water to 1 drm. *Ormond Street. East London.*

Spirit of Nitrous Ether 3 mins.; Bicarbonate of Sodium 2 grs.; Compound Tincture of Camphor 3 mins.; Ipecacuanha Mixture to 1 drm. *Victoria.*

Bicarbonate of Sodium 20 grs.; Sweet Spirit of Nitre 30 mins.; Tincture of Opium 3 mins.; Ipecacuanha Mixture to 1½ oz. Dose 1 drm. *Middlesex.*

Mistura Ipecacuanhæ c. Sodâ.

Ipecacuanha Wine 3 mins.; Bicarbonate of Soda 3 grs.; Dill Water ½ drm.; water to 1 drm. *Charing Cross.*

Ipecacuanha Wine 5 mins.; Bicarbonate of Soda 2 grs.; Aromatic Spirit of Ammonia 2 mins.; Peppermint Water to 1 drm. *Consumption.*

Mistura Lobeliæ et Belladonnæ.

Ethereal Tincture of Lobelia 1 min.; Tincture of Belladonna 2 mins.; Almond Mixture to 1 drm. *Charing Cross.*

Mistura Magnesiæ Sulphatis.

Sulphate of Magnesia 2½ grs; Diluted Sulphuric Acid 1 min.; water 1 drm. *Ormond Street.*

Mistura Magnes. Sulph. c. Rheo.

See Mist. Rhei c. Magnes. Sulph.

Mistura Olei Morrhuæ.

Carbonate of Potassium 1 gr.; Tincture of Calumba 5 mins.; Cod Liver Oil 10 mins.; water to 1 drm. *East London.*

Solution of Lime ½ drm.; Glycerine 10 mins.; Spirit of Peppermint 3 mins.; Cod Liver Oil to 2 drms. Dose 1 to 2 drms. *King's.*

Cod Liver Oil 30 mins.; Tincture of Calumba 5 mins.; Lime Water 30 mins. *Ormond Street.*

Cod Liver Oil 30 mins.; Glycerine 10 mins.; Solution of Lime to 1 drm. *London.*

Mistura Olei Morrhuæ c. Ferro.

Cod Liver Oil 20 mins.; Tartarated Iron 2 grs.; Powdered Gum Acacia 3 grs.; Treacle 25 mins.; Cassia Water to 1 drm. *Samaritan.*

Cod Liver Oil Mixture 1 drm.; Ammonio-Citrate of Iron 1 gr. *East London.*

Cod Liver Oil ½ drm.; Carbonate of Potash ⅛ gr.; Steel Wine ½ drm. *Ormond Street.*

Cod Liver Oil ½ oz.; Steel Wine to 1 oz. *St. Mary's.*

Cod Liver Oil 15 mins.; Gum Acacia 2½ grs.; Tartarated Iron 1½ gr.; Treacle 30 mins.; Cassia Water to 1 drm. *London.*

Cod Liver Oil 1 drm.; Syrup of Phosphate of Iron 30 mins.; Oil of Cassia ¼ min.; Mucilage of Acacia to 2 drms. *Royal Chest.*

Cod Liver Oil ½ oz.; Iron Wine 1 oz.; Oil of Cassia 2 mins.; Mucilage 2 drms. Dose 1 drm. *Middlesex.*

Mistura Olei Morrhuæ et Ferri Phosphatis.

Cod Liver Oil ½ drm.; Syrup of Phosphate of Iron ½ drm. *Victoria.*

Mistura Olei Morrhuæ c. Ferro et Glycerino.

Cod Liver Oil 20 mins.; Steel Wine 20 mins.; Glycerine 20 mins. *Ormond Street.*

Mistura Olei Morrhuæ c. Glycerino.

Cod Liver Oil 20 mins.; Lime Water 20 mins.; Glycerine 20 mins. *Ormond Street.*

Mistura Olei Morrhuæ et Vin Ferri.

Cod Liver Oil ½ drm.; Wine of the Hypophosphites ½ drm. *Victoria.*

Mistura Olei Ricini.

Castor Oil 5 mins.; Mucilage of Tragacanth 15 mins.; Syrup ½ drm.; water to 1 drm. *East London.*

Castor Oil 5 mins.; Mucilage of Acacia 15 mins.; Syrup 30 mins,; Peppermint Water to 1 drm. *Ormond Street.*

Castor Oil 5 mins.; Mucilage of Acacia 15 mins.; Syrup 15 mins.; Cinnamon Water to 1 drm. *Victoria.*

Castor Oil 5 mins.; Mucilage of Acacia 15 mins.; Syrup 20 mins.; water to 1 drm. *Charing Cross.*

Castor Oil 20 mins.; Mucilage of Acacia ½ drm.; Syrup ½ drm.; Peppermint Water to 2 drms. *Royal Chest.*

Castor Oil 5 mins.; Mucilage of Acacia 15 mins.; Syrup 30 mins.; water to 1 drm. *St. Mary's.*

Castor Oil 5 mins.; Tincture of Rhubarb 5 mins.; Tincture of Quillaia 2 mins.; Glycerine 10 mins.; Pimento Water to 1 drm. *London.*

Castor Oil 7½ mins.; Powdered Gum Acacia 2½ grs.; Sugar 2½ grs.; Caraway Water to 1 drm. *Middlesex.*

Castor Oil 1 drm.; Bicarbonate of Potassium 10 grs.; Mucilage 2 drms.; Syrup 1 drm.; Aniseed Water to 1 oz. *Royal Free.*

Castor Oil 5 mins.; Bicarbonate of Sodium 5 grs.; Spirit of Chloroform 3 mins.; Dill Water to 1 drm. *Samaritan.*

Mistura Olei Ricini Opiata.

Tincture of Opium $\frac{1}{3}$ min.; Castor Oil Mixture to 1 drm. *Victoria.*

Mistura Pertussis.

Bromide of Ammonium 2 grs.; Tincture of Lobelia 2 mins.; Tincture of Belladonna 2 mins.; Syrup of Tolu 15 mins.; Chloroform Water $\frac{1}{2}$ drm.; water to 1 drm. *Victoria.*

Mistura Potassii Bromidi.

Bromide of Potassium 2 grs.; Syrup of Orange 10 mins.; water to 1 drm. *East London.*

Bromide of Potassium 3 grs.; Glycerine 15 mins.; water to 1 drm. *Ormond Street.*

Mistura Potassii Bromidi et Cinchonæ.

Bromide of Potassium 3 grs.; Aromatic Spirit of Ammonia 3 mins.; Compound Tincture of Cinchona 5 mins.; Syrup of Tolu 15 mins.; water to 1 drm. *Victoria.*

Mistura Potassii Chloratis.

Chlorate of Potash 3 grs.; water 1 drm. *Ormond Street.*

Chlorate of Potassium $2\frac{1}{2}$ grs.; water 1 drm. *East London.*

Chlorate of Potassium 2 grs.; Syrup 15 mins.; water to 1 drm. *Victoria.*

Mistura Potassii Citratis.

Citrate of Potash $2\frac{1}{2}$ grs.; water 1 drm. *Ormond Street. Charing Cross.*

Bicarbonate of Potassium $2\frac{1}{2}$ grs.; Citric Acid $1\frac{1}{3}$ grs.; water to 1 drm.

To make an effervescing mixture, the acid, dissolved in half the water, must be added at the time of administration. *Victoria.*

Citrate of Potassium $\frac{1}{2}$ drm.; Syrup 3 drms.; water to $1\frac{1}{2}$ oz. Dose 1 to 2 drms. *King's.*

Mistura Potassii Iodidi.

Iodide of Potassium 1 gr.; Aromatic Spirit of Ammonia 2 mins.; water to 1 drm. *East London.*

Iodide of Potassium $\frac{1}{4}$ gr.; Bicarbonate of Potassium 1 gr.; Pimento Water $\frac{1}{2}$ drm.; water to 1 drm. *Victoria.*

Mistura Potassii Iodidi cum Hydrargyro.

Iodide of Potassium 1 gr.; Solution of Perchloride of Mercury 10 mins.; water to 1 drm. *East London.*

Mistura Quininæ.

Sulphate of Quinine $\frac{1}{4}$ gr.; Diluted Nitric Acid 2 mins.; water to 1 drm. *East London.*

Sulphate of Quinine $\frac{1}{6}$ gr.; Diluted Sulphuric Acid $\frac{1}{6}$ min.; Syrup of Orange Peel 10 mins.; Orange Flower Water to 1 drm. *Victoria.*

Sulphate of Quinia $\frac{1}{4}$ gr.; Diluted Sulphuric Acid 1 min.; water 1 drm. *Ormond Street.*

Mistura Quininæ cum Ferro.

Sulphate of Quinine $\frac{1}{4}$ gr.; Solution of Perchloride of Iron 2 mins.; Glycerine 10 mins.; water to 1 drm. *East London.*

Mistura Rhei.

Sulphate of Magnesium 5 grs.; Tincture of Rhubarb 10 mins.; Syrup of Ginger 10 mins.; Caraway Water to 1 drm. *Samaritan.*

Mistura Rhei Alkalina.

Aromatic Spirit of Ammonia 3 mins.; Aromatic Powder of Chalk 5 grs.; Tincture of Rhubarb 5 mins.; Peppermint Water to 1 drm. *Charing Cross.*

Mistura Rhei c. Magnesio.

Rhubarb 7 grs.; Carbonate of Magnesium 10 grs.; Peppermint Water to 1 oz. *Royal Free.*

Mistura Rhei c. Magnesii Sulphate.

Sulphate of Magnesium 5 grs.; Tincture of Rhubarb 10 mins.; Syrup of Ginger 5 mins.; Caraway Water to 1 drm. *Ormond Street. King's.*

Mistura Rhei Salina.

Tincture of Rhubarb 10 mins; Sulphate of Magnesium 4 grs.; Syrup of Ginger 5 mins.; Peppermint Water $\frac{1}{2}$ drm.; water to 1 drm. *Victoria.*

Mistura Rhei c. Sodâ.

Rhubarb 1 gr.; Bicarbonate of Sodium 1 gr.; Syrup of Ginger 5 mins.; Peppermint Water to 1 drm. *St. Mary's.*

Powder of Rhubarb with Soda 1½ gr.; Syrup of Ginger 5 mins.; Peppermint Water to 1 drm. *Ormond Street.*

Mistura Ricini (vel Haustus).

Aromatic Powder of Chalk 1 gr.; Castor Oil 5 mins.; Mucilage of Acacia 15 mins.; Syrup 15 mins.; Dill. Water to 1 drm. For an infant under one year old. *St. George's.*

Mistura Ricini Opiatus (vel Haustus).

The same as "Mistura Ricini," but with Tincture of Opium ⅓ min. added. *St. George's.*

Mistura Sacchari Usti.

Burnt Sugar ½ min.; Camphor Water to 1 drm. *East London.*

Mistura Salina.

Solution of Acetate of Ammonia 30 mins.; Citrate of Potassium 2 grs.; Camphor Mixture to 1 drm. *Samaritan.*

Nitrate of Potassium 1 gr.; Spirit of Nitrous Ether 2½ mins.; Solution of Acetate of Ammonium 15 mins.; water to 1 drm. *East London.*

Solution of Acetate of Ammonium 20 mins.; Nitrate of Potassium 2 grs.; Glycerine 5 mins.; Camphor Water 15 mins.; water to 1 drm. *Victoria.*

Mistura Salina Antimonialis.

Antimonial Wine 4 mins.; Saline Mixture to 1 drm. *East London.*

Mistura Salina Aperiens.

Sulphate of Magnesium 7½ grs.; Acid Infusion of Roses 1 drm. *East London.*

Mistura Scillæ Composita.

Oxymel of Squill 5 mins.; Compound Tincture of Camphor 2½ mins.; Spirit of Nitrous Ether 2½ mins.; water to 1 drm. *East London.*

Oxymel of Squill 5 mins.; Comp. Tincture of Camphor 2 mins.; Spirit of Nitrous Ether 2½ mins.; water to 1 drm. *Charing Cross.*

Mistura Scillæ Opiata.

Oxymel of Squill 3 mins.; Compound Tincture of Camphor 2 mins.; Spirit of Nitrous Ether 5 mins.; water to 1 drm. *Victoria.*

Mistura Sedativa.

Chloral Hydrate 1 gr.; Tincture of Belladonna 1 min.; Glycerine 30 mins.; water 30 mins. *Ormond Street.*

Mistura Senegæ.

Carbonate of Ammonium ½ gr.; Oxymel of Squill 5 mins.; Syrup of Tolu 10 mins.; Infusion of Senega to 1 drm. *Samaritan.*

Mistura Senegæ c. Ammoniâ.

Carbonate of Ammonia ½ gr.; Spirit of Chloroform 1½ min.; Syrup 15 mins.; Infusion of Senega 30 mins.; water to 1 drm. *Ormond Street.*

Mistura Senegæ et Ammonii Chloridi.

Chloride of Ammonium ½ gr.; Carbonate of Ammonium ½ gr.; Ipecacuanha Wine 1 min.; Syrup of Tolu 15 mins.; Infusion of Senega to 1 drm. *Victoria.*

Mistura Senegæ Composita.

Carbonate of Ammonium ½ gr.; Spirit of Chloroform 2 mins.; Infusion of Senega ½ drm.; water to 1 drm. *East London.*

Carbonate of Ammonium ½ gr.; Syrup of Tolu 15 mins.; Ipecacuanha Wine 2 mins.; Infusion of Senega to 1 drm. *Victoria.*

Mistura Sodii et Acidi Hydrocyanici.

Bicarbonate of Sodium 3 grs.; Diluted Hydrocyanic Acid ½ min.; water to 1 drm. *East London.*

Mistura Sodii Anethi.

Bicarbonate of Sodium 3 grs.; Spirit of Chloroform 1 min.; Dill Water to 1 drm. *East London.*

Mistura Sodii Hypophosphitis.

Hypophosphite of Sodium 1 gr.; Bicarbonate of Sodium 1 gr.; Spirit of Ether 2 mins.; Glycerine 2 mins.; water to 1 drm. *Victoria.*

Mistura Stomachica.

Rhubarb Root bruised 25 grs.; Ginger bruised 15 grs.; Gentian bruised 1½ drm.; Bicarbonate

of Sodium 3 drms.; cold water 20 ozs. Macerate for 24 hours and strain. Dose 1 drm. *East London.*

Bicarbonate of Sodium 2 grs.; Tincture of Rhubarb 10 mins.; Compound Tincture of Gentian 10 mins.; Chloroform Water ½ drm.; water to 1 drm. *Victoria.*

Mistura Tincturæ Cinchonæ.

Chlorate of Potassium 10 grs.; Comp. Tincture of Cinchona ½ drm.; Dil. Nitro-Hydrochloric Acid 10 mins.; Glycerine 10 mins.; Caraway Water to 1 oz. Dose 1 to 3 drms. *King's.*

Mistura Tolu.

Ipecacuanha Wine 2 mins.; Syrup of Tolu 15 mins.; Camphor Water to 1 drm. *Victoria.*

Mistura Zinci Oxidi.

Oxide of Zinc 1 gr.; Glycerine 10 mins.; Mucilage of Tragacanth 15 mins.; water to 1 drm. *East London.*

Oxide of Zinc 1 gr.; Mucilage 10 mins.; Dill Water to 1 drm. *London.*

NEBULÆ.

Nebula Acidi Lactici.

Lactic Acid 32 mins.; water 1 oz. *Victoria.*

OLEUM SULPHURIS.

Precipitated Sulphur 150 grs.; Olive Oil to 1 fl. oz. *Ormond Street.*

PASTA AMYLI IODIDI.

Starch 1 oz.; Glycerine 2 oz.; water 6 oz.; boil together, and when nearly cold add Solution of Iodine B. P. 1 oz. *Ormond Street.*

PIGMENTA.

Pigmentum Iodi.

Iodine 24 grs.; Iodide of Potassium 12 grs.; Rectified Spirit 1 oz. *East London.*

Pigmentum Iodi c. Pice.

Iodine 120 grs.; Rectified Oil of Tar 1 oz. *Ormond Street.*

PULVERES.

(*See also* DUSTING POWDERS, p. 290).

Pulvis Alterativus.

Grey Powder 1 gr.; Compound Cinnamon Powder 1 gr.; Rhubarb 2 grs.; Carbonate of Magnesium 2 grs. Dose 6 to 12 grs. *Royal Free.*

Pulvis Amyli et Acidi Borici.

See Dusting Powders, p. 291.

Pulvis Amyli et Hydrargyri.

See Dusting Powders, p. 291.

Pulvis Amyli et Zinci.

See Dusting Powders, p. 291.

Pulvis Bismuthi.

Carbonate of Magnesia $1\frac{1}{2}$ gr.; Nitrate of Bismuth $1\frac{1}{2}$ gr.; Aromatic Powder of Chalk $1\frac{1}{2}$ gr. *Ormond Street.*

Pulvis Bismuthi Astringens.

Subnitrate of Bismuth 2 grs.; Tannic Acid 1 gr; Aromatic Powder of Chalk 1 gr.: for a dose. *London.*

Pulvis Bismuthi et Carbonis Ligni.

Carbonate of Bismuth 2 grs.; Bicarbonate of Sodium 2 grs.; Wood Charcoal in Powder 2 grs. *Victoria.*

Pulvis Bismuthi Comp.

Carbonate of Bismuth $1\frac{1}{2}$ gr.; Carbonate of Magnesium $1\frac{1}{2}$ gr.; Aromatic Powder of Chalk $1\frac{1}{2}$ gr. *Victoria.*

Subnitrate of Bismuth 2 grs.; Carbonate of Magnesia $1\frac{1}{2}$ gr.; Aromatic Powder of Chalk $1\frac{1}{2}$ gr.: for a dose. *London.*

Pulvis Bismuthi cum Opio.

Subnitrate of Bismuth, Aromatic Powder of Chalk with Opium, of each equal parts. Dose: 4 grs. *East London.*

Pulvis Calcii Sulphidi.

Sulphide of Calcium $\frac{1}{6}$ gr.; Sugar of Milk. *Royal Chest.*

Sulphide of Calcium $\frac{1}{8}$ gr.; Sugar of Milk to 1 gr. *Ormond Street.*

Pulvis Calcis et Ferri.

Phosphate of Lime 1 gr.; Phosphate of Iron 1 gr., Carbonate of Lime 1 gr. *Victoria.*

Pulvis Calumbæ Compositus.

Calumba 1 gr.; Bicarbonate of Sodium 1½ gr.; Subnitrate of Bismuth 1½ gr.; Compound Cinnamon Powder 1½ gr.; Rhubarb 1 gr.; Compound Powder of Tragacanth 2½ grs. *Victoria.*

Pulvis Calomelanos et Jalapæ.

Calomel ¼ gr.; Ginger ½ gr.; Jalap 3 grs. *Victoria.*

Pulvis Catharticus.

Jalap 5 grs.; Rhubarb 5 grs.; Scammony 5 grs.; Ginger 2 grs.; Grey Powder 3 grs. Dose 5 to 15 grs. *Royal Free.*

Pulvis Cinchonæ cum Sodio.

Powder of Red Bark 5 grs.; Bicarbonate of Sodium 5 grs. *King's. Middlesex.*

Pulvis Hydrargyri c. Creta.

Grey Powder 1 gr.; Sugar of Milk 2 grs. *Samaritan.*

Pulvis Hydrargyri c. Cretâ Aromaticus.

Grey Powder 1 gr.; Aromatic Powder of Chalk 3 grs. *East London.*

Mercury with Chalk 1 gr.; Comp. Powder of Mercury with Chalk 1 gr.; Aromatic Powder of Chalk 1 gr. *Ormond Street.*

Grey Powder 1½ gr.; Dover's Powder ½ gr.; Aromatic Powder of Chalk 1 gr. *London.*

Pulvis Hydrargyri c. Cretâ Compositus.

Grey Powder ½ gr.; Dover's Powder ½ gr. *Ormond Street. East London.*

Grey Powder 1½ gr.; Dover's Powder ½ gr.: for a dose. *London.*

Pulvis Hydrargyri c. Cretâ et Doveri.

Grey Powder and Comp. Powder of Ipecacuanha, equal parts. *Royal Free.*

Pulvis Hydrargyri c. Cretâ et Rheo.

Grey Powder 1 gr.; dried Carbonate of Soda 1 gr.; Ginger ½ gr.; Rhubarb 2½ grs.: for a dose. *London.*

Pulvis Hydrargyri c. Cretâ c. Saccharo.

Grey Powder 2 grs.; Sugar 8 grs. *King's.*

Pulvis Hydrargyri c. Cretâ et Sodio.

Grey Powder 1 gr.; Bicarbonate of Sodium 2 grs. *London. Royal Free.*

Pulvis Hydrargyri et Doveri.

Grey Powder $\frac{1}{4}$ gr.; Dover's Powder $\frac{1}{4}$ gr. *Victoria.*

Pulvis Hydrargyri c. Magnesio.

Grey Powder $\frac{1}{2}$ gr.; Compound Powder of Rhubarb 2 grs. *Victoria.*

Grey Powder 1 gr.; Rhubarb 1 gr.; Cinnamon 1 gr.; Light Carbonate of Magnesium 2 grs. *Middlesex.*

Pulvis Hydrargyri Opiatus.

Mercury with Chalk $\frac{1}{2}$ gr., Dover's Powder $\frac{1}{2}$ gr. For an infant of 4 months. *St. Mary's.*

Pulvis Hydrargyri et Rhei.

Mercury with Chalk 1 gr.; Ginger $\frac{1}{2}$ gr.; Rhubarb 2 grs. *Victoria.*

Grey Powder 1 gr.; Rhubarb 3 grs.; Cinnamon $1\frac{1}{2}$ gr.; Sugar $\frac{1}{2}$ gr. For a child a year old. *St. George's.*

Mercury with Chalk 1 gr.; Bicarbonate of Soda 5 grs.; Rhubarb 5 grs.; Ipecacuanha $\frac{1}{2}$ gr. *Charing Cross.*

Pulvis Hydrargyri c. Sodâ.

Mercury with Chalk $\frac{1}{2}$ gr.; Bicarbonate of Sodium 1 gr.; Aromatic Powder of Chalk 2 grs. *Victoria.*

Pulvis Ipecacuanhæ Comp. c. Rheo.

Dover's Powder 2 grs.; Rhubarb 3 grs. Dose 3 to 5 grs. *King's.*

Pulvis Jalapæ c. Hydrargyro c. Cretâ.

Grey Powder 1 gr.; Powdered Jalap 4 grs. *East London.*

Grey Powder 1 gr.; Comp. Powder of Jalap 2 grs. *Ormond Street.*

Pulvis Jalapæ c. Hydrargyri Subchlorido.

Calomel 1 gr.; Powdered Jalap $3\frac{1}{2}$ grs.; Ginger $\frac{1}{2}$ gr. *East London.*

Calomel $\frac{1}{4}$ gr.; Compound Powder of Jalap 3 grs. *Ormond Street.*

Pulvis Lycopodii e. Acido Carbolico.

Carbolic Acid (No. 2 Calvert) 15 grs.; Oil of Thyme 3 mins.; Rectified Spirit 10 mins.; dissolve and add of Lycopodium 300 grs. Mix well for local application. *London.*

Pulvis Rhei c. Calomelane.

Rhubarb 4 grs.; Calomel 1 gr.; Aromatic Powder of Chalk 1 gr. *Middlesex.*

Pulvis Rhei e. Hydrargyro.

Rhubarb 6 grs.; Grey Powder 3 grs. *University.* 2 to 10 years.

Rhubarb 3 grs.; Grey Powder 2 grs. *Middlesex.*

Rhubarb 3 grs.; Grey Powder 1 gr. *East London.*

Pulvis Rhei Comp. c. Hydrargyro.

Compound Powder of Rhubarb 8 grs.; Grey Powder 2 grs. *King's.*

Pulvis Rhei c. Hydrargyro e. Cretâ.

Grey Powder 1 gr.; Cinnamon Powder ½ gr.; Rhubarb 3 grs. *Ormond Street.*

Pulvis Rhei e. Jalapâ.

Rhubarb 2½ grs.; Jalap 2 grs.; Ginger ½ gr. *East London.*

Rhubarb 1 gr.; Compound Jalap Powder 2 grs. *Middlesex.*

Pulvis Rhei e. Sodio. (*See also* p. 213.)

Rhubarb 1½ gr.; Bicarbonate of Sodium 3 grs.; Ginger ½ gr. *East London.*

Rhubarb 3 grs.; Carbonate of Soda 1½ gr; Ginger ½ gr. *Ormond Street.*

Rhubarb 3 grs; Bicarbonate of Sodium 1½ gr.; Ginger ½ gr. *St. George's.*

Rhubarb 2 grs.; Bicarbonate of Sodium 4 grs. *Royal Free.*

Rhubarb 2 grs.; Bicarbonate of Sodium 3 grs.; Compound Cinnamon Powder 1 gr. *Samaritan.*

Rhubarb 2 grs.; Bicarbonate of Sodium 2 grs.; Compound Cinnamon Powder 1 gr. *Victoria.*

Rhubarb 3 grs.; dried Carbonate of Soda 1 gr.; for a dose. *London.*

Rhubarb 6 grs.; dried Carbonate of Soda 3 grs.; mix. *University.* 2 to 10 years.

Rhubarb 6 grs.; Bicarbonate of Sodium 3 grs.; Ginger 1 gr. *Middlesex.*

Pulvis Rhei cum Sodâ et Hydrargyro.

Powder of Rhubarb and Soda 4 grs.; Grey Powder 1 gr. *East London.*

Pulvis Santonini.

See Pulvis Vermifugus.

Pulvis Santonini c. Hydrarg. Subchlor.

Santonine 1 gr.; Calomel ½ gr.; Sugar 1½ gr.: for a dose. *London.*

Santonine ½ gr.; Jalapine 1 gr.; Calomel ½ gr. *East London.*

Pulvis Santonini Comp.

Santonine 1 gr.; Comp. Powder of Scammony 2½ grs.; Calomel ½ gr.: for a dose. *London.*

Santonine 2 grs.; Compound Powder of Scammony 2 grs. *Samaritan.*

Santonine 3 grs.; Calomel 1 gr; Compound Powder of Scammony to 7 grs. (for 8 years old) *St. Mary's.*

Santonine 3 grs.; Comp. Powder of Scammony 10 grs. *Charing Cross.*

Pulvis Santonini et Scammoniæ.

Santonine ¾ gr.; Compound Powder of Scammony 1 gr. *Victoria.*

Pulvis Scammonii c. Calomelane.

(*See* Pulv. Scammon. c. Hyd. Subchlor.)

Pulvis Scammonii et Calomelanos.

(*See* Pulv. Scammon. c. Hyd. Subchlor.)

Pulvis Scammonii et Calomelanos c. Jalapâ.

Calomel 1 gr.; Scammony 2 grs.; Jalap 4 grs. *Middlesex.*

Pulvis Scammonii c. Hydrargyri Subchlorido.

Comp. Powder of Scammony 2 grs.; Calomel ⅓ gr. *East London.*

Comp. Powder of Scammony 2 grs.; Calomel ½ gr. *Ormond Street. Victoria.*

Scammony 4 grs.; Calomel 2 grs.; Sugar 2 grs. *Middlesex.*

Scammony Resin, Calomel, Ginger and Sugar, of each ½ gr. *St George's.*

Pulvis Sodii c. Hydrargyro.

Grey Powder ½ gr.; Bicarbonate of Soda 1 gr.; Aromatic Powder of Chalk 2 grs. *Ormond Street.*

Grey Powder 2 grs.; Bicarbonate of Sodium 4 grs.; Aromatic Powder of Chalk 4 grs. *Middlesex.*

Pulvis Vermifugus vel Santonini.

(*See also* Pulvis Santonini.)

Santonine 3 grs.; Powder of Scammony with Subchloride of Mercury 3 grs. *Royal Chest.*

Santonine 3 grs.; Powder of Scammony with Subchloride of Mercury 4 grs. This powder is for children of 3 years old and upwards. *Ormond Street.*

Santonine 3 grs.; Sugar 12 grs. 2 to 10 years. *University.*

Pulvis Zinci et Amyli.

(*See also* Dusting Powders.)

Oxide of Zinc 1 part; Starch 2 parts. *University. London.*

Pulvis Zinci Oxidi.

See Dusting Powders, p. 290.

SOLUTIONES.

Solution of the Hypophosphites.

Freshly Precipitated Carbonate of Iron 200 grs.; Solution of Bicarbonate of Magnesium 12 oz.; Hypophosphorous Acid 2½ oz.; Hypophosphite of Lime ½ oz.; Hypophosphite of Sodium ½ oz.

Saturate the Solution of Bicarbonate of Magnesium with a sufficiency of Hypophosphorous Acid, dissolve the freshly precipitated Carbonate of Iron in the remainder of the Acid. Mix the Solutions, and add the Hypophosphite of Lime and Sodium. Dose 10 to 20 minims. *Victoria.*

UNGUENTA.

Unguentum Acidi Boracici.

Boracic Acid 1 drm.; Paraffin 1 drm.; Vaseline 3 drms. *East London.*

Boracic Acid ½ oz.; White Wax ½ oz.; Almond Oil 1 oz.; Vaseline 1 oz. *Victoria.*

Boracic Acid 1; White Wax 1; Lard 2: Oil of Almonds 2 parts. *Ormond Street.*

Unguentum Acidi Chrysophanici.

Chrysophanic Acid 10 grs.; Benzoated Lard 1 oz. *Victoria.*

Chrysophanic Acid 10 grs.; Lard 1 oz. *Ormond Street.*

Unguentum Bismuthi Oleatis.

Oxide of Bismuth 60 grs.; White Wax 160 grs.; Oleic Acid 1 oz.; Vaseline 1 oz. Heat the Oxide with the Oleic Acid until solution takes place, then add the Wax and the Vaseline; melt and stir till cold. *Victoria.*

Unguentum Diachyli.

Oleate of Lead 1 oz.; Vaseline 1 oz. *Victoria.*

Litharge 3; Olive Oil 4; Lard 2; Yellow Wax 1 part. *Ormond Street.*

Unguentum Hydrargyri Ammoniati Dilutum.

Ammoniated Mercury 5 grs.; Olive Oil 5 mins.; Lard 1 oz. *East London.*

Unguentum Hydrargyri Ammoniati Mitius.

Ammoniated Mercury 5 grs.; Benzoated Zinc Ointment 1 oz. *Victoria.*

Unguentum Hydrargyri Camphorata.

Camphor 20 grs.; Mercurial Ointment 1 oz. *Victoria.*

Unguentum Hydrargyri Nitratis Mitius.

Nitrate of Mercury Ointment 1 drm.; Vaseline 7 drms. *East London.*

Unguent. Hydrarg. Oxid. Flav.

Yellow Oxide of Mercury 10 grs.; Vaseline 1 oz. *Victoria.*

Yellow Oxide of Mercury 8 grs.; Vaseline 1 oz. *Ormond Street.*

Unguentum Hydrargyri Oxidi Rubri Mitius.

Red Oxide of Mercury Ointment 2 drms.; Lard 6 drms. *East London.*

Red Oxide of Mercury 30 grs.; Vaseline 1 oz. *Victoria.*

Unguentum Iodoformi.

Iodoformi 15 grs.; Oil of Eucalyptus 10 mins.; Vaseline 8 drms. *East London.*

Unguentum Petrolei.

Paraffin 120 grs.; Vaseline 1 oz. *Victoria.*

Unguentum Petrolei et Zinci.

Levigated Calamine 40 grs.; Oxide of Zinc 50 grs.; Glycerine 120 mins.; Petroleum Ointment 1 oz. *Victoria.*

Unguentum Phytocide.

Perchloride of Mercury 5 grs.; Glacial Acetic Acid 30 mins.; Sulphurous Acid 30 mins.; Sulphur Ointment 1 oz. *Victoria.*

Unguentum Rubrum Mitius.

Red Oxide of Mercury 5 grs.; Sulphide of Mercury 5 grs.; Creasote 1½ min.; Lard 1 oz. *Ormond Street.*

Unguentum Simplex.

Yellow Wax 120 grs.; Olive Oil ½ oz.; Vaseline 1 oz. *Victoria.*

Yellow Wax ¼ oz.; Olive Oil ½ oz.; Lard ¾ oz. *Ormond Street.*

Unguentum Staphisagriæ.

Oil of Stavesacre 60 grs.; Lard 1 oz. *Ormond Street. East London.*

Unguentum Styracis.

Prepared Storax ½ oz.; Vaseline 1 oz. *Victoria.*

Unguentum Sulphuris Compositum.

Ammoniated Mercury 4 grs.; Sulphur 30 grs.; Balsam of Peru 30 mins.; Oil of Chamomile 10 mins.; Vaseline 1 oz. *Victoria.*

Sulphur ⅜ oz.; Ammoniated Mercury 12 grs.; Sulphide of Mercury 12 grs; Olive Oil 1½ drm; Creasote 1 min.; Lard ¾ oz. *Ormond Street.*

Unguentum Sulphuris e. Zinco.

Sulphur Ointment, Zinc Ointment, equal parts. *Ormond Street. East London.*

Unguentum Viride.

Ointment of Green Elder Leaves 2 oz.; Copaiba 3 oz.; Ointment of Elemi 16 oz. *Ormond Street.*

Unguentum Zinci Oleatum.

Oxide of Zinc 1 drm.; Oleic Acid 8 drms. Stir it well in, let it stand for two hours, and then heat it sufficiently to complete solution. To be used with an equal part of Vaseline. *East London.*

Oxide of Zinc 30 grs.; Oleic Acid ½ oz.; Vaseline 1 oz. Dissolve the Oxide in the Oleic Acid with a gentle heat, then add the Vaseline, and stir till cold. *Victoria.*

VAPOR.

Vapor Acidi Carbolici Comp.

Fir Wood Oil 4 drms.; Carbolic Acid 6 drms.; Juniper Oil 2 drms.; Comp. Tincture of Benzoin 1 oz.; water to 10 oz.

For Inhalation, add 1 part of the solution to 6 parts of hot water. *Ormond Street.*

VINUM.

Vinum Ferri (and Vinum Ferri Citratis.)

Iron Wine q.s. Acid Tartrate of Potassium 2 oz.; Tartaric Acid 1½ oz.; Diluted Sulphuric Acid 1 oz.; Glycerine 8 oz.; Caramel 1 oz.; Rectified Spirit 4 pints; water to 16 pints. Mix the ingredients with the spirit and water, macerate for 8 days, shaking occasionally, then filter. *East London.*

Ammonio-Citrate of Iron 5 oz.; Rectified Spirit 40 oz.; water to 2 gallons. 1 drm. for a dose. *Ormond Street.*

Ammonio-Citrate of Iron 2 grs.; Rectified Spirit 4 mins; Tincture of Orange 4 mins.; water to 1 drm. *Royal Free.*

Ammonio-Citrate of Iron 1 gr.; Rectified Spirit of Wine 8 mins.; water to 1 drm. *Victoria.*

Tartarated Iron 1 gr.; Rectified Spirit 7½ mins.; water to 1 drm. *Charing Cross.*

Vinum Ferri Hypophosphitis Compositum.

Solution of the Hypophosphites 10 mins.; Raisin Wine 30 mins.; water to 1 drm. *Victoria.*

PHARMACOPŒIA

OF THE

GERMAN HOSPITAL,

DALSTON, near LONDON.

(With Alterations and Additions from Manuscript.)

AQUÆ.

See SOLUTIONES.

COLLYRIA.

Collyrium Aluminis.
Aluminis Pur. 6 grs.; Tinct. Myrrh. 12 mins.; Aq. Destill. 1 oz.

Collyrium Argenti Nitratis.
Argent. Nitrat. 2 grs.; Aq. Destill. 1 oz.

Collyrium Zinci.
Zinc. Sulph. 2 grs.; Aq. Destill. 1 oz.

DECOCTUM.

Decoctum Cinchonæ.
Decoct. Cinchon. Flav. P. B. 1 oz.; Acid. Sulph. Dilut. 6 mins.

Decoctum Condurango.
Cort. Condurango 1 in Aqua 5.

ELECTUARIA.

Electuarium Sulphuris.
Pulv. Sulphur. Co. ½ oz.; Syrup *q. s.* (1 oz.).

Electuarium Vermifug.
Pulv. Jalap. 16 grs.; Pulv. Valerian. 8 grs.; Pulv. Sem. Santonic. ½ drm.; Syrup *q. s.* (1½ drm.).

EMULSIO.

Emulsio Camphor. c. Benz.
Acid. Benzoic. 10 grs.; Camphoræ 2 grs.; Gum. Acaciæ ½ drm.; Aquæ ad 1 oz.

GARGARISMATA.

Gargarisma Aluminis.
Aluminis 10 grs.; Aquæ 1 oz.

Gargarisma Myrrhæ.
Tinct. Myrrhæ 24 mins.; Aquæ ad 1 oz.

Gargarisma Potassæ Chloratis.
Potass. Chlorat. 20 grs.; Aquæ 1 oz.

GELATINA.

Gelatina Zinci Oxydi.
Gelatina Alb. 1 drm.; Glycerin. 1 drm.; Zinci Oxydi 1 drm.; Aquæ ad 1 oz.

INFUSA.

Infus. Sennæ Compositus.
Fol. Sennæ 75 grs., infused in 1 oz. boiling water; strain 6 drms. and add Sodii Potass. Tart. 75 grs.; Manna 150 grs.

INJECTIONES.

Injectio Bismuthi Subnitratis.
Bismuth. Subnitratis 24 grs.; Tinct. Opii 3 mins.; Aquæ ad 1 oz.

Injectio Ferro-aluminat. (Female.)
Ferri Sulph. Pur.; Pulv. Alumin. equal parts. One ounce to be used to a pint of water.

Injectio Resorcin.
Resorcin Pure 10 grs.; Aquæ ad 1 oz.

Injectio Zinci.
Zinc. Sulph. 3 grs.; Aq. Destill. 1 oz.

Injectio Zinci Chloridi. (Female.)
Zinci Chloridi; Aq. Destill. equal parts. One ounce to be used to a pint of water.

Injectio Zinci c. Tannin.
Zinc. Sulph. 3 grs.; Acid. Tannic. 3 grs.; Aq. Destill. 1 oz.

LINIMENTA.

Linimentum Camphoræ Co.
Camphoræ 1 drm.; Sapon. Mollis 1 drm.; Liq. Ammon. Fort. 40 mins.; Spir. Vini ad 1 oz.

Linimentum Chloroformi.
Camphor 48 grs.; Spirit Vini Methyl. 3 drms.; Chloroform ad 1 oz.

Linimentum Sulphuris.
Sulphur. Præcip. 1 oz.; Spir. Vini Rect. 1 oz.; Glycerin. 1 oz.

LIQUORES.

Liquor Ammon. Anisat.
Ol. Anisi 12 mins.; Liquor Ammon. Caust. Fort. 24 mins.; Spirit Rectificat. ad 1 oz.

LOTIONES.

Lotio Flava Hydrarg.
Solutio. Hydrarg. Perchloridi (18 grs. to 1 oz.) 40 mins.; Aqua Calcis ad 1 oz.

Lotio Hispanic.
Zinc. Sulph. 1 gr.; Plumb. Acetat. 1 gr.; Aq. Destill. 1 oz.

Lotio Sodæ. Chlorinatæ.
Liq. Sod. Chlorinat. 6 mins.; Aq. Destill. 1 oz.

MISTURÆ.

Mistura Acida.
Acid. Hydrochlorici Dil. 24 mins.; Tinct. Hæmatoxyli 10 mins.; Syrupi 40 mins.; Aquæ ad 1 oz.

Mistura Ammoniæ Acetatis.
Liq. Ammon. Acet. 1 drm.; Aquæ ad 1 oz.

Mistura Ammoniæ Muriatis.
Ammon. Mur. 30 grs.; Mucil. Acaciæ 1 drm.; Extr. Glycyrrh. Liquid. 30 mins.; Aq. Anisi ad 1 oz.

Mistura Antiblennorrh.

Bals. Copaibæ 30 mins.; Gum. Acaciæ 20 grs.; Aquæ ad 1 oz.

Mistura Anticatarrh Alb.

Chloroform pure 1 min.; Spirit Rectificat. 6 mins.; Liquor. Ammon. Anisat. 20 mins.; Aquæ ad 1 oz.

Mistura Anticatarrh Nigra.

Ammon. Mur. 12 grs.; Mag. Sulph. 30 grs.; Extr. Glycyrrh. Liquid. (equal parts of extract and water) 30 mins.; Aquæ ad 1 oz.

Mistura Anticatarrh pro Infant.

Spirit. Chloroformi 3 mins.; Potassii Bromid. 1 gr.; Aquæ ad 1 oz.

Mistura Antidiarrhoic.

Tinct. Opii 8 mins.; Tinct. Catechu 30 mins.; Mist. Cretæ P. B. ad. 1 oz.

Mistura Antidiarrhoic pro Infant.

Tinct. Catechu 30 mins.; Mist. Cretæ ad 1 oz.

Mistura Antihectica.

Hyd. Iodidi Rub. $\frac{1}{3}$ gr.; Potassii Iodid. 8 grs.; Infus. Quassiæ ad 1 oz. Dose $\frac{1}{2}$ oz.

Mistura Antiphlogist.

Mag. Sulph. 80 grs.; Tinct. Card. Co. 24 mins.; Aquæ ad 1 oz.

Mistura Colchici.

Vin. Colchici 24 mins.; Mistura Sodii Bicarb. 1 oz.

Mistura Diuretica.

Potassæ Acetatis 24 grs.; Tinct. Scillæ 20 mins.; Spir. Ætheris Nitrosi 1 drm.; Infus. Digital. P. B. ad 1 oz.

Mistura Ferri Perchloridi.

Tinct. Ferr. Perchlor. 20 mins.; Infus. Quassiæ 1 oz.

Mistura Ferri Pomati.

Tinct. Ferri Pomat. 30 mins.; Aquæ ad 1 oz.

Mistura Fowleri Arsenicalis.

Liq. Potass. Arsen. 6 mins.; Tinct. Lavand. Comp. 20 mins.; Aquæ ad 1 oz.

Mistura Gummosa.

Mucilag. Gum. Arabic. 80 mins.; Syr. Simpl. 40 mins.; Aquæ ad 1 oz.

Mistura Morphiæ.
Liq. Ammon. Acet. 2 drms.; Spir. Ætheris 30 mins.; Liq. Morph. P. B. 20 mins.; Aquæ ad 1 oz.

Mistura Oleosa Gummosa.
Ol. Amygdal. Dulc. 30 mins.; Gum Acaciæ 15 grs.; Aquæ ad 1 oz.

Mistura Quininæ Comp.
Quininæ Sulph. 2 grs.; Acid. Mur. Dil. 4 mins.; Tinct. Aurantii 12 mins.; Aquæ ad 1 oz.

Mistura Quininæ cum Ferro.
Mist. Quin. Co. 1 oz.; Mist. Ferri Perchlor. 1 oz.

Mistura Sodii Bicarbonat.
Sodii Bicarb. 24 grs.; Infus. Quassiæ 1 oz.

Mistura Sodii pro Infant.
Sodii Bicarb. 6 grs.; Syrup 60 mins.; Aq. Destill. ad 1 oz.

Mistura Sodii Sedativa.
Aq. Lauro-Ceras. 30 mins.; Mist. Sodii Bicarb. ad 1 oz.

Mistura Solvens Opiata.
Sodii Bicarbonat. 10 grs.; Tinct. Camph. Co. 10 mins.; Aquæ ad 1 oz.

Mistura Solvens Stibiata.
Tart. Stibiat. $\frac{1}{4}$ gr.; Ammonii Chlor. 10 grs.; Ext. Glycyrrhizæ 45 grs.; Aquæ ad 1 oz.

Mistura Stomachica.
Tinct. Zingiber. 6 mins.; Tinct. Cinchon. Co. 12 mins.; Tinct. Card. Co. 6 mins.; Infus. Quassiæ ad 1 oz.

Mistura Syr. Ferri Iodid.
Syr. Ferri Iodid. 30 mins.; Aquæ ad 1 oz.

Mistura Syr. Ferri Iodid. pro Infant.
Syr. Ferri Iodid. $3\frac{1}{2}$ mins.; Aquæ ad 1 drm.

PASTILLI.

Pastilli Cocaini.
Cocain Hydrochlor. $\frac{1}{10}$ gr.; Sacch. Alb., Sacch. Lact., *āā* 3 grs.; Pulv. Gum. Arabic. $\frac{1}{2}$ gr.; Aquæ *q. s.* in each.

PILULÆ.

Pilula Aloes c. Ferro.

Aloes Socotrin. $1\frac{1}{2}$ gr.; Ferr. Sulph. Exsicc. 1 gr.; Extr. Gentian. 1 gr.: in each pill.

Pilula Atropin. Sulph.

Atropin Sulph. $\frac{1}{60}$ gr.; Sacch. Alb. $\frac{1}{5}$ gr.; Rad. Glycyrrhiz. Decort. Pulv. $1\frac{1}{2}$ gr.; Conf. Rosæ $\frac{3}{5}$ gr.: in each pill.

Pilula Doveri.

Pulv. Ipecac. Co. 3 grs.; Conf. Rosæ 1 gr.; Pulv. Glycyrrh. 1 gr.: in each pill.

Pilula Ferri Carbon. (Blaud.)

Ferri Sulph. Pur. Cryst. 1 gr.; mix with Pulv. Rad. Glycyrrhiz. Decort. $2\frac{1}{4}$ grs.; Rhizom. Iridis Pulv. $\frac{1}{4}$ gr.; Sacch. Alb. Pulv. $\frac{1}{2}$ gr.; add Potass. Carbon. $\frac{1}{2}$ gr.: mass with $\frac{1}{4}$ min. Mucilag. and $\frac{1}{4}$ min Glycerini for each pill contains 0·026 $FeCo_3$ in each.

Pilula Hydrarg. Bichlor. c. Opio vel Antisyphilitic.

Hydrarg. Bichlor. Corros. $\frac{1}{16}$ gr.; Opii Pur. $\frac{1}{8}$ gr.; Conf. Rosæ 1 gr.; Pulv. Glycyrrh. 1 gr.: in each pill.

Pilula Hydrarg. Iodid. c. Opio.

Hydrarg. Iodid. Virid 1 gr.; Opii Pur. $\frac{1}{4}$ gr.; Conf. Rosæ 1 gr.; Pulv. Glycyrrh. 1 gr.: in each pill.

PULVERES.

Pulvis Acrophorus.

Sodii Bicarbonat. $2\frac{1}{2}$ drms.; Acid. Tartaric $2\frac{1}{4}$ drms.; Sacch. Alb. Pulv. $4\frac{3}{4}$ drms.

Pulvis Adstringens.

Pulv. Cretæ Co. 4 grs.; Pulv. Ipecac. Co. $\frac{1}{2}$ gr.; Pulv. Cinnam. Co. 2 grs.: in each powder.

Pulvis Alterans.

Pulv. Rhei 6 grs.; Mag. Carb. 4 grs.; Hydrarg. c. Cretâ 2 grs.; Pulv. Cinnam. Co. 2 grs.: in each powder.

Pulvis Antihæmorrhoidalis.

Sulphur. Lot. 2 drms.; Potass. Bitartaric ʒiv. Ol. Limonis gtt. 2; Sacch. Alb. Pulv. ad 1 oz.

Pulvis Calcis Phosphatis Co.

Calcis Phosphat., Calcis Carbonat., Sacch. Lactis, of each equal parts.

Pulvis Infant. Hufland.

Pulv. Rad. Iridis 90 grs.; Pulv. Rad. Rhei 120 grs.; Sacch. Alb. ½ oz.; Mag. Carbon. 1 oz.; Ol. Fœnicul. 12 mins.

Pulvis Salicylic cum Creta Gallic.

Acid Salicylic 20 grs.; Wheat Starch 1 drm. French Chalk 1 oz.

Pulvis Sulphur. Co.

Sulph. Sublim. ½ oz.; Pulv. Fol. Sennæ 2 drms. Mag. Carbon. 20 grs.; Potass Bitart. 1 oz.; Pulv. Zingiber 30 grs.

SOLUTIONES.

Aqua Borici.

Boric Acid dissolved in water, 4 per cent.

Aqua Salicylica.

Acid. Salicylic. 1 gr. dissolved in 10 mins. Spirit; Aquæ ad 1 oz.

Disinfecting Fluid.

Solutio Zinci Chlor. 72 mins.; Acid Carbolic 12 mins.; Aquæ ad 1 oz.

Solution for Battery.

Potass. Bichromat. 1 drm.; Acid. Sulphuric 72 mins.; Aquæ ad 1 oz.

Solutio Bismuthi Alkalina.

Bismuth. Subnitrat. 2 gram.; Sodii Potass. Tart. 4 gram.; Liq. Sodii Caust. (5 per cent.) 100 gram.

Solutio Esbachii.

Acid. Picrinic 2 gram.; Acid Citric 4 gram.; Aquæ Destill. 194 gram. (For Albumen in Urine.)

Solutio Fehlingii.

No. i. Cupri Sulph. Pur. Cryst. 181 grs.; Aq. Destill. 6 oz.

No. ii. Potass. Tartarat. 728 grs.; Sodii Caustic 360 grs.; Aq. Destill. ad 6 oz.

Mix equal parts before using. 10 ccm. will test 0·05 Glucose.

Solutio Ferri et Ammon. Citratis.

Ferr. et Ammon. Citr. 10 grs.; Aquæ ad 1 oz.

Solutio Hydrarg. Perchloridi. (For preparation of gauze.)

Hydrarg. Perchloridi 20 gram.; Spirit. Rectificat. 1½ litre; Glycerini 150 gram.; Aquæ ad 10 litres.

Solutio Lugold.

Pot. Iodid. 40 grs.; Iod. Pur. 20 grs.; Aquæ 1 oz.

Solutio Magnesiæ Sulphatis.

Mag. Sulph. 80 grs.; Aquæ ad 1 oz.

Solutio Magnesiæ Sulphatis Alcalina.

Sod. Bicarb. 12 grs.; Mag. Sulph. 80 grs.; Aquæ ad 1 oz.

Solutio Milleri.

For preserving anatomical preparations.

Potass. Bichromat. 12 grs.; Sodii Sulphat. Cryst. 6 grs.; Aquæ ad 1 oz.

Solutio Plencki.

Hydrarg. Bichlor. Corros. 1 drm.; Camphor. 30 grs.; Spir. Vini Rect. 1 oz.

Solutio Potassæ Chloratis vel Gargar.

Potass. Chlorat. 20 grs; Aquæ 1 oz.

Solutio Potassi Iodidi.

Potass. Iodid. 10 grs.; Aquæ Destill. 1 oz.

Solutio Rotterin.

Sodii Chloridi ⅓ gr.; Zinci Chlor. 4 grs.; Zinci Sulphocarbol. 4 grs.; Acid. Boric 2½ grs.; Acid. Salicylic ½ gr.; Thymol $\frac{1}{12}$ gr.; Acid. Citric $\frac{1}{12}$ gr.; Aquæ ad 1 oz.

Solutio Sodæ Sulphatis.

Sod. Sulph. Cryst. 80 grs.; Aquæ ad 1 oz.

Solution Sublimate.

Hydrarg. Perchloridi 1 part in 1,000 parts Aquæ; Acid Picrinic $\frac{1}{250}$ gr.

TINCTURÆ.

Tinctura Coto.

Cortex Coto. 1 part in Proof Spirit 8 parts.

Tinctura Ferri c. Morphiâ

Tinct. Ferr. Perchlor. 2 drms. ; Liq. Morph. P. B. 1 drm. ;

Tinctura Ferri Pomati.

Extr. Ferr. Pomat. 60 grs. ; Aq. Cinnam. Vinos ad 1 oz.

Tinctura Hæmatoxylini.

Ligu. Hæmatoxylini 1 part in Proof Spirit 8 parts.

Tinctura Iodi.

Iodini Pur., 1 part, in Spirit Rectificat. 10 parts.

Tinctura Iodi Decolorat.

Iodini Pur., Sodii Thiosulphat., Aquæ *āā* 300 grs. Solve leni Calore et Refrigerat., add Liq. Ammon. Caust. Spirituos (0·808) 9 drms ; Spirit Absolut. 5 oz. ; post 8 diebus filtra liquorem alb et adde aquæ 150 grs.

Tinctura Quebracho.

Cort. Aspidospermat. Quebracho 1 part in Proof Spirit 5 parts.

Tinctura Rusci.

Ol. Cadi., Spirit. Rectificat., Æther. of each equal parts.

UNGUENTA.

Unguentum Acidi Borici.

20 per cent. made with Vaseline Alb.

Unguentum Argenti Nitrici.

1 per cent. made with Vaseline Alb.

Unguentum Arlti.

Extr. Belladonna 8 grs. ; Hydrarg. Ammon. 6 grs. ; Axungiæ 1 oz.

Unguentum Calomel. Co.

Calomel. 60 grs. ; Zinc. Sulph. 60 grs. ; Axungiæ ad 1 oz.

Unguentum Calomel. c. Zinco.

Calomel. 160 grs. ; Zinc. Oxyd. 24 grs. ; Axungiæ 1 oz.

Unguentum Cantharid. Dil.

Ung. Cantharid. 1 drm. ; Vaseline Alb. ad 1 oz.

Unguentum Chrysarobini.
4 per cent. made with Vaseline Alb.

Unguentum Ferri Sulphat.
2½ per cent made with Vaseline Alb.

Unguentum Hebræ.
Empl. Plumbi 1 oz.; Ol. Olivæ 1 oz.

Unguentum Hydrarg. Oxid. Flav.
2 per cent. made with Vaseline Alb.

Unguentum Ichthyol. (Ammon.)
10 per cent made with Vaseline Alb.

Unguentum Iodoformi.
5 per cent. made with Vaseline Alb.

Unguentum Naphtholi.
5 and 10 per cent. made with Vaseline Alb.

Unguentum Resorcini.
10 per cent. made with Vaseline Alb.

Unguentum Resorcini cum Amylo et Zinco Oxid.
Resorcin., Starch and Zinc Oxide, of each 1 oz.; Vaseline Alb. 7 oz.

Unguentum (Pasta) Salicylica Unnæ.
Acid. Salicylic 7 grs.; Zinci Oxidi 90 grs.; Amyli Trit. 150 grs.; Vaseline Alb. ½ oz.

Unguentum Sulphuris P.B. c. Hydrarg. Oxid. Rub.
Unguent. Sulphur. P. B. c. Hydrarg. Oxid. Rub., 1 per cent.

Unguentum Sulphuris.
4 per cent. made with Vaseline Alb.

Unguentum Sulphuris Co.
Sulph Sublim. 2 drms.; Sapon. Mollis 1 oz.

Unguentum Thymol.
5 per cent. made with Vaseline Alb.

Unguentum Zinci.
12 per cent. made with Vaseline Alb.

Unguentum Zinci Ichthyol.
Zinci Oxid., Ichthyol., of each 10 per cent. made with Vaseline Alb.

VINUM.

Vinum Aromatic.

Fol. Menth. Pip. 2 drms ; Flor. Anthem. 2 drms. : Caryophyll. 15 grs. ; Cocc. Cacti. 10 grs. : Sherry Wine 10 oz. : macerate seven days, strain, and add Acid. Tannic. 30 grs. ; filter.

THE END

PRINTED BY J. S. VIRTUE AND CO., LTD, CITY ROAD, LONDON.

70